3	CLAIM LANGUAGES	CLAIM OF INFRINGEMENT
4 5	155.	Products infringing: Any product using Microsoft Product Activation or Reader Activation feature.
	A virtual distribution environment comprising	
6	(a) a first host processing environment comprising	computer running a Microsoft product containing the Product Activation feature, including Windows XP, Office XP, Visio
		2002. Reader using its activation feature.
8	(1) a central processing unit;	CPU of computer
9 ·	(2) main memory operatively connected to said central processing unit;	main memory of computer
10	<ul><li>(3) mass storage operatively connected to said central processing unit and said main memory;</li></ul>	hard disk or other mass storage contained in computer
11	(b) said mass storage storing tamper resistant software designed to be loaded into said main	Microsoft Product Activation software
12	memory and executed by said central processing unit, said tamper resistant software	·
13	comprising:	
14	(1) machine check programming which derives information from one or more aspects of said host processing	Product Activation software generates hardware information relating to the host processing environment as part of the
15	environment,	activation process
16	(2) one or more storage locations storing said information;	hardware information is stored in the computer's storage
17	(3) integrity programming which	
17 18	(i) causes said machine check programming to derive said information,	each time the Microsoft program starts up after initial activation, Product Activation checks the originally derived hardware information against current hardware
19	(ii) compares said information	each time the Microsoft program starts up after
20	to information previously stored in said one or more storage	initial activation, Product Activation checks the originally derived hardware information
21	locations, and (iii) generates an indication	against current hardware  Product Activation software indicates whether
22	based on the result of said comparison; and	the test has passed or failed
23	(4) programming which takes one or more actions based on the state of said indication;	
24	(i) said one or more actions	Product Activation software will allow system
25	including at least temporarily halting further processing.	startup procedures to continue, if test succeeds, or discontinue startup and offer user
26		opportunity to reactivate if the test fails

Exhibit B

27

28

4		
4 5	156.	Product Infringing: Any product using Microsoft Product Activation or Reader Activation feature.
	A	Activation leature.
6	A virtual distribution environment comprising	computer supring a Microsoft product
7	(a) a first host processing environment comprising	computer running a Microsoft product containing the Product Activation feature, including Windows XP, Office XP, Visio 2002
8		and Reader
•	(1) a central processing unit;	CPU of computer
9	(2) main memory operatively connected to said central processing unit;	main memory of computer
10	(3) mass storage operatively connected to said central processing unit and said	hard disk or other mass storage contained in computer
11	main memory;	
12	(b) said mass storage storing tamper resistant software designed to be loaded into said	Microsoft Product Activation software
13	main memory and executed by said central processing unit, said tamper resistant software comprising:	
14	(1) machine check programming which derives information from one or more	Product Activation software generates hardware information relating to the host
15	aspects of said host processing environment,	processing environment as part of the activation process
16	(2) one or more storage locations storing said information;	hardware information is stored in the computer's storage
17	(3) integrity programming which	
18 19	(i) causes said machine check programming to derive said information,	each time the Microsoft program starts up after initial activation, Product Activation checks the originally derived hardware information against current hardware
19	(ii) compares said information	each time the Microsoft program starts up after
20	to information previously stored in said one or more storage	initial activation, Product Activation checks the originally derived hardware information
21	locations, and	against current hardware
22	(iii) generates an indication based on the result of said comparison; and	Product Activation software indicates whether the test has passed or failed
23	(4) programming which takes one or more actions based on the state of said	
24	indication;	
25	(i) said one or more actions including at least temporarily disabling certain functions.	Product Activation may disable the underlying software from generating new files or running user applications if the test fails
26	disabiling certain functions.	user applications if the test fails

293482.02

4		
5	157.	Product Infringing: Any product using Microsoft Product Activation or Reader Activation feature.
	A virtual distribution environment comprising	7 Tour auton Tourage.
6		
7	(a) a first host processing environment comprising	computer running a Microsoft product containing the Product Activation feature, including Windows XP, Office XP, Visio 2002
8		and Reader
	(1) a central processing unit;	CPU of computer
9.	(2) main memory operatively connected	main memory of computer
10	to said central processing unit;	
10	(3) mass storage operatively connected	hard disk or other mass storage contained in
,,	to said central processing unit and said	computer
11	main memory;	
12	(b) said mass storage storing tamper resistant	Microsoft Product Activation software
12	software designed to be loaded into said	
13	main memory and executed by said central	
13	processing unit, said tamper resistant	·
ا ۱	software comprising:	
14	(1) machine check programming which	Product Activation software generates hash
15	derives information from one or more	information relating to the host processing
15	aspects of said host processing	environment as part of the activation process
14	environment,	
16	(2) one or more storage locations	hardware information is stored in the
17	storing said information;	computer's storage
1/ [	(3) integrity programming which	
10	(i) causes said machine check	each time the Microsoft program starts up after
18	programming to derive said	initial activation, Product Activation checks
	information,	the originally derived hardware information
19	,	against current hardware
,, t	(ii) compares said information	each time the Microsoft program starts up after
20	to information previously stored	initial activation, Product Activation checks
21	in said one or more storage	the originally derived hardware information
21	locations, and	against current hardware
,, l	(iii) generates an indication	Product Activation software indicates whether
22	based on the result of said	the test has passed or failed
ا ري	comparison; and	the test has passed of fathed
23	(4) programming which takes one or	
. l	more actions based on the state of said	
24		
	indication;	De Just Astination of Green J's Just
25	(i) said one or more actions	Product Activation software displays a
	including displaying a message	message to the user if the test fails
26	to the user.	
ŀ		

Exhibit B

4		
5	ESCHALATE CLAIM LANGUAGE BUREN SEE	THE THE CLAIM OF THE RINGEMENT THE REAL PROPERTY OF THE PROPE
٦	156.	Products infringing: Windows Media Player
6	A virtual distribution environment comprising	
Ŭ	a first host processing environment comprising	WMP with Individualized DRM client
7		(referred to hereafter as the Individualized
.		WMP) running on a client computer
8	a central processing unit	Client CPU
	main memory operatively connected to said	Client memory
9	mass storage operatively connected to said	Local disk drive
10	central processing unit and said main memory	Booth disk diffe
10	said mass storage storing tamper resistant	Individualized WMP (I-WMP) stored on disk
11	software designed to be loaded into said main	and loaded into main memory upon execution.
ļ	memory and executed by said central	I-WMP is tamper resistant.
12	processing unit, said tamper resistant software	
	comprising:	Individualization module is generated by the
13 .	machine check programming which derives information from one or more aspects of said	MS individualization service either when the
14	host processing environment,	un-individualized WMP tries to open licensed
^	nout processing on the control of	content that requires a security upgrade (aka,
15		Individualization) or when the user requests an
		upgrade un-provoked. The individualization
16		module is unique and signed and is bound to a
17		unique hardware ID using the MS machine activation process.
17	one or more storage locations storing said	The aforementioned unique feature are located
18	information	in multiple places or storage locations
	integrity programming which	
19	causes said machine check programming to	The ID is regenerated by WMP/DRM client
	derive said information,	when first loading the Individualized DRM
20		Client to access a piece of content requiring the
21	compares said information to information	security upgrade.  The program checks the new copy against the
<u> </u>	previously stored in said one or more storage	one to which the Individualized DRM client is
22	locations, and	bound.
	generates an indication based on the result of	Program stores the result of this check.
23	said comparison; and	
<u>,</u> [	programming which takes one or more actions	If these are not equal, the user is notified via a
24	based on the state of said indication	message stating that he/she must acquire a
25		security upgrade (that is, the current security upgrade is invalid). If they are equal then
23		processing of songs requiring Individualization
26		continues.
	said one or more actions including at least	Songs targeted to this Individualization module
27	temporarily disabling certain functions.	cannot be accessed until the upgrade is correct.
ŀ		

Exhibit B

293482.02

28

2

3	FOR U.S. PATENT NO. 5,892,900				
4	157. A virtual distribution environment comprising	Infringing products include: Windows Media Player			
5	a first host processing environment comprising	See 156			
	a central processing unit	See 156			
6	main memory operatively connected to said central processing unit	See 156			
7	mass storage operatively connected to said central processing unit and said main memory	See 156			
8	said mass storage storing tamper resistant software designed to be loaded into said main	See 156			
9	memory and executed by said central processing unit, said tamper resistant software				
10	comprising: machine check programming which derives	See 156			
11	information from one or more aspects of said host processing environment,				
12	one or more storage locations storing said information	See 156			
13	integrity programming which causes said machine check programming to derive said	See 156			
14	information compares said information to information previously stored in said one or				
15	more storage locations, and generates an indication based on the result of	See 156			
16	said comparison; and	See 156			
17	programming which takes one or more actions based on the state of said indication				
18	said one or more actions including displaying a message to the user.	If these are not equal, the user is notified via a message stating that he/she must acquire a security upgrade (that is, the current security			
19		upgrade is invalid).			
20					
21					
22					
23					

Exhibit B

293482.02

5		
4	CEAIM LANGUAGER	ASSESSED CLAIM OF INFRINGEMENT AND
5	157.	Infringing Product: Microsoft's Windows File Protection and System File Checker features,
6		embodied in Microsoft's Windows 2000, Windows XP products, and Server 2003
	A virtual distribution environment comprising	
7	(a) a first host processing environment comprising	computer running Microsoft Windows 2000 or Windows XP.
8		
9	(1) a central processing unit;	CPU of computer
10	(2) main memory operatively connected to said central processing unit;	main memory of computer
11	<ul><li>(3) mass storage operatively connected to said central processing unit and said main memory;</li></ul>	hard disk or other mass storage contained in computer
12	(b) said mass storage storing tamper resistant software designed to be loaded into said	Windows File Protection process/service ("WFP") and System File Checker (SFC.exe)
13 14	main memory and executed by said central processing unit, said tamper resistant	features of winlogon.exe. Winlogon.exe is treated as a "critical" service by the Windows
15	software comprising:	operating system. Files supporting WFP (including winlogon.exe, sfc.exe, sfc.dll (2000
16		only), sfcfiles.dll (2000 only) and sfc_os.dll (XP only)) are "protected" files and are signed using a signature verified by a hidden key. In
17		Windows 2000, WFP uses hidden functions within the sfc.dll library. Functions are
18	(1) 1: 1 1 :	imported by "ordinal" instead of "name."
19	(1) machine check programming which derives information from one or more	Winlogon either directly or using another dll (XP) or using SFC.dll (2000) determines if
20	aspects of said host processing environment,	changed file was protected, computes the hash of protected files and, if necessary, computes the hash of the file in the dll cache before using
21		it to replace a file overwritten by an incorrect version of the file.
22	(2) one or more storage locations storing said information;	hardware information is stored in the computer's memory
23	(3) integrity programming which	
24	(i) causes said machine check programming to derive said	Windows notifies Winlogon when there has been a system directory change or a change in
25	information,	the dll cache.
26	(ii) compares said information	Winlogon either directly or using another dll
27	to information previously stored in said one or more storage	(XP) or using SFC.dll (2000) compares computed hash with hash in the hash database
28	locations, and	created from the Catalog file(s), and, if there is a difference, compares the hash of the file in
		the dll cache to the hash database created from

Exhibit B

1

	(iii) generate based on the comparison;	s an indication result of said and	over	Catalog file written file event is wrong to not a	e. itten to th		_
(4) j mor indi	programming whe actions based of cation;	nich takes one on the state of s	r Dep aid disp incl	ending on lays severa uding pron em admini	al message	es to the u	iser.
	(i) said one of including dis	r more actions playing a mess	See	above. Mont Property	essages al	so constit	ute viewal
						•	
		• •			•	•	
		•		•			
							·
				,			
				,			
							•
							••

4	I Z Z Z X Z CEAIMEANGUAGE Z Z X X X X X X X X X X X X X X X X X	CLAIMORING INGEMENTS AND
_	6.	Product Infringing: XBox
5	A process comprising the following steps:	The process constitutes assembly and use
6	accessing a first record containing	of components making up an XBox game.  The first record consists of the second file
7	information directly or indirectly identifying one or more elements of a first	table on an XBox DVD. This table identifies the .xbe file which includes the
.8	component assembly,	game information.
9	at least one of said elements including at	The xbe file includes executable
10	least some executable programming,	programming.
11		The xbe file is a load module.
12	at least one of said elements constituting a load module,	
13	said load module including executable programming and a header;	The xbe file includes a header.
14	at least a portion of said header is a public portion which is characterized by a	Most information the xbe header is not obfuscated.
15	relatively lower level of security protection; and	
16	at least a portion of said header is a private portion which is characterized, at least	The entry point address and the kernel image thunk address listed in the xbe
17	some of the time, by a level of security protection which is relatively higher than said relatively lower level of security	header are obfuscated and therefore at a higher level of security protection.
18	protection,	77 1 (1 4 11 11 11 4 4 7 - 411
19	using said information to identify and locate said one or more elements;	The second file table identifies the .xbe file, including where that file is located.
20	accessing said located one or more elements;	The .xbe file is accessed by the XBox.
21	securely assembling said one or more elements to form at least a portion of said	At runtime, the .xbe file is assembled with
22	first component assembly;	certain services of the operating system to form a component assembly. Security
23		associated with this assembling process includes verifying signatures associated
24		with portions of the .xbe file, and replacing obfuscated calls to operating system
25		services with actual addresses.
26		The assembly may also include patch files downloaded from a remote server.
27		
28		
}	executing at least some of said executable	Game play requires execution of the

Exhibit B

2

1	programming; and	assembled programming.
2	checking said record for validity prior to performing said executing step.	The second file table is protected by a digital signature, and is not loaded/used unless the digital signature is verified against the file.
4		
5	7. A process as in claim 6 in which:	
	said relatively lower level of security	The header is protected by the techniques
6	protection comprises storing said public header portion in an unencrypted state; and	protecting the xbe such as signing and security descriptors, but it is not encrypted
7		except as noted below.
-	said relatively higher level of security	The entry point address and the kernel
8	protection comprises storing said private header portion in an encrypted state.	image thunk address listed in the xbe header are obfuscated. The Xbox SDK's
9	•	(XDK) image build uses a key value shared with the retail XBox to perform two XOR
10		operations against the addresses
11		
12		
13		

Exhibit B

,		
4	PARTIE CLAIM LANGUAGE WARE	WANTED BY THE STATE OF THE STAT
5	8.	Infringing products: Microsoft CLR or CCLR and .NET Framework SDK and products that include one or both of these.
6	A core comprising the following stone:	
7	A process comprising the following steps:  (a) accessing a first record containing	The first record is either an assembly manifest,
8	information directly or indirectly identifying one or more elements of a first component assembly,	or a whole assembly; the elements are other assemblies that are referenced as external in the first record; the first component assembly
9		is a .NET application domain.
10	(1) at least one of said elements including at least some executable programming,	Assembly contains executable programming.
11	(2) at least one of said elements constituting a load module,	This is an external assembly referenced in the first record.
12 13	(i) said load module including executable programming and a header;	Assemblies include executable programming, and the assembly manifest and CLS type metadata constitute a header.
14	(ii) said haadar inglyding on	This feature is provided for in the .NET
15	(ii) said header including an execution space identifier identifying at least one aspect of	architecture through numerous mechanisms, for example, by demands for ZoneID
16 17	an execution space required for use and/or execution of the load module associated with said	permissions.
	header; (iii) said execution space	SecurityZone or other evidence provides this
18 19	identifier provides the capability for distinguishing between	capability.
20	execution spaces providing a higher level of security and	
21	execution spaces providing a lower level of security;	
22	(b) using said information to identify and locate said one or more elements;	Manifest and type metadata information section is used to identify and locate files, code elements, resource elements, individual classes and methods.
23	(c) accessing said located one or more	Step carried out by the CLR or CCLR loader.
24	elements;	
25	(d) securely assembling said one or more elements to form at least a portion of said first component assembly;	CLR or CCLR carries out this step, including checking the integrity of the load module, checking the load module's permissions,
26	component assembly,	placing the load module contents into an application domain, isolating it from malicious
27		or badly behaved code, and from code that
28	(e) executing at least some of said executable programming; and	does not have the permission to call it.  Step carried out by the CLR/CCLR and the CLR/CCLR host.
ļ	programming, and	1 02.000

Exhibit B

1

2

1		
-	(f) checking said record for validity prior to performing said executing step.	The CLR/CCLR checks the authenticity and the integrity of the first .NET assembly.
2	9. A process as in claim 8 in which said	The CLR/CCLR constitutes a secure
3	execution space providing a higher level of	processing environment.
	security comprises a secure processing environment.	
4 .	13. A process as in claim 8 further comprising:	
5	(a) comparing said execution space identifier against information identifying the execution	In one example, the ZoneIdentityPermissionAttribute SecurityZone
6	space in which said executing step is to occur;	value demanded by control in the assembly
7	and	manifest is compared against the SecurityZone attribute value corresponding to the calling method
. 8	(b) taking an action if said execution space	CLR/CCLR will throw an exception and
9	identifier requires an execution space with a security level higher than that of the execution	transfer control to an exception handler in the calling routine, or it will shut down the
-	space in which said executing step is to occur.	application if there is no such exception
10		handler, if the permissions do not include the permissions required by the
11		ZoneIdentityPermissionAttribute. The
12	·	ZoneIdentityPermissions are hierarchical, unless customized.
13	14. A process as in claim 13 in which said action includes terminating said process prior	CLR/CCLR may terminate the process or transfer control to an exception handler that
14	to said executing step.	may itself terminate the process.
15		
16		
17		
18		
19	·	
20		
21		
22		
23	·	
24		
25		
26		
27		
28		
20		
1		

4	GLAIMLANGUAGE CASTA	GLAIM/OF THE RINGEMENTS
5	8.	Products infringing include Windows Installer SDK, and products that include the Windows
	A Callering stone	Installer technology.
7	A process comprising the following steps:	Scenario 1: use of Windows Installer packages (i.eMSI files) to create Windows Installer-enabled applications, such as Office 2000 and
ġ		used of the WI service to install them. Scenario 2: software distribution technologies
10		that use the Windows Installer OS service for installation, such as Internet Component Download and products like Office Web
11		Components.
12		Either scenario can be used by SMS, IntelliMirror and third party tools like InstallShield and WISE.
13		NT or later operating systems (because they use the subsystem identifier)
14		using cabinet files, .CAB, (because they have a manifest and INF and/or OSD files), and
15		have been signed with a digital signature and will be authenticated by Authenticode or
16		WinVerifyTrust API and contain at least one PE (portable executables)
17		
18 19	(a) accessing a first record containing information directly or indirectly identifying one or more elements of a first component	Scenario 1: First record is the .MSI file that contains information on what goes in the assembly and how to install the assembly.
20	assembly,	Scenario 2:
21		A. First record is the cabinet manifest (indirect instructions)
22	·	B. Or, First record can be INF and/or OSD files (direct instructions)
23		mes (direct misa denoits)
24	(1) at least one of said elements including at least some executable	Both scenarios: The PE (portable executable) in the cabinet file is the executable
25	programming,	programming.
25	(2) at least one of said elements	Both scenarios: PE is a load module:
27	constituting a load module,	2011 (1011) 2011 2011 1000 11000 1100
28	(i) said load module including executable programming and a	Both scenarios: The PE has several headers.
	T-11	illia D

Exhibit B

293482.02

2

1	header;	
<ul><li>2</li><li>3</li><li>4</li><li>5</li></ul>	(ii) said header including an execution space identifier identifying at least one aspect of an execution space required for use and/or execution of the load module associated with said header:	Both scenarios: SUBSYTEM is a field in the PE Optional Header that is an execution space
6 7 8	(iii) said execution space identifier provides the capability for distinguishing between execution spaces providing a higher level of security and	Both scenarios: SUBSYSTEM distinguishes between programs that can run in kernel mode and those that can run in user mode. This is a key security concept of process separation that was introduced with Windows NT.
9 10	execution spaces providing a lower level of security;	The Subsystem field in the PE header is used by the system to indicate whether the executable will run within Ring 3 (user mode)
11		or use Ring 0 (native or kernel mode). Anything running in Ring 3 is limited to its
12		own processing space. Executables running in Ring 0 can reach out to other spaces and have
13	(b) using said information to identify and	security measure built around them.  Scenario 1: the MSI file identifies and locates
14	locate said one or more elements;	the elements
15		Scenario 2: .CAB manifest is used to identify Physical
16 17		location OSD and/or INF is used to identify Logical location
18		0 1 11 1 2401 (1
19	(c) accessing said located one or more elements;	Scenario 1: Using the MSI file  Scenario 2: Using INF and/or OSD in cabinet
20		file
21		
22 23	(d) securely assembling said one or more elements to form at least a portion of said first component assembly;	Both scenarios: Using the Window Installer OS service with various properties and flags on the settings for higher protection.
24	component assembly,	Windows Installer has numerous flags that the
25		developer can set to indicate how the assembly will be installed, in what privilege level, with
26	·	how much user interface, and how much ability the user has to watch or change what is
27		occurring. These controls have been strengthened with each release of Windows
28		Installer. Windows Installer 1.1 and later has the ability to limit the users capabilities during the installation. In a Windows 2000
	Exhi	bit B

environment and later, using the Group Policybased Change and Configuration Management, 2 the administrator has the most control 3 Fields that can be set by the developer or administrator to control what users can do 4 include the following: Transformssecure can be set to a value of 1 5 to inform the installer that transforms are to be cached locally on the user's computer in a 6 location the user does not have write access. (Transforms create custom installations from a 7 basic generic installation, for example to make the Finance versions different from the 8 Marketing version or English versions different from Japanese versions.) 9 AllowLockdownBrowse and DisableBrowse can prevent users from browsing to the 10 sources. SourceList can be used to specify the only 11 allowable source to be used for the installation of a given component. 12 Environment can be used to specify whether the installation can be done while the user is 13 logged on or only when no user is logged on. Security Summary Property conveys whether 14 a package can be opened as read-only or with no restriction. 15 Privileged Property is used by developers of installer packages to make the installation 16 conditional upon system policy, the user being an administrator, or assignment by an 17 administrator. Restricted Public Properties can be set as 18 variables for an installation. "For managed installations, the package author may need to 19 limit which public properties are passed to the server side and can be changed by a user that is 20 not a system administrator. Some are commonly necessary to maintain a secure 21 environment when the installation requires the installer use elevated privileges. " 22 SecureCustomProperties can be created by the author of an installation package to add 23 controls beyond the default list. MsiSetInternalUI specifies the level of user 24 interface from none to full. A Sequence Table can be used to specify the 25 required order of execution for the installation process. There are three modes, one of which is 26 the Administrative Installation that is used by the network administrator to assign and install 27 applications. InstallServicesAction registers a service for 28 the system and it can only be used if the user is

	·	
I		an administrator or has elevated privileges with
2		permission to install services or that the application is part of a managed installation.
3		DisableMedia system policy disables media
4		sources and disables browsing to media sources. It can be used with DisableBrowse to
		secure installations version 1.1 that doesn't have some of the other capabilities.
5		AlwaysInstallElevated can be set per user or
6		per machine and is used to install managed applications with elevated privileges.
7		AllowLockdownBrowse, AllowLockdownMedia and
8		AllowLockdownPatch set these capabilities so
9		they can only be performed by an administrator during an elevated installation.
		[See article "HowTo: Configure Windows
10		Installer for Maximum Security (Q247528).
11		Windows XP Professional and .NET have the additional capability to set Software Restriction
12		Policies and have these used by Windows Installer.
13		
14		In addition, most of the software distribution technologies that use Windows Installer also
		add a layer of their own controls. For example, SMS 2.0 enables the administrators to control
15		the installation is optional or required and
16		whether the user can affect the installation contents/features at all.
17	(e) executing at least some of said executable programming; and	Both scenarios: Part of executable is called during installation in order to do self-
18	programming, and	registration or perform custom actions. The
19		overall executable is used at runtime.
	(f) checking said record for validity prior to	Scenario 1: Sign the overall package and the
20	performing said executing step.	cabinet files.
21		Scenario 2: The cabinet file is signed.
22		For IE with the default security level or higher,
23		the digital signature is verified by
24		Authenticode or a similar utility before the component is allowed to be assembled.
25		
26		
27		
28		
,		•
l l		i.

	FOR U.S. PATENT NO. 5,917,912	
4	35.	Products infringing include all products that host the Microsoft .NET Common Language
5		Runtime or Compact Common Language
6	A process comprising the following steps:	Runtime.
7	(a) at a first processing environment receiving a first record from a second processing	Computer running the Microsoft CLR/CCLR receives, for example, a shared assembly
. 8	environment remote from said first processing environment;	header or a complete shared assembly from another computer, for example a server.
9	(1) said first record being received in a secure container;	The shared assembly is cryptographically hashed and signed.
10	(2) said first record containing identification information directly or	The first record is either an assembly manifest, or a whole assembly; the elements are other
11	indirectly identifying one or more elements of a first component	assemblies that are referenced as external in the first record; the first component assembly
12 13	assembly;  (i) at least one of said elements including at least some	is a .NET application domain.  Assembly contains executable programming.
13	executable programming;	
14 15	(ii) said component assembly allowing access to or use of specified information;	The specified information can include any kind of data file, stream, log, environment variables, etc.
16	(3) said secure container also including a first of said elements;	The shared assembly includes at least some executable programming.
17	(b) accessing said first record	CLR/CCLR accesses the assembly or assembly header.
18 19	(c) using said identification information to identify and locate said one or more elements;	Manifest and type metadata information section is used to identify and locate files, code elements, resource elements, individual classes and methods.
20	(1) said locating step including locating a second of said elements at a third	Met by a multifile assembly, with files distributed across a network, or by the second
21	processing environment located remotely from said first processing	element constituting another referenced assembly located elsewhere; the CLR/CCLR
22	environment and said second processing environment;	uses probing to locate and access the file.
23	(d) accessing said located one or more elements;	Step carried out by the CLR/CCLR loader.
24	(1) said element accessing step including retrieving said second	Step carried out by the CLR/CCLR loader.
25	element from said third processing environment;	·
26	(e) securely assembling said one or more elements to form at least a portion of said first	CLR/CCLR carries out this step, including checking the integrity of the load module.
27	component assembly specified by said first record; and	checking the load module's permissions, placing the load module contents into an
28	iccord, and	application domain, isolating it from malicious or badly behaved code, and from code that
	,	

Exhibit B

1

2

(1) said executing step taking place at said first processing environment.  CLR/CCLR is operating in the first proce environment specified above.	•
	ssin
	. • .
	•

Exhibit B

4		
5	34.	Product Infringing: Microsoft Operating Systems that support device driver
6	A descriptive data structure embodied on a	signature technology
7	computer-readable medium or other logic device including the following elements:	.•
8	a representation of the format of data contained in a first rights management data	The driver package's INF is a data structure. The INF contains multiple types
9	structure	of sections, structured as hierarchy /"branches," that the Windows operating
10		system or its Plug and Play and/or Set-up installation services "branch" through
11		based on the operating system information and device for which a driver is to be
12		installed. The installation services use the "branching" structure (format) to determine
13		what files should be installed. The INF, further provides disk location information
14		and file directory path information for the files identified as necessary as a result of
15		the "branching" process.
16		The driver package is a "rights management" data structure based on the
17.		fact that it is governed and based on the fact that it processes governed information.
18		Rights Management as Governed Item
19		A driver manufacturer can include rules
20		governing the driver's installation and/or use in the driver's INF file. For example:
21		Security entries specify an access control
22		list for the driver. Driver developers can specify rules that
23		determine behavior of the driver package based on the user's operating system
24		version, including product type and suite and the device for which the driver is to be
25		installed Rules specifying logging
26		Local administrators can establish policy as
27		to what action or notification should occur in the event that a driver being installed is
28		not signed.
ļ		

1

2

2		The operating system installation services have a ranking criteria it follows when multiple drivers are available for a newly detected device. The criterion is used to
3		determine the driver best suited for ensuring compatibility with the operating system and ensuring functionality of the device.
5		device.
6		Drivers have been certified to be compatible with specified operating system
7 8		versions for their respective device classes.  The catalog file protects the integrity of the driver.
•		Microsoft distributes the Driver Protection
9 10		List to prevent known bad deriver from being installed.
11		Processing Rights Managed Items
		Certain drivers (SAP) have been explicitly
12		certified to protect DRM content.
13		MSDN – DRM Overview
14		A DRM-compliant driver must prevent
15		unauthorized copying while digital content is being played. In addition, the driver must disable all digital outputs that can transmit
16		the content over a standard interface (such
. 17		as S/PDIF) through which the decrypted content can be captured.
18		
19	said representation including: element information contained within	The elements of a driver package include:
20	said first rights management data structure; and	A driver that is typically a dynamic-link library with the sys filename extension.
21		An INF file containing information that the system Setup components use to install
22	.,	support for the device.  A driver catalog file containing the digital
·		signature. One or more optional co-installers which
23		are a Win32® DLL that assists in device
24	·	installation NT-based operating systems.  Other files, such as a device installation
25		application, a device icon, and so forth.
26		XP DDK - INF Version Section
27		The LayoutFile entry specifies one or more additional system-supplied INF files that
28	• .	contain layout information on the source
		media required for installing the software

1		
2		described in this INF. All system-supplied INF files specify this entry.
3		The CatalogFile entry specifies a catalog
4		(.cat) file to be included on the distribution media of a device/driver.
5	organization information regarding the organization of said elements	Within an INF is a hierarchy with the top being a list of manufacturers, and sub-lists
6	within said first rights management data structure; and	of models and at the bottom a list of install information by model.
7		For Windows XP and later versions of NT- based operating systems, entries in the
. 8		Manufacturer section can be decorated to specify operating system versions. The
9		specified versions indicate OS versions with which the specified INF <i>Models</i>
10		sections will be used. If no versions are specified, Setup uses the specified Models
11		section for all versions of all operating systems.
12		INF's SourceDisksNames and SourceDisksFiles sections specify
13 14	·	organization information.  XP DDK Source Media for INFs
15		The methods you should use to specify source media for device files depend on
16		whether your INFs ship separately from the operating system or are included with the
17		operating system.  INFs for drivers that are delivered separately from the operating system
18		separately from the operating system specify where the files are located using SourceDisksNames and SourceDisksFiles
19	•.	sections.  If the files to support the device are
20		included with the operating system, the INF must specify a LayoutFile entry in the
21	·	Version section of the file. Such an entry specifies where the files reside on the
22		operating system media. An INF that specifies a LayoutFile entry must not include SourceDisksNames and
23		SourceDisksFiles sections.  XP DDK – INF SourceDisksNames
24		Section A SourceDisksNames section identifies
26		the distribution disks or CD-ROM discs that contain the source files to be
27		transferred to the target machine during installation. Relevant values of an entry in
28		the INF include:  diskid Specifies a source disk.
		disk-description - Describes the contents

•		
1		and/or purpose of the disk identified by
2		diskid.  tag-or-cab-file This optional value
3		specifies the name of a tag file or cabinet file
,		supplied on the distribution disk, either in
4		the installation root or in the subdirectory specified by path, if any.
5		path This optional value specifies the
J		path to the directory on the distribution
6		disk containing source files. The <i>path</i> is relative to the installation root and is
7		expressed as \dirname1\dirname2 and so
		forth.
8		flags For Windows XP and later, setting this to 0x10 forces Setup to use cab-or-tag-
. 9		file as a cabinet file name, and to use tag-
		file as a tag file name. Otherwise, flags is
10	·	for internal use only.  tag-file For Windows XP and later, if
11		flags is set to 0x10, this optional value
10		specifies the name of a tag file supplied on the distribution medium, either in the
12		installation root or in the subdirectory
13		specified by path. The value should specify
1.4	·	the file name and extension without path information.
14		XP DDK INF SourceDisksFiles Section
15		A SourceDisksFiles section names the source files used during installation,
16		identifies the source disks (or CD-ROM
10	,	discs) that contain those files, and provides
17		the path to the subdirectories, if any, on the distribution disks containing individual
18		files. Relevant values in an entry in the
		INF would include: filename Specifies the name of the file on
19		the source disk.
20		diskid Specifies the integer identifying
		the source disk that contains the file. This value and the initial path to the
21		subdir(ectory), if any, containing the
22		named file must be defined in a
	·	SourceDisksNames section of the same INF.
23		subdir This optional value specifies the
24		subdirectory (relative to the
25		SourceDisksNames path specification, if any) on the source disk where the named
25		file resides.
26	information relating to metadata, said	
27	metadata including: metadata rules used at least in part to	The driver manufacture can specify rules in
21	govern at least one aspect of use and/or	the INF that govern the installation and/or
28	display of content stored within a rights management data structure,	use of the driver. For example, security entries specify an access control list for the
ł	management data su detaie,	Charles specify an access control list for the

driver. Driver developers can specify rules in an INF file that determines behavior of the driver package based on the user's operating system version, including product type and suite. Also, rules related to logging can be specified as mentioned in next claim element.

#### For Example - Access Control List Rules

XP DDK - Tightening File-Open Security in a Device INF File

For Microsoft Windows 2000 and later. Microsoft tightened file-open security in the class installer INFs for certain device classes, including CDROM, DiskDrive. FDC, FloppyDisk, HDC, and

SCSIAdapter.

If you are unsure whether the class installer for your device has tightened security on file opens, you should tighten security by using the device's INF file to assign a value to the DeviceCharacteristics value name in the registry. Do this within an addregistry-section, which is specified using the INF AddReg directive. XP-DDK -- INF AddReg Directive

An INF can also contain one or more. optional add-registry-section.security sections, each specifying a security descriptor that will be applied to all registry values described within a named addregistry-section.

A Security entry specifies a security descriptor for the device. The securitydescriptor-string is a string with tokens to indicate the DACL (D:) security component. A class-installer INF can specify a security descriptor for a device class. A device INF can specify a security descriptor for an individual device, overriding the security for the class. If the class and/or device INF specifies a security-descriptor-string, the PnP Manager propagates the descriptor to all the device objects for a device, including the FDO, filter DOs, and the PDO.

For Example – Operating System Versioning

Operating-System Versioning for Drivers

1		under Windows XP
2		Setup selects the [Models] section to use
3		based on the following rules:
· 4		If the INF contains [Models] sections for several major or minor operating system
5		version numbers, Setup uses the section with the highest version numbers that are
6		not higher than the operating system version on which the installation is taking
7		place.
8		If the INF [Models] sections that match the operating system version also include
. 9		product type decorations, product suite decorations, or both, then Setup selects the
10		section that most closely matches the running operating system.
11	said metadata rules including at least one rule specifying that information	The AddService directive can set up event-logging services for drivers.
12	relating to at least one use or display of said content be recorded and/or	INF AddService Directive An AddService directive is used to control
13	reported.	how (and when) the services of particular Windows 2000 or later device's drivers are
14		loaded, any dependencies on other
15		underlying legacy drivers or services, and so forth. Optionally, this directive sets up
16		event-logging services by the devices/drivers as well.
17	·	Relevant sections of the directive's entry include:
		event-log-install-section -Optionally references an INF-writer-defined section in
18		which event-logging services for this device (or devices) are set up.
19		EventLogType Optionally specifies one of System, Security, or Application. If
20		omitted, this defaults to System, which is almost always the appropriate value for the
21		installation of device drivers. For example, an INF would specify Security only if the
22		to-be-installed driver provides its own
23		security support.  EventName Optionally specifies a name
24		to use for the event log. If omitted, this defaults to the given ServiceName.
25		
26	35. A descriptive data structure as in claim	
27	34, in which:	The driver peakage is segured through a
28	said first rights management data structure comprises a first secure container.	The driver package is secured through a catalog file that is signed by Microsoft's Windows Hardware Quality Lab and
		<u> </u>

	contains the hash of each file of the driver' package. The INF identifies the catalog file used to sign the driver package.
36. A descriptive data structure as in claim 35, in which:	
said first secure container comprises:	The first secure container is the driver package secured by a catalog file.
said content; and	The content is the driver and related files within the signed driver package.
rules at least in part governing at least one use of said content.	The rules are within the INF, which is part of the signed driver package.
37. A descriptive data structure as in claim 36, wherein the descriptive data structure is stored in said first secure container.	The INF is stored within the signed driver package.
44. A descriptive data structure as in claim 34, further including:	
a representation of the format of data contained in a second rights management	The manufacture and models sections in the INF Version section are provided for the possibility of a single INF representing
data structure,	the format for multiple drivers.
	Operating system version "decorating" relating the architecture, major and minor
	operating systems versions, product and suit information all relate to the target environment and is used to identify the
	files necessary for the target environment.
	An INF file, such as in the case of operating system targeting, can be used for more than one driver package since it can
· ··	contain more than one catalog file.  Further an INF can address the drives
said second rights management data	necessary for a multi-functional device.  The files of the second data structure woul
structure differing in at least one respect from said first rights management data	vary from the files on the first data structure.
structure.	
45. A descriptive data structure as in claim 44, in which:	
said information regarding elements contained within said first rights	INF specify where the driver files are located using the SourceDiskNames and
management data structure includes information relating to the location of at least one such element.	SourceDiskFiles sections.
46. A descriptive data structure as in claim	
44, further including:  a first target data block including	Operating system version "decorating"
information relating to a first target	relating the architecture, major and minor

Exhibit B

environment in which the descriptive data structure may be used.  47. A descriptive data structure as in claim 46, further including: a second target data block including information relating to a second target	operating systems versions, product and suit information all relate to the first target environment.
46, further including: a second target data block including	
46, further including: a second target data block including	
a second target data block including	
environment in which the descriptive data	Operating system version decorating will cover multiple operating systems.
structure may be used,	This is the reason for version decorating.
said second target environment differing in at least one respect from said first target environment.	This is the reason for version decorating.
48. A descriptive data structure as in claim	1
46, further including:	The provider entry in the version section of
a source message field containing information at least in part identifying the source for the descriptive data structure.	the INF identifies the provider of the INF file. Also, the INF contains a manufacture
	section.
·	
·	·
·	
s.	
	:
•	

4	CLAIM LANGUAGE CONTRACTOR OF THE PROPERTY OF T	**************************************
•	58.	Product Infringing: Microsoft Reader SDK
5		and Microsoft Digital Asset Server.
	A method of creating a first secure	Method is carried out by Microsoft's
6	container, said method including the	Digital Asset Server and Microsoft's
_	following steps:	Litgen tools
7	(a) accessing a descriptive data structure,	opf file describing the file structure of a protected e-book including metadata,
	said descriptive data structure including or addressing	manifest, and "spine" information
8	(1) organization information at least	Organization information regarding
9	in part describing a required or	organization of the ebook and the
	desired organization of a content	inscription as specified in the manifest and
10	section of said first secure	spine information in the .opf file
.	container, and	·
11	(2) metadata information at least in	Metadata constitutes rules specifying the
]	part specifying at least one step	degree of security to use and/or XrML
12	required or desired in creation of	rules
.,	said first secure container;	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
13	(b) using said descriptive data structure to	e-book packaging carried out by Microsoft
14	organize said first secure container contents	Litgen tool
17	(c) using said metadata information to at	Step performed by Digital Asset Server;
15	least in part determine specific	example of specific information is
.	information required to be included in	owner/purchaser information required in
16	said first secure container contents;	the inscription process
Į	and	
17	(d) generating or identifying at least one	Analyzing the metadata and finally
ا ۱.	rule designed to control at least one	packaging the e-book using a particular
18	aspect of access to or use of at least a	security level specified through the
19	portion of said first secure container	metadata
וצו	contents. 71. A method as in claim 58, in which:	
20		Owner purchaser information required in
~~	(a) said specific information required to be included includes information at	the inscription process; XrML rule
21	least in part identifying at least one	requiring display of copyright notice
1	owner or creator of at least a portion of	in dame and an applications
22	said first secure container contents.	·

	· · · · · · · · · · · · · · · · · · ·
58.	Product Infringing: All products that host the Microsoft Common Language Runtime or Compact Common Language Runtime.
A method of creating a first secure container, said method including the following steps;	Method is practiced by a user using the Common Language Runtime (CLR) or Compact Common Language Runtime (CCLR) to create a dynamic shared assembly or .NET Framework SDK to
	create a shared assembly
(a) accessing a descriptive data structure, said descriptive data structure including or addressing	NET framework Assembly class and/or AssemblyBuilder class and/or AssemblyInfo file
(1) organization information at least in part describing a required or desired organization of a content section of said first secure container, and	This information is specified in the classes named above and in the AssemblyInfo file.
(2) metadata information at least in part specifying at least one step required or desired in creation of said first secure container;	This information is addressed in the classes and the AssemblyInfo file, e.g., for a shared assembly metadata will be specified that the assembly is to be signed using specified key
<ul> <li>(b) using said descriptive data structure to organize said first secure container contents;</li> </ul>	This step is carried out by applications and tools using the classes and assembly info file, including CLR (or CCLR) and .NET Framework SDK
(c) using said metadata information to at least in part determine specific information required to be included in said first secure container contents; and	This step is carried out by applications and tools using the assembly info file and classes that specify the metadata required in the target assembly
(d) generating or identifying at least one rule designed to control at least one aspect of access to or use of at least a portion of said first secure container	User may specify rules, as specified in the .NET Framework SDK, to be placed in the assembly manifest including such rules requiring that all code be managed (CLR o
contents.	CCLR compliant), "Code Access Security' permissions be supplied for use of code supplied in the assembly, etc
64. A method as in claim 58, in which:	
(a) said creation of said first secure	Can be a server, PC or workstation running CLR (or CCLR) to create a dynamic share
container occurs at a first data processing arrangement located at a first site:	assembly or .NÉT Framework SDK to create a shared assembly)
	assembly or .NET Framework SDK to

Exhibit B

1

2

3

.4

_		:
1	first data processing arrangement	DefineDynamicAssembly methods or
2	receiving said descriptive data	download of SDK containing
	structure from a second data	assemblybuilder class from a second site
3	processing arrangement located at a second site,	
4	(d) said receipt occurring through said first	Communications port is normally used for
	data processing arrangement	downloading
5	communications port.	
	67. A method as in claim 64, further comprising:	
6	at said first processing site, receiving said	Download of the AssemblyInfo file and/or
7	metadata through said communications	a file containing a class calling the
<i>'</i>	port.	DefineDynamicAssembly methods or
8		download of SDK containing
	68. A method as in claim 67, in which,	assemblybuilder class from a second site
. 9	(a) said metadata is received separately	Method practiced when metadata names are
10	from said descriptive data structure.	addressed by the assembly class and a
10		template for the AssemblyInfo file, and
11		values corresponding to those names are
		received through a user interface such as
12		provided by Microsoft Visual Studio or are provided from a separate file
13	71. A method as in claim 58, in which:	provided from a soparate me
	(a) said specific information required to	The Assembly class definition includes
14	be included includes information at	attributes for company name and trademark
	least in part identifying at least one	information, and these may be required
15	owner or creator of at least a portion of said first secure container contents.	attributes specified in the AssemblyInfo file
16	72. A method as in claim 58, in which:	
	(a) said specific information required to	The Assembly class definition includes an
17	be included includes a copyright	attribute for copyright field that may be
10	notice.	required by the AssemblyInfo file
18		
19		
20		
	·	
21	* * *	
22		

CEATMOPINERINGEMENTS A
Product Infringing: Microsoft .NET Framework, Visual Studio .NET, and tools that include the Assembly Generator tool AL.exe.
The Assembly Generation tool generates a portable execution file with an assembly manifest from one or more files that are either Microsoft intermediate language (MSIL) modules or resource files. When using the tool's signing option, the assembly becomes a secure container.
The descriptive data structure is the text file used as input by the Assembly Generation tool.
The DDS specifies the <i>link</i> and or <i>embed</i> directives to indicate which source files should be included in the assembly, how the included resource will be tagged, and if the resource will be private. Private resources are not visible to other assemblies.  These tags are used to organize the assembly into <i>named</i> sections.  Private attributes are used to organize the assembly into both public and <i>private</i> sections. (Public sections are the default.)
The text file can contain "options" relating to how the assembly should be built and additional information that should be included.
Main – Specifies the method to use as an entry point when converting a module to an executable file.  Algid – Specifies an algorithm to hash all files.  Comp – Specifies string for the Company field.  Conf – Specifies string for Configuration field  Copy – Specifies string for Copyright field.  Culture – Specifies the culture string to associate with the assembly.  Delay – Variation of this option

Exhibit B 

1				·
				fully or partially signed and whether the
2	l			public key is placed in the assembly.  Description – Specifies the description
3				field.
4				Evidence – Embeds file in the assembly with the resource name
7				Security.Evidence.
5				Fileversion – Specifies the file version of the assembly.
6				Flags – Specifies flags for such things
				as the assembly is side-by-side
7	∦,			compatible, assembly cannot execute with other versions if either they are
8			••	executing in the same application
. 9				domain, process or computer.  Keyf – Specifies a file that contains a
9				key or key pair to sign an assembly.
10				Keyn - Specifies the container that holds
11			•	a key pair.  Product - Specifies string for Product
			•	field.
12				Producty – Specifies string for Product Version.
13.				Template - Specifies the assembly fro
14				which to inherit all assembly metadata.  Title - Specifies string for Title field.
14				Trade – Specifics string for Trademark
15				field.  V - Specifies version information.
16		(b)	using said descriptive data structure to	The following directives are used to specify
10		(-)	organize said first secure container	which files are to be compiled into the
17			contents	assembly, how they will be tagged, and whether or not they will be visible to other
18				assemblies, AKA private:
19				Embed[name, private] - copies the
				content of the file into the assembly and
20				applies an optional name tag, and optional private attribute.
21				Link[name, private] - file becomes part
22				of the assembly via a link and applies an optional name tag, and optional private
22				attribute.
23		(c)		The following are some of the "options" address what information should be
24			least in part determine specific information required to be included in	included in the secure container:
ł			said first secure container contents;	Main Specification and 1
25			and	Main – Specifies the method to use as an entry point when converting a
26				module to an executable file.
27				Comp - Specifies string for the Company field.
21				Conf – Specifies string for
28	.			Configuration field
	-			Copy - Specifies string for Copyright

		·
		field.  Culture – Specifies the culture string to
	· ·	associate with the assembly.  Description - Specifies the description
-		field.  Evidence – Embeds file in the assembly
		with the resource name Security Evidence.
		Fileversion – Specifies the file version
		of the assembly.  Flags – Specifies flags for such things
		as the assembly is side-by-side
	'	compatible, assembly cannot execute with other versions if either they are
ŀ		executing in the same application
		domain, process or computer.
		Keyf – Specifies a file that contains a
.		key or key pair to sign an assembly.
	•	Keyn - Specifies the container that hold
		a key pair.
		Product – Specifies string for Product field.
		Producty – Specifies string for Product
		Version.
		Template – Specifies the assembly fro
		which to inherit all assembly metadata.
		Title - Specifies string for Title field.
		Trade - Specifics string for Trademark
		field.
<u> </u>	· · · · · · · · · · · · · · · · · · ·	V - Specifies version information.
(d)	generating or identifying at least one	User may specify rules, as specified in the .NET Framework SDK, to be placed in the
	rule designed to control at least one	assembly manifest including such rules
	aspect of access to or use of at least a	requiring that all code be managed (CLR
	portion of said first secure container contents.	compliant), "Code Access Security"
	contents.	permissions be supplied for use of code
		supplied in the assembly, etc.
71.	A method as in claim 58, in which:	·
(a)	said specific information required to	The following "options" specifies owner
1 (4)	baid specific information require	and arouter intermetion:
I	be included includes information at	and creator information:
	least in part identifying at least one	
	least in part identifying at least one owner or creator of at least a portion of	Comp - Specifies string for the
	least in part identifying at least one	Comp - Specifies string for the Company field.
	least in part identifying at least one owner or creator of at least a portion of	Comp - Specifies string for the
	least in part identifying at least one owner or creator of at least a portion of	Comp – Specifies string for the Company field. Copy – Specifies string for Copyright field.
	least in part identifying at least one owner or creator of at least a portion of	Comp – Specifies string for the Company field. Copy – Specifies string for Copyright
72.	least in part identifying at least one owner or creator of at least a portion of	Comp – Specifies string for the Company field. Copy – Specifies string for Copyright field. Trade – Specifics string for Trademark field.
72.	least in part identifying at least one owner or creator of at least a portion of said first secure container contents.  A method as in claim 58, in which:	Comp - Specifies string for the Company field. Copy - Specifies string for Copyright field. Trade - Specifics string for Trademark field.  The copy "option" specifies the string for
	least in part identifying at least one owner or creator of at least a portion of said first secure container contents.	Comp – Specifies string for the Company field. Copy – Specifies string for Copyright field. Trade – Specifics string for Trademark field.

3		
	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
4	1.	Products infringing: All products that include the Common Language Runtime or Compact
5		Common Language Runtime or Common
_		Language Infrastructure.
6	A method for using at least one resource	Resource may constitute a Microsoft Windows
~	processed in a secure operating environment at	process or hardware element; secure operating environment is Microsoft Common Language
7	a first appliance, said method comprising:	Runtime ("CLR") environment, Common
.8		Language Infrastructure ("CLI") or Compact
. 0		CLR ("CCLR"); first appliance is computer
9	·	running CLR, CLI or Compact CLR. Two
10.	·	infringing scenarios are set forth herein: (1) For CLR, an administrator, using the .NET
10		framework caspol.exe tool remotely configures
11		security policy in a .NET configuration file for
į		a machine, enterprise, user, or application and
12	·	that security policy interacts with rules or evidence declared in a shared assembly
13		provided by another entity ("1st scenario"); and
10		(2) for CLR, CLI and CCLR two assemblies
14		are delivered to an appliance; the first
		assembly has a rule that demands permissions
15		from a caller in the second assembly, and the second assembly includes a control that asserts
16		such permissions or provides evidence that
		convinces the runtime that it has such
17		permissions. ("2 <sup>nd</sup> scenario"). In each scenario
		Microsoft .NET "Code Access Security" framework or "Role Based Security"
18		framework is used.
19		
- 1	(a) securely receiving a first entity's control at	1 <sup>st</sup> scenario: first entity is the administrator,
20	said first appliance, said first entity being located remotely from said operating	and the policy that constitutes this entity's control is securely received at the first
21	environment and said first appliance;	appliance through a session established
- 1		between the administrator's computer and the
22		first appliance, requiring security credentials
ا ړ		such as the administrator's login and password or other secure session means.
23		2 <sup>nd</sup> scenario: first entity is creator or distributor
24		of the first assembly, assembly manifest
~ '		includes a control demanding or refusing or
25		otherwise asserting a security action on
<u> </u>	· · · · · · · · · · · · · · · · · · ·	permissions from a caller; first assembly is
26	(b) securely receiving a second entity's control	integrity-checked.  Second entity's control is contained in shared
27	at said first appliance, said second entity being	assembly manifest (and therefore integrity
- '	located remotely from said operating	protected) that provides evidence for obtaining
28	environment and said first appliance, said	permissions, or asserts permissions; assembly
	second entity being different from said first	creator/distributor is located remotely and is
1	· ·	

1

1 2	entity; and	not the administrator (1 <sup>st</sup> scenario) or creator/distributor of the first container (2 <sup>nd</sup>
3	(c) securely processing a data item at said first appliance, using at least one resource,	scenario); Secure processing is carried out by CLR, CLI or CCLR, Data item constitutes an executable
4	including securely applying, at said first appliance through use of said at least one	code element, an interface controlled by such an executable, a data collection or stream (such
5	resource said first entity's control and said second entity's control to govern use of said data item.	as media file or stream or text file) or an environment variable. CLR, CLI or CCLR securely processes the rules, which will in both
6	data nem.	scenarios govern access to methods and data from the first assembly. The resource named in
7 8		the claim is, e.g., a Windows process that is established by the runtime or hardware element on the computer.
9	51. A method as in claim 1 wherein at least said secure processing step is performed at an	Consumer computer or appliance running Microsoft CLR, CLI or CCLR).
10	end user electronic appliance.	
11	58. A method as in claim 1 wherein the step of securely receiving a first entity's control	1 <sup>st</sup> scenario 1: link is LAN or WAN; 2 <sup>nd</sup> scenario: link is any telecommunications link,
12	comprises securely receiving said first entity's control from a remote location over a	including the internet.
13	telecommunications link, and the step of securely receiving said second entity's control	
14	comprises securely receiving said second entity's control from the same or different	
15	remote location over the same or different telecommunications link.	
16 17	65. A method as in claim 1 wherein the processing step includes processing said first	Secure processing environment is CLR, CLI or CCLR running on user's computer or
18	and second controls within the same secure processing environment.	appliance.
19	71. A method as in claim 1 further including the step of securely combining said first	In scenario 2, arrangement consists of the stack frame, and the corresponding array of
20	entity's control and said second entity's control to provide a combined control arrangement.	permission grants for assemblies on the stack, and the permission demanded by the first
21		assembly. Secure combining performed by the CLR, CLI or CCLR.
22	76. A method as in claim 1 wherein said two securely receiving steps are independently	Steps are performed at different times in both scenarios.
23	performed at different times.  84. A method as in claim 1 wherein at least one	In both scenarios the second entity supplies an
24	of the first entity's control and the second entity's control comprises at least one	assembly with a demand procedure executed by the CLR, CLI or CCLR. The data
25	executable component and at least one data component.	component is a specific attribute value referenced by the assembly.
26	89. A method as in claim 1 wherein said first appliance includes a protected processing	Microsoft Common Language Runtime (CLR), Common Language Infrastructure (CLI), or
27	environment, and wherein:	Compact Common Language Runtime (CCLR) environment.
28	(a) said method further comprises a step of receiving, at said first appliance, said data item	Typically occurs in both scenarios.

re (t at	separately and at a different time from said eceiving said first entity's control; and  (b) said securely processing step is performed at least in part in said protected processing environment						Protected processing environment is the CLF CLI or CCLR.								īR			
—	1411011	111611		· .	· · · · · ·	···				·				· · · · · · · · · · · · · · · · · · ·	•			
									•		· .	•						
																•		
										•	•							
			•			•				•	•		٠.	•			. <del>.</del>	
							•	•		٠,					• 1			
														٠.				
	•								•									
	,					<u>-</u>		•						٠				
												,						
							•							•				
											٠							
															•			

293482.02

2	FOR U.S. PATENT NO. 5,982,891							
3		, ,						
'4.	22.	Infringing products include Office 2003 and included applications, and Server 2003,						
5		including Microsoft hosted RMS Service using Passport						
6	A method of securely controlling use by a third party of at least one protected operation with	A user (third party) accesses an IRM-protected data item governed by IRM controls under two						
7	respect to a data item comprising:	or more RMS servers. For example, the data item may be a IRM-protected document.						
8	 •	The IRM controls may be associated with the						
9		data item directly or via a IRM-protected container holding the IRM-protected data item, such as an IRM-protected email with the IRM-protected document attached.						
11	(a) supplying at least a first control from a first party to said third party;	The user acquires a first use license from a first RMS server (first party) enabling access to, the						
12	party to said time party,	IRM-protected data item under the IRM rules associated with the first RMS server. For						
13	•	example: (1) the first use license from the first RMS server permits the user to access a IRM-						
14		protected document contained within or attached to an IRM-protected email; or (2) the						
15		first use license from the first RMS server applies a first set of IRM rules to an IRM-						
16	(b) supplying, to said third party, at least a	protected document.  The user acquires a second use license from a						
17	second control from a second party different from said first party;	second RMS server (second party) enabling access to the IRM-protected data item under the IRM rules associated with the second RMS						
19		server. For example: (1) in addition to the user being given access to an IRM-protected						
20		email based on a first use license, a second RMS server provides a second use license						
21		enabling access to the IRM-protected document attached thereto; or (2) the second use license from the second RMS server						
22		applies a second set of IRM rules to the IRM- protected document.						
23	(c) securely combining at said third party's location, said first and second controls to form	The first and second use licenses are combined to form a control arrangement that governs						
24	a control arrangement;	-access to the IRM-protected data item.						
25	(d) securely requiring use of said control arrangement in order to perform at least one	The combined first and second use licenses govern access to the IRM-protected data item.						
26	protected operation using said data item; and	The user performs a protected operation (e.g.,						
27 28	(e) securely performing said at least one protected operation on behalf of said third party with respect to said data item by at least	read, print, edit) on the IRM-protected data item. The combined first and second use licenses are employed to permit the protected						
20	in part employing said control arrangement	operation.						

Exhibit B

1		<u> </u>
•	23. A method as in claim 22 wherein said data	The data item is encrypted and protected by IRM.
2	item is protected.  39. A method as in claim 22 further including	The first and/or second use license are securely
3	securely and persistently associating at least one of: (a) said first control, (b) said second	and persistently associated with the IRM-protected data item.
4 :	control, and (c) said control arrangement, with said data item.	
5	53. A method as in claim 22 wherein at least two of the recited steps are performed at an end	Steps performed at a user's computer or appliance.
6	user electronic appliance.  60. A method as in claim 22 wherein step (a)	The first and second use licenses are received
7	comprises supplying said first control from at least one remote location over a	over a telecommunications link such as a networking or modem/serial interface.
8	telecommunications link, and step (b) comprises supplying said second control from	
9	the same or different remote location over the same or different telecommunications link	
10	67. A method as in claim 22 wherein at least step (c) is performed within the same secure	Steps are performed at user's computer or appliance.
11	processing environment at said third party's location.	
12	91. A method as in claim 22 wherein:	The first was license (first control) is received
13.	(a) said method further comprises supplying said data item to said third party separately and at a different time from supplying of said first	The first use license (first control) is received at the time that the user accesses the data item, which occurs separately and at a different time
14	control to said third party; and	from receipt of the IRM-protected data item itself.
15	(b) said securely performing step comprises	The protected operations require decryption of
16	performing said protected operation at least in part in a protected processing environment.	the protected content, which is done inside the RM lockbox. The RM lockbox is protected by mechanisms such as obfuscation, anti-
17		debugging, and tamper resistance.
18		
19		
20	·	
21		•
22		
23	•	
24		
25		
26		
27		
28		

_		, ,
3	26.	Products infringing: Visual Studio.NET,
4		.NET Framework SDK, and all products that include the Common Language
5		Runtime or Compact Common Language Runtime or Common Language Infrastructure.
6	A secure method for combining data	mnastructure.
7	items into a composite data item comprising:	
8	(a) securely providing, from a first location to a second location, a first data item	A first signed and licensed .NET component, .NET assembly, managed
9	having at least a first control associated therewith;	control and/or Web control (component) is the first data item. The first .NET
10		component developer (first location) provides the application assembly
11		developer (second location) the first component. The first control is the set of
12		declarative statements comprising the LicenseProviderAttribute (alternately
13	(b) securely providing, from a third	referred to as license controls).  A second signed and licensed component is
14	location to said second location, a second data item having at least a second control	the second data item. The second component developer (third location)
15	associated therewith;	provides the application assembly developer (second location) the second
16		component. The second control is the set of declarative statements comprising the LicenseProviderAttribute.
17	(c) forming, at said second location, a	The application assembly developer will
18	composite of said first and second data items;	include at least the two components into its assembly.
19 20	(d) securely combining. at said second location, said first and second controls to form a control arrangement; and	At the second location, the application assembly developer uses the .NET runtime that includes the LicenseManager.
21		Whenever a component is instantiated
22		(here, an instance of the first licensed component), the license manager accesses
23		the proper validation mechanism for the component. The license controls (first
24		control) for the runtime license (derived from the design time license) are bound
25		into the header of the .NET application assembly, along with the second control for
26		the second component.
l		Visual Studio.NET securely handles the creation of runtime license controls.
27 28		Runtime licenses are embedded into (and bound to) the executing application
20		assembly. The license control attribute

	· ·	
1		included in the first component is
2		customized in the second location to express and require the runtime license. In
3		a more advanced scenario, the License Complier tool can be used to create a
4		"licenses file" containing licenses for
		multiple components, including runtime licenses for components and classes created
5		by the license provider. This licenses file
6		is embedded into the assembly.
7		The third control set comprises the runtime
8	·	license controls for the first and second components (that had been bound to the
		assembly), the declarative controls
9		provided by the application assembly developer, and any runtime licenses for
10	·	other components included by the
11	,	developer in application assembly. The controls are typically integrated into the
		header of the .NET application assembly calling the first licensed component.
12	(e) performing at least one operation on	The proper execution of the application
13	said composite of said first and second data items based at least in part on said control	will require that the assembly have run time licenses for the two components.
14	аrrangement.	•
	27. A method as in claim 26 wherein said	The set of declarative statements
15	combining step includes preserving each of	comprising the LicenseProviderAttribute of
16	said first and second controls in said composite set.	both the first and second components are included in the application assembly.
17	composite set.	
	28. A method as in claim 26 wherein said performing step comprises governing the	The application will require the first and second controls to operate properly when it
18	operation on said composite of said first	calls the first and second data items,
19	and second data items in accordance with said first control and said second control.	respectively.
20		
	29. A method as in claim 26 wherein said providing step includes ensuring the	Signing the component that has embedded within it the license control ensures the
21	integrity of said association between said	integrity of the association of the control
22	first controls and said first data item is maintained during at least one of	and data item.
23	transmission, storage and processing of	
	said first data item.	
24	31. A method as in claim 26 wherein said	The component includes the license control
25	providing step comprises codelivering said first data item and said first control.	and therefore they are codelivered.
26	ms data tem and said mst control.	
27	40. A method as in claim 26 further	Each component includes the license control. Signing the component that has
21	including the step of securely ensuring that at least one of (a) said first control, (b) said	embedded within it the license control
28	second control, and (c) said control	ensures the persistence of the association of
	arrangement, is persistently associated with	the control and data item.
	1	

,	1	,
1	at least one of said first and second data	
2	items.	
3	54. A method as in claim 26 wherein at least one of steps (c), (d) and (e) is	At least step (e) is typically performed at an end-user electronic appliance.
.4	performed at an end user electronic appliance.	
5		
6	61. A method as in claim 26 wherein step (a) comprises providing said first data item from at least one remote location over a	Microsoft maintains Web sites where a developer can get components over the Web. These sites include references
7	telecommunications link, and step (b) comprises providing said second data item	whereby a developer may obtain components through their Web connection.
. 8	from the same or different remote location over the same or different telecommunications link.	One such site is Internet Explorer Web Control Gallery at ie.components.microsoft.com/webcontrols
9	terecommunications link.	Te.components.inicrosori.com/webcontrols
10 11	68. A method as in claim 26 wherein step (d) is performed within the same secure processing environment at said second	Typically, step (d) will be performed within the same secure processing environment.
	location.	
12 13	79. A method as in claim 26 wherein steps (a) and (b) are performed at different times.	The application assembly developer will typically acquire components at different
	(a) and (b) are performed at different times.	times.
14	86. A method as in claim 26 wherein at	The component must include an executable
15	least one of the first and second controls comprises at least one executable	and can include a data items as a EULA, readme file or help file.
16	component and at least one data component.	
17		
18 19		
20		
21		
22		
23	·	
24		
25		
26		
27		
28		
	•	

		· · · · · · · · · · · · · · · · · · ·
	CLAIM LANGUAGE	A SECTION OF THE RINGEMENT SECTION OF THE RING
5	35	Infringing products include: Windows Media Player, Individualized DRM Clients
6		and the Secure Audio Path (SAP) technology.
7	A method for using at least one resource processed by a secure operating	
	environment, said method comprising: securely receiving a first load module	The Individualized DRM Client (first load
.8	provided by a first entity external to said operating environment	module) is a signed security upgrade DLL. It is also bound to the hardware ID of the
9	operating environment	machine on which it runs. It is therefore securely delivered and integrity protected.
10	securely receiving a second load module	A SAP certified driver is also signed and carries with it a certificate that indicates its
11	provided by a second entity external to said operating environment, said second entity	compliance with SAP criteria. If it is delivered to a PC it is secure in the sense
12	being different from said first entity; and	that it is integrity protected. This driver would not come from the same entity as the
13		Individualization DLL.
14	securely processing, using at least one resource, a data item associated with said	If a WM audio file targeted to the Individualized DRM client carries with it a
15	first and second load modules, including securely applying said first and second load	requirement that SAP be supported to render the WMF contents, the content is processed for playing through a soundcard
16 17	modules to manage use of said data item.	using the WMP and by applying the DRM client - which decrypts the content and
18		negotiates with the DRM kernel processing of the content through a Secure Audio Path that includes the SAP-certified audio
19		driver.
20	56. A method as in claim 35 wherein at least two of the recited steps are performed	All steps occur at the user's PC that supports the WMP and DRM client and
21	at an end user electronic appliance.	SÁP.
22	63. A method as in claim 35 wherein said first load module receiving step comprises	The Driver and DRM client are received from distinct locations and may be
23	securely receiving said first load module from at least one remote location over at	delivered securely over the Internet. They are delivered securely in that each is
24	least one telecommunications link, and said second load module receiving step	integrity protected.
25	comprises securely receiving said second load module from the same or different	
26	remote location over the same or different telecommunications link.	
27 28	70. A method as in claim 35 wherein said securely processing step comprises securely executing said first and second	Both load modules are executed on the PC within the WMP/DRM Client/SAP environment.

Exhibit B

1

1	I MARKANGEATMIEANGUAGE	ME SMICLAIM OF INFRINGEMENT SALES
2	load modules within the same secure processing environment.	
3	74. A method as in claim 35 further	Since both the DRM client and the driver
.4.	including securely combining said first and second load modules to provide a	are DLLs in the same audio rendering chain, they exist as an execution
5	combined executable.	environment.
6	81. A method as in claim 35 wherein said securely receiving steps are performed	The driver and Individualization DLL need not be received at the same time.
7	independently at different times.	not be received at the same time.
8	94. A method as in claim 35 wherein said	The Windows Media Player together with
9	secure operating environment includes a protected processing environment, and	the Individualized DRM Client and Secure Audio Path comprise a protected
10	wherein:	environment for processing protected media. The protected Windows Media
11 12	said method further comprises receiving a data item within said secure operating environment;	Files are received after the load modules have been received and installed (licenses cannot be acquired until load modules are
13	said first load module receiving step is	in place). The processing of the Windows Media File occurs in the protected environment.
14	performed separately and at a time different from receiving said data item; and	environment.
15	said securely processing step is performed at least in part in said protected processing	
16	environment.	
17	Examples of SAP-certified drivers include - as indicated at	
18	http://www.microsoft.com/Windows/window	vsmedia/WM7/DRM/FAQ.asp#Security7
19	All VIA controllers with AC-97 codecs	
20	All ALI controllers with AC-97 codec	
	Tetal ICII controllers with AC 07 codess	

- Intel ICH controllers with AC-97 codecs
- Creative Labs SoundBlaster16/AWE32/AWE64/Vibra
- Yamaha OPL3
- Yamaha DS-1
- Cirrus Logic (Crystal) CS4280
- Cirrus Logic (Crystal) CS4614 / CS4624
- ESS Maestro 2E
  - USB Audio
  - Cirrus Logic (Crystal) CS4281

21

22

23

24

25

26

27

	[]	
1	•	All SiS conti
2	•	Ensoniq ES1
3	•	NeoMagic N
4	-	Ensoniq ES1
5	•	SoundBlaste
6	•	Aureal 8810
7	•	Aureal 8820
8	•	Aureal 8830
9	•	Conexant Rij
10	•	ESS Maestro
	•	ESS ISA par
11	•	NeoMagic N
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		٠.
23		
24		
	1	

•	All SiS controllers with AC-97 codecs
•	Ensoniq ES1370
•	NeoMagic NM6
	Ensoniq ES1371/73 and CT5880
•	SoundBlaster Live!
•	Aureal 8810
•	Aureal 8820
•	Aureal 8830
•.	Conexant Riptide
•	ESS Maestro
•	ESS ISA parts
•	NeoMagic NM5

Socket Layer protocol or IPSEC p security protocol, supplied with M Windows.  (1) that securely receives a first control of a first entity external to said operating environment, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said Shared (Tamper protected) assembly	R), Common Compact
Language Infrastructure (CLI), or Common Language Runtime (CC)  A secure operating environment system for managing at least one resource comprising:  Microsoft CLR, CLI or CCLR (openvironment system), managing at resources on a typical computer, in memory, files system, communications storage devices, and higher level remay use any of these or combinating.  Communications port and Microsoft Protocol stack that may optionally Socket Layer protocol or IPSEC pentions.  (1) that securely receives a first control of a first entity external to said operating environment, and that can be used by the CLR, CLI determine permissions that may be reasonable of a second entity external to said of a second entity external to said of a second entity external to said shared (Tamper protected) assembly assembly assembly assembly of a second entity external to said shared (Tamper protected) assembly assembly assembly of a second entity external to said shared (Tamper protected) assembly assembly assembly of a second entity external to said shared (Tamper protected) assembly a	Compact
Common Language Runtime (CC) A secure operating environment system for managing at least one resource comprising:  Microsoft CLR, CLI or CCLR (openvironment system), managing at resources on a typical computer, in memory, files system, communications arrangement  (a) a communications arrangement  Communications port and Microsoft Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, supplied with MWindows.  (1) that securely receives a first control of a first entity external to said operating environment, and  (1) that securely receives a first control of a first entity external to said operating environment, and  (2) securely receives a second control of a second entity external to said  (2) securely receives a second control of a second entity external to said  (3) Rule specified in the manifest of a shared (Tamper protected) assembly	
managing at least one resource comprising:  memory, files system, communications attempted and may use any of these or combinations.  Communications port and Microsom Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol, supplied with Managing at resources on a typical computer, in memory, files system, communications port and Microsom Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assembly.	
resources on a typical computer, in memory, files system, communications attrangement and Microsof Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, supplied with Mandows.  (1) that securely receives a first control of a first entity external to said operating environment, and operating environment, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assembly	
storage devices, and higher level r may use any of these or combinati Communications port and Microse Protocol stack that may optionally Socket Layer protocol, supplied with M Windows.  (1) that securely receives a first control of a first entity external to said operating environment, and  (2) securely receives a second control of a second entity external to said  (2) securely receives a second control of a second entity external to said  (3) securely receives a second control of a second entity external to said  (4) securely receives a second control of a second entity external to said  (5) securely receives a second control of a second entity external to said  (6) securely receives a second control of a second entity external to said  (7) securely receives a second control of a second entity external to said	ncluding
(a) a communications arrangement  (a) a communications arrangement  (b) Protocol stack that may optionally Socket Layer protocol or IPSEC protocol, supplied with M Windows.  (c) that securely receives a first control of a first entity external to said operating environment, and  (d) that securely receives a first control of a first entity external to said operating environment, and  (e) securely receives a second control of a second entity external to said  (f) that securely receives a first control of a second entity external to said  (f) that securely receives a first control of a second entity external to said  (f) that securely receives a first control of a second entity external to said  (g) securely receives a second control of a second entity external to said  (g) securely receives a second control of a second entity external to said  (g) securely receives a second control of a second entity external to said  (g) securely receives a second control of a second entity external to said	esources that
Protocol stack that may optionally Socket Layer protocol or IPSEC p security protocol, supplied with M Windows.  (1) that securely receives a first control of a first entity external to said operating environment, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assembly.	
security protocol, supplied with M Windows.  (1) that securely receives a first control of a first entity external to said operating environment, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assembly.	use Secure
12 (1) that securely receives a first control of a first entity external to said operating environment, and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said  (3) Rule or evidence contained in the shared assembly, distributed by a that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (4) Rule or evidence contained in the shared assembly, distributed by a that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or secure SSL or IPSEC protocol.  (5) Rule or evidence contained in the shared assembly, distributed by a that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or secure SSL or IPSEC protocol.  (6) Rule or evidence contained in the shared assembly, distributed by a that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or secure SSL or IPSEC protocol.  (7) Rule specified in the manifest of a shared (Tamper protected) assembly and that can be used by the CLR, CLI determine permissions that may be cause operations on a data item or secure SSL or IPSEC protocol.	
operating environment, and that can be used by the CLR, ČLI determine permissions that may be cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assembles.	
cause operations on a data item or controlled by another entity; share is tamper-protected and may be resecure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said cause operations on a data item or controlled by another entity; shared is tamper-protected and may be resecure SSL or IPSEC protocol.  Rule specified in the manifest of a shared (Tamper protected) assembly the same operations on a data item or controlled by another entity; shared is tamper-protected and may be resecure SSL or IPSEC protocol.	or CCLR to
controlled by another entity; share is tamper-protected and may be re secure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assemble controlled by another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected and may be respectively another entity; shared is tamper-protected another entity.	resource
secure SSL or IPSEC protocol.  (2) securely receives a second control of a second entity external to said shared (Tamper protected) assemble secure SSL or IPSEC protocol.  Rule specified in the manifest of a shared (Tamper protected) assemble shared (Tamper protected) assemble shared (Tamper protected).	
of a second entity external to said shared (Tamper protected) assemb	
operating environment, said second demands permissions of callers of entity being different from said first entity; and	its methods.
18 entity; and   CLR, CLI or CCLR, connected to	(e.g.)
operatively connected to said communications port communications arrangement, that:	
(1) [] securely processes, using at least one resource, a data item logically mechanisms, access controls, integrated mechanisms.	
associated with said first and second controls, and contro	ins. Data
22 the second assembly, which may be	be a member
of such assembly, and whose state may be accessible through an inter-	rface to other
assemblies, and which is reference assembly.	
(2) [] securely applies said first and second controls to manage said CLR, CLI or CCLR processes the permissions from the second asser	demand for mbly, collects
resource for controlling use of said data   the evidence or processes the rule	from the first
assembly has the permissions to u	
resource to operate on the data item by the second assembly.	ise nie
28 57. A system as in claim 36 wherein said Computer or electronic appliance	
protected processing environment is part of an   CLR, CLI or CCLR	m controlled

Exhibit B

1

2

	_	
1		<u> </u>
2	end user electronic appliance.  64. A system as in claim 36 wherein said communications arrangement receives said	Shared assemblies are designed to be received remotely, e.g., over the internet.
3	first and second controls from at least one remote location over at least one	remotery, e.g., ever the internet.
4	telecommunications link. 75. A system as in claim 36 wherein said	Arrangement consists of the stack frame and
5	protected processing environment combines said first and second controls to provide a	and the corresponding array of permission grants for assemblies on the stack, and the
6	combined control arrangement.	permission demanded by the second assembly.
7	82. A system as in claim 36 wherein said communications arrangement independently receives said first and second controls at	Assemblies, including controls, are designed for independent delivery.
8	different times	
9	88. A system as in claim 36 wherein at least one of the first control and second controls comprises at least one executable component and at least one data component.	The second entity supplies an assembly with a demand procedure (executed by the CLR, CLI or CCLR) that includes reference to a specific attribute value (the data component), and the
11		protected processing environment executes the executable component (demand) in a manner
12		that is at least in part responsive to the data component (execution is in response to the
13		security action supplied in the data item).
14		
15		
16 17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	*CETYCE
for managing at least one resource comprising: a communications arrangement that securely receives  a first control  a first control  a first control  a first control  The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  of a first entity external to said operating environment,  and securely receives a second control  of a second entity external to said operating period and securely receives a second control  of a second entity external to said operating and securely receives a second control  of a second entity external to said operating period period and securely received by the secure server using the SOAP-SEC  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and securely received by the secure server using the SOAP-SEC  The end user is located remotely from secure server.  The protected processing environment the NET security service (authorization system) operating within the server. Terceives communications server uses the SOAP-SEC	4-2-3-3-3-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-
for managing at least one resource comprising: a communications arrangement that securely receives  a first control  a first control  a first control  a first control  The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  of a first entity external to said operating environment,  and securely receives a second control  of a second entity external to said operating period and securely receives a second control  of a second entity external to said operating and securely receives a second control  of a second entity external to said operating period period and securely received by the secure server using the SOAP-SEC  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and securely received by the secure server using the SOAP-SEC  The end user is located remotely from secure server.  The protected processing environment the NET security service (authorization system) operating within the server. Terceives communications server uses the SOAP-SEC	Cure
a communications arrangement that securely receives    Secure server receives communicati formatted using the SOAP-SEC, the security extension to SOAP that is use My Service servers to receive controls    The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).    Of a first entity external to said operating environment, and securely receives a second control   The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.    A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.    The end user is located remotely from secure server. The role of the secure server. The roleTemplate and securely from secure server. The roleTemplate is a roleTemplate associated with the service. The roleTemplate dentity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server using the SOAP-SEC protocol.    The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server using the SOAP-SEC protocol.    The end user is located remotely from secure server. The protected processing environment the .NET security service (authorization server uses the SOAP-SEC)	
securely receives  formatted using the SOAP-SEC, the security extension to SOAP that is use My Service servers to receive controls My Service servers to receive controls  The first control is a roleTemplate associated with the service. The roleTemplate identifies pecific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  of a first entity external to said operating environment,  and securely receives a second control  of a second entity external to said operating and securely receives a second control  of a second entity external to said operating tuser, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. T server uses the SOAP-SEC	ons
My Service servers to receive controls  My Service servers to receive controls  The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorizative system) operating within the server. Tever uses the SOAP-SEC	
a first control  a first control  The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up to roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The protected processing environment, operatively connected to said communications arrangement, that:  The first entity is the administrator of server database, or other entity with authority over its content that sets up to roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The protected processing environment the .NET security service (authorizations system) operating within the server. The server uses the SOAP-SEC	
a first control  a first control  The first control is a roleTemplate associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entities specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The end user is located remotely from secure server.  The protected processing environment operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. To server uses the SOAP-SEC	
associated with the service. The roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  of a second entity external to said operating environment, said second entity being different from said first entity: and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. To server uses the SOAP-SEC	
roleTemplate identifies specific action (e.g. read, replace) that can be perform against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorizative system) operating within the server. To server uses the SOAP-SEC	
against a certain scope (resource or se resources).  The first entity is the administrator of server database, or other entity with authority over its content that sets up to role-Templates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The end user is located remotely from secure server.  The protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
of a first entity external to said operating environment,  The first entity is the administrator of server database, or other entity with authority over its content that sets up roleTemplates and scopes. That entity independent from and located remotel from the secure server.  and securely receives a second control  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
of a first entity external to said operating environment,  17 18 18 20 20 21 21 22 21 22 23 24 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 29 29 20 20 20 21 21 22 22 20 21 22 22 23 24 25 26 27 28 28 28 29 29 20 20 20 21 21 22 22 23 24 25 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	
server database, or other entity with authority over its content that sets up to roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	+h-a
roleTemplates and scopes. That entity independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  Of a second entity external to said operating environment, said second entity being different from said first entity;  and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
independent from and located remotel from the secure server.  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  Of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
and securely receives a second control  A role element specified by a specific user, which is securely received by the secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The end user is located remotely from secure server.  The protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
secure server using the SOAP-SEC protocol.  21  22 of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  24 Secure server using the SOAP-SEC protocol.  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
20 protocol.  21 of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  22 of a second entity external to said second entity secure server.  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	;
of a second entity external to said operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The end user is located remotely from secure server.  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
operating environment, said second entity being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
being different from said first entity; and a protected processing environment, operatively connected to said communications arrangement, that:  The protected processing environment the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	the
operatively connected to said communications arrangement, that:  the .NET security service (authorization system) operating within the server. The server uses the SOAP-SEC	
communications arrangement, that:  system) operating within the server. T server uses the SOAP-SEC	
Si t	
communication protocol to receive	
26 controls.	
(a) securely processes, using at least one resource, a data item logically associated requested operation on secure server	t
with said first and second controls, and running .NÉT. The system will perform requested operation ensuring that the	
has no access to information outside t	

Exhibit B 45

1

2

		<b>→</b>
1		scope computed.
3		The resource is the server software and/or hardware used to process the two controls and user data.
· 4		The first control is the roleTemplate for the service. The second control is the role
5	··	element for an individual user.
6		The data item is the end user's stored content (e.g. calendar, email inbox, etc.).
7		(ag. caraca,
8	(b) securely applies said first and second controls to manage said resource for	The secure server determines the result scope (visible node set) for the operation
9	controlling use of said data item.	that is computed from the role element and the roleTemplate. That result scope is used
10		to manage the data item.
11		
12	64. A system as in claim 36 wherein said communications arrangement receives said	The remote location is the site where the user's or administrator's application is
13	first and second controls from at least one remote location over at least one	running.
14 15	telecommunications link.	The telecommunication link can be the Internet, intranet, VPN or other similar channels.
16	75. A system as in claim 36 wherein said	The role scope incorporating the role
17	protected processing environment combines said first and second controls to provide a combined control arrangement.	element and the role Template.
18		
19	82. A system as in claim 36 wherein said communications arrangement independently receives said first and second controls at different times.	Administrator and user controls will ordinarily be received at different times.
20		
21	95. A secure operating environment system	This is the normal case for .NET My
22	as in claim 36 wherein said communications arrangement also receives a data item separately and at a different time from at least one of said first control	Services. The user's content is normally stored and updated independently of the
23		setting of scope elements, role elements and roleTemplates.
24	and said second control.	
25		
26		•
27		

4.		
4,	GLAIMILANGUAGE CONTRACTOR	CLAIM OF INFRINGEMENTAL
5		Product Infringing: Windows CE for Automotive WCEIA is Microsoft Windows CE for Automotive,
6	1. A security method comprising:	sometimes also known by its former name, AutoPC 2.0.
7		With WCEfA an OEM can assign their device to a class that only accepts certain kinds of software. The device
8		can be set to accept 1) any software with the correct processor/version 2) only certified software or 3) only
9		software from the OEM or Microsoft. These Security (or Trust) levels also control to which kernel APIs and middleware APIs the software has access.
11	·	Background:
12		"Microsoft Software Install Manager (SIM), a component of WCEfA, allows you to control what can be installed on your device platform. You can define
13		your platform as being open, closed or restricted to new installations, and SIM will enforce these designations."
14	·	(D,pg.1)
15		"Anything can be installed on an open platform, as long as the applications are compiled for the appropriate processor. At the other extreme, no third-party software
16 17		can be installed on a closed platform. Only certified applications can be installed on a restricted platform."
18		(D, pg.1)
19		"By restricting installations to compliant applications, the risk of installing and using incompatible or harmful software is greatly reduced, while still keeping the
20		device open for robust, quality applications that enhance the user experience." (F, pg. 1)
21		WCEfA also has a Security Layer whose purpose is to "Create an abstraction layer of security surrounding ISV
22 23		applications to limit and/or deny access to key Windows CE kernel API calls and WCEfA middleware APIs." I,
24		pg. 1)
25	(a) digitally signing a first load module with a first digital signature designating the first load	A first load module is a WCEfA software component in a signed .PE file. The first device class is a device that
26	module for use by a first device class;	only allows software designated as "restricted" (or higher) to be installed. "Restricted" software is software that has been certified. With restricted software, the
27		device also implements a Security Layer functionality that limits the kernel and WCEfA API calls that the
28		software can make.
		i

1		
1	Doc	1 Level: 1 = Restricted cription: Only properly certified CEI (WCEfA
2	devi	ce installation) files can be installed on the device.
3	*f	ote execution is restricted to executables with er key.
4	Key	Logo certified CEI file required. CEI files or EXEs
	with	master keys permitted." (F, pg.1)
5	Tine	kernel loader calls it each time a module is loaded
6		Vindows CE. It returns one of the following values determine the module's access to kernel resources:
7	Valu	ie.
8	Mea	
9		M_CERTIFY_TRUST (2)
10		module is trusted by the OEM to perform any ation.
	OEN	M_CERTIFY_RUN (1)
11	The	module is trusted by the OEM to run but is
12		icted from making certain function calls.
13		M_CERTIFY_FALSE (0) module is not allowed to run.
14	" (H,	pg. 1)
15		tally signing: "Before the kernel loads a file, it uses
16		DEMCertifyModule function to verify that the file ains the proper signature." (N, pg.1)
17	"Sign	nfile.exe: This tool signs an executable with a
18	supp	lied private key. You can use the following mand parameters with this tools AttribString,
19	spec	ifies an optional attribute string to be included in the
		ature. For example, you could add a string to atte the trust level of the application." (O. Pg. 1)
20	in th	e MSDN article <u>Verifying the Signature</u> , the sample
21	code	segment states e file has a valid signature
22	//.we	expect the trust level to be returned as signed
23	data.	e 'R': dwTrustLevel = OEM_CERTIFY_RUN" (N,
24	pg.2	
25	"The	WCEfA Security Layer isolates installed
26	appli	ications from making unrestricted kernel and EfA API calls. This allows the OEM to assign one of
27	three	levels of security to applications and drivers
28	The	lled in RAM when they are loaded into the system. three levels are Trusted, Restricted, and
20	Bloc	kedOn the systems level, the WCEfA Security

	_	
1		layer fits between ISV applications and isolates these
2		software modules from having free access to all WinCE kernel calls and WCEfA middleware APIs." (I, pg. 1)
3		The developer submits their application for certification.  If it passes, then the .cei file (a form of cab file) receives
4		a certification key from the certifier. The signed PE is within this .cei file.
5		
6	(b) digitally signing a second load module with a second digital signature different from the	A second load module is a WCEfA software component is a signed PE file. The second device class with a
7	first digital signature, the second digital signature designating the second load module	different tamper resistance or security level is a device that is "Closed", that is, it will not allow third party to
8	for use by a second device class having at least one of tamper resistance and security level	software to be installed. A closed device only allows trusted software to run. The Security Layer setting of
9	different from the at least one of tamper resistance and security level of the first device	"Trusted" allows the Microsoft and OEM software full access to kernel and middleware APIs.
10	class;	In the MSDN article Verifying the Signature, the sample
11		code segment states "//the file has a valid signature
12		// we expect the trust level to be returned as signed data
13	·	//case 'T': dwTrustLevel = OEM_CERTIFY_TRUST" (N, pg.2)
14		"Signfile.exe: This tool signs an executable with a
15		supplied private key. You can use the following command parameters with this tools AttribString,
16		specifies an optional attribute string to be included in the signature. For example, you could add a string to
17		indicate the trust level of the application. (O. Pg. 1)
18		"SIM Level: 2 = Closed Description: Platform is limited to software supplied
19		directly by OEM or Microsoft. Third-party applications cannot be installed
20		Key: Master key required for any install or remote execution." (F, pg.1)
21		Related to the Security Layer, the Trusted level "is most
22		likely reserved for MS and OEM applications and drivers." (I, pg. 1)
23	·	Whereas the .cei files for certified software have a
24		certification key (sometimes call MS Logo key), the .cei files from Microsoft or the OEM have a master key
25	·	attached. ""Master key required for any install or remote execution." (F, p.g1)
26	(c) distributing the first load module for use by	First load module is the certified software from a third
27	at least one device in the first device class; and	party that will be run as part of the "Restricted" first device class.
28		"Once your application is complete, send the .cei file to

	;	
1		the organization that is performing validation or
2		certification for the OEM. They would validate it, then either reject or return a .cei that has been stamped with a
. 3		certification key. You would then reproduce this .cei file
		on CD-ROM or a compact flash card and distribute." (D, p.g 5)
4		
5		"APCLoad compares the device SIM level against the certification key, and either allows the
6		installation to proceed or prohibits it based on the
		outcome of this comparison." (D, pg. 2)
7	,	"Security:. To achieve a high level of reliability,
8		WCEfA is carefully designed to: - Control the installation of certified and tested
. 9		software and drivers.
10		Limit the access of system services by installed module.
10		- Monitor the proper execution of software"  (G, pg. 1)
11		
12	(d) distributing the second load module for use by at least one device in the second device	The second load module is the certified software from the OEM or Microsoft that will be run as part of the
13	class.	"Closed" second device class.
14		"You may need to change ROM components after your
		device ships, either to fix a problem, or to provide enhanced functionality. For this purpose, the OEM is
15		given a CElBuild that adds a master key to a .cei file.
16		CEI files stamped with this master key can be installed on an open, closed or a restricted platform." (D, pg. 3)
17		
		"Trusted: The application is registered as a completely trusted module and allowed full access to the kernel
18		APIs and WCEfA APIs. This mode is mostly likely reserved for MS and OEM applications and drivers.
19		Note that applications and drivers included in ROM are
20		automatically given trusted status." (1, pg.1)
21	References:	
22	[D] http://msdn.microsoft.com/library/default.asp?url=/lib [F] http://msdn.microsoft.com/library/default.asp?url=/libr	rary/en-us/apcguide/htm/ceibuildrev_8.asp
	[G] http://msdn.microsoft.com/library/default.asp?url=/lib [H] http://msdn.microsoft.com/library/default.asp?url=/lib	
23	[I] http://msdn.microsoft.com/library/default.asp?url=/library/	ary/en-us/apcguide/htm/reliabilityrev_3.asp
24	[N] http://msdn.microsoft.com/library/default.asp?url=/lib [O] http://msdn.microsoft.com/library/default.asp?url=/lib	
25	[O] mp.//msummoresomeonzmoraly/defaultuapeur/	y.c., uucoca
26		
27		
28		
	• •	

5.	Product infringing: Windows Hardware
<b>5.</b>	Quality Lab certification services, and
	operating system products that support
•	driver signature technology.
A software verifying method comprising:	Microsoft encourages manufacturers to
1 3	have their device drivers tested and signed
	For example, only signed drivers will ship
	"in-the-box." Also, Microsoft's driver
	ranking prefers signed drivers to unsigned
	drivers.
	Microsoft Web Page - Can't Find a Test
	Category for Your Driver?
	WHQL's long-term objective is to be able
	to digitally sign all drivers. Although we d
	not currently have test programs for certain driver types, such as specialized device
	drivers and software filter drivers, WHQL
	is investigating a long term solution to
	expand the categories of drivers tested
	under Windows 2000 and ultimately all
	Windows operating systems. We are
	already formulating a test program for ant
	virus file system filters, and plan to addres
•	other file system filter drivers as soon as
	the initial program is in place.
(a) testing a load module	The driver will be tested for each version
	the operating system it supports and again
	the device class specification that apply to
•	the device's class.
	The driver pockage is a load module. A
	The driver package is a load module. A driver package contains one or more of the
	following files:
	A device setup information file (INF file)
	A driver catalog (.cat) file
	One or more optional co-installers
	_
	Microsoft operates the Window Hardware
	Quality Lab, which tests drivers submitted
	by driver manufactures.
	The manufacturer can test their own drive
	using the Microsoft testing kit and submit
	the test results to WHQL when requesting
	signature. Additionally, Microsoft or a
	testing facility working with Microsoft car perform the testing.

Exhibit B

1

2

1		
2	therewith,	is part of the driver package, is a specification. Microsoft Windows drivers must have an INF file in order to be
3		installed.
4	the specification describing one or more functions performed by the load module;	The INF Version section specifies its device class. One use of the device class is to identify the specific Windows
5		compatibility specification that relate to the device class. These specifications will vary
6		by device class in part because the function of each device can vary among class. The
7	,	INF incorporates by reference the Microsoft supplied device class-specific
8		specification by identifying its class in the INF.
9		The INF can include operating system "decorating" to specify the operating
10	·	system architecture, major and minor version, product and suite the driver is
11		intended for and can further use this decorating to specify what operating
13		systems for which it is not intended.  Because the functionality of each of the
14		operating systems may vary the driver must be tested for each applicable operating system.
15		Qualification Service Policy Guide -
16		Hardware Category Policies
17		You must select the correct hardware category for your device. If you select the
18		wrong hardware category for your device, your submission will fail. For example, if you have a storage/hard drive device, but
19 20		you select storage/tape drive as your hardware category, your submission will fail.
21		Windows XP HCT 10.0 Q & A – Windows
22		XP Logos
23		Q: Which "Designed for Windows XP" logos are available for my product?
24	e de la <u>Lum</u> ica, en la companya de la companya della companya de la companya della companya della companya della companya de la companya della companya del	A: Devices and systems qualify for a "Designed for Windows" logo after passing testing with the appropriate WHQL test kit
25		on all operating systems specified by the logo. "Designed for Windows" Logos for Device
26		and System Programs lists which logos are available for each type of product.
27	(b) verifying that the load module satisfies	The Microsoft WindowsXP Hardware
28	the specification; and	Compatibility Test (HCT) kit version 10.0 includes the tests, test documentation, and

		•
1 2 3 4 5		submission processes that are required to participate in the Microsoft Windows Logo Program for Hardware for the Windows XP Professional operating system. To qualify to use the "Designed for Windows" logo for hardware, products must pass testing with the Microsoft Windows HCT kit. The HCT kits are organized by hardware type.
6		As mentioned above, the manufacturer can
7		test their own driver using the Microsoft testing kit and submit the test results to
8		WHQL when requesting a signature. Additionally, Microsoft or a testing facility working with Microsoft can perform the
9		testing.
10	(c) issuing at least one digital certificate attesting to the results of the verifying step.	When a driver package passes WHQL testing, WHQL generates a separate CAT
11		file containing a hash of the driver binaries and other relevant information. WHQL
12	,	then digitally signs the CAT file using Digital Signature cryptographic technology
.13		and sends it to the vendor. Driver signing does not change the driver binaries or the
14		INF file submitted for testing.
15	·	Microsoft uses digital signatures for device drivers to let users know that drivers are compatible with Microsoft Windows XP,
16		Windows 2000, and Windows Me. A driver's digital signature indicates that the
17		driver was tested with Windows for
18		compatibility and has not been altered since testing.
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

3		Editor Anna Carlo
4	CLAIMLANGUAGE	CLAIM OF INFRINGEMENT
4	14.	Infringing products include Office 2003 and
5	ż	included applications, and Server 2003, including Microsoft hosted RMS Service using
6	. '	Passport
	A first protected processing environment	A personal computer running Windows XP,
7	comprising:	Windows 2000, or Windows 2003
8	a first tamper resistant barrier having a first security level, and	The tamper resistant barrier is the Office 2003 IRM client environment and includes the
9		signed digital certificate identifying the user.
10		If the certificate is tampered with, or if certain, sensitive IRM processes or modules are
11		debugged or tampered with, the system will cease to operate.
12	·	The first security level is the "Security Level" which has been selected for a particular Office
.13.		Application, e.g., Word.
14	at least one arrangement within the first tamper resistant barrier that prevents the first	The arrangement that prevents a load module from running in one PPE and not in another is
15	protected processing environment from executing the same load module accessed by a	the type and characteristics of a particular Load Module (VBA program within a document or
16	second protected processing environment having a second tamper resistant barrier with a	add-in); i.e., signed, script author, code capabilities, etc., and the "Security Level"
17	second security level different from the first security level.	settings.
18		

Exhibit B 54

3		
	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
4	18.	Infringing products include Office 2003 and
5		included applications, and Server 2003, including Microsoft hosted RMS Service using
6	A mathed for protecting a first commuting	Passport The first computing opposition with a tompor
7	A method for protecting a first computing arrangement surrounded by a first tamper	The first computing arrangement with a tamper resistant barrier is the Office 2003 IRM client environment and includes the signed digital
8	resistant barrier having a first security level, the method including:	certificate identifying the user.
9		If the certificate is tampered with, or if certain, sensitive IRM processes or modules are
10		debugged or tampered with, the system will cease to operate.
11 12		The computing arrangement is being protected from; for example, viruses and malicious code.
13	÷	•
14		The first security level is the "Security Level" which has been selected for a particular Office Application, e.g., Word.
15	preventing the first computing arrangement from using the same software module	The arrangement that prevents a load module
16	accessible by a second computing arrangement having a second tamper resistant barrier with a	from running in one computing arrangement and not in another is the type and
17	second security level different from the first security level.	characteristics of a particular software module (VBA program within a document or add-in);
18	·	i.e., signed, script author, code capabilities, etc., and the "Security Level" settings.
19		·
20		·.
21		
22		
23		
24		
25		
26		·
27		
28		

3		
	2 **CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
4	34.	Infringing products include Office 2003 and
5		included applications, and Server 2003, including Microsoft hosted RMS Service using
6		Passport
7	A protected processing environment comprising:	A personal computer running Windows XP, Windows 2000, or Windows 2003
8	a first tamper resistant barrier having a first security level,	The first tamper resistant barrier is the Office 2003 IRM client environment and includes the
9	security ic voi,	signed digital certificate identifying the user. If the certificate is tampered with, or if certain,
10		sensitive IRM processes or modules are debugged or tampered with, the system will cease to operate.
11		-
12		The first security level is the "Security Level" which has been selected for a particular Office Application, e.g., Word.
13	a first secure execution space, and	The secure execution space is process space
14		allocated by the operating system for the Microsoft Office host application to run. This
15		host application (e.g., Word) executes the VBA code within this process space.
16	-	This execution space (application) is secure
17		because the IRM environment takes steps to insure that it is "trusted", the application is
18	·	signed, and the document which includes the VBA code is protected by IRM policy and then
19	at least one arrangement within the first	encrypted and signed.
20	tamper resistant barrier that prevents the first secure execution space from executing the	The arrangement that prevents a load module from running in one computing arrangement
21	same executable accessed by a second secure execution space having a second tamper	and not in another is the type and characteristics of a particular software module
22	resistant barrier with a second security level different from the first security level.	(VBA program within a document or add-in); i.e., signed, script author, code capabilities,
23	different from the first security fever.	etc., and the "Security Level" settings.
24		1.

Exhibit B

_		The American Control and Contr
4	CLAIM LANGUAGE	CEAIM OF INFRINGEMENTS
5	34.	Product Infringing: Microsoft Common Language Runtime and ASP.NET
6	A protected processing environment comprising:	Microsoft Common Language Runtime and ASP.NET
7	a first tamper resistant barrier having a first security level,	TAMPER RESISTANT BARRIER The first tamper resistant barrier is the application
8		domain in the CLR. The runtime hashes the contents of each file loaded into the application domain and compares it with the hash value in the
.9		manifest. If two hashes don't match, the assembly fails to load.[1]
10		Also "Code running in one application cannot
11 12		directly access code or resources from another application. The common language runtime enforces this isolation by preventing direct calls
13		between objects in different application domains. Objects that pass between domains are either
14		copied or accessed by proxy."[2]
15	·	SECURITY LEVELS
16	·	The security levels of the application domain if different by setting the trust level assigned to an
17		outside application using the "trust" element in the web.config for the ASP.NET application.  Syntax-
18		<pre><trust level="Full/High/Low/None" originurl="url"></trust></pre>
19 20	·	Example- <trust <="" level="High" td=""></trust>
21		originUrl=http://www.SomeOtherCompany.com/default.aspx/>
22	·	[7]
23	a first secure execution space, and	The application domain is the execution space for a particular application.
24	at least one arrangement within the first tamper resistant barrier that prevents the	The second secure execution space is another application domain that has a different trust level for
25	first secure execution space from executing the same executable accessed	an outside application.
26	by a second secure execution space having a second tamper resistant barrier	If second app domain gives Full trust to the outside application; whereas the first one doesn't, the first
27	with a second security level different from the first security level.	app domain won't be able to execute the application that requires full trust permission.
28		References:

Exhibit E

293482.02

1

1 2 3 4		www.microsoft.com/germany/ms/msdnbiblio/do tnetrk/doc/assembly.doc [2] msdn.Microsoft.com/library/en-us/cpguide/html/ cpconapplicationdomainsoverview.asp?frame=tr ue [7] LaMacchia,etc, .NET Framework Security, Addision-Wesley, 2002
6 7		
8		
9		
10		
11		<i>,</i>
12		
13		
15		
16		
17		
18		
19		
20		
21 22		
23		
24		
25		
26		
27		
28	· · ·	

293482.02

,		
4	TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	MARINGEMENT WAS A STREET OF THE STREET OF TH
5	34.	Product Infringing: Products containing Microsoft Common Language Runtime or Compact Common Language Runtime and
6		products implementing the Common Language Infrastructure specification.
7	A protected processing environment comprising:	Microsoft Common Language Runtime and .NET Framework SDK:
8	a first tamper resistant barrier having a first security level,	TAMPER RESISTANT BARRIER The first tamper resistant barrier is the
9	333_3,	application domain in the CLR. The runtime hashes the contents of each file loaded into the
10		application domain and compares it with the hash value in the manifest. If two hashes don't
11		match, the assembly fails to load. [1]
12		Also "Code running in one application cannot directly access code or resources from another
13		application. The common language runtime enforces this isolation by preventing direct
14 15		calls between objects in different application domains. Objects that pass between domains are either copied or accessed by proxy."[2]
16		SECURITY LEVELS
17		Application domains have different security levels by setting security policy of the
18		application domain programmatically. [3] "It has different security based on code-based
19		security model of .NET. Administrators and hosts use code-access security to decide what
20		code can do, based on characteristics of the code itself, regardless of what user is executing
21	•	the code. The code characteristics are called evidence and can include the Web site or zone
22 23		from which the code was downloaded, or the digital signature of the vendor who published the code."
24		"When the security manager needs to
25	·	determine the set of permissions that an assembly is granted by security policy, it starts
26		with the enterprise policy level. Supplying the assembly evidence to this policy level will
27		result in the set of permissions granted from that policy level. The security manager
28		typically continues to collect the permission sets of the policy levels below the enterprise policy [including the app domain] in the same

1

2

1 2 3 4 5		fashion. These permission sets are then intersected to generate the policy system permission set for the assembly. All levels must allow a specific permission before it can make it into the granted permission set for the assembly."  Example of granted permission sets from a policy— Condition: All code, Permission Set: Nothing
6		Continue Zona harras Demoir San harras Continue LIDI
7	·	Condition: Zone: Internet, Permission Set: Internet Condition: URL:  www.monash.edu.au, Permission Set: MonashPSet
8		Condition: Strong Name: m-Commerce, Permission Set: m-
. 9		CommercePSet [4]
10		A Ab 3: Cfa
11		Another difference in security levels can be whether the verification process is turned off or on, "Managed code must be passed through a
12		verification process before it can be run (unless the administrator has granted
13	·	permission to skip the verification). The verification process determines whether the
14		code can attempt to access invalid memory addresses or perform some other action that
15		could cause the process in which it is running to fail to operate properly. Code that passes
16		the verification test is said to be type-safe. The ability to verify code as type-safe enables the
17		common language runtime to provide as great a level of isolation as the process boundary, at
18		a much lower performance cost." [5]
19		
20	a first secure execution space, and	The application domain is the execution space for a particular application.
	at least one arrangement within the first tamper resistant barrier that prevents the first secure	The second secure execution space is another application domain that has a different security
21	execution space from executing the same executable accessed by a second secure	policy than the first.
22	execution space having a second tamper resistant barrier with a second security level	If second app domain's security policy doesn't give any permission to code from internet
23	different from the first security level.	zone, but first app domain does, then the code
24		would run in first app domain and not in second.[6]
25		References: [1]
26		www.microsoft.com/germany/ms/msdnbibl io/dotnetrk/doc/assembly.doc
27		[2] msdn.Microsoft.com/library/en- us/cpguide/html/
28		cpconapplicationdomainsoverview.asp?fra
		me=true
	<u>'</u>	<u>li</u>

1 2 3 4 5 6		[3] LaMacchia, etc, .NET Framework Security, Addision-Wesley, 2002, p.113 [4] Watkins, Demien, "An Overview of Security in the .NET Framework", from MSDN Library, January 2002 [5] same as [2] [6] msdn.Microsoft.com/library/en- us/cpguide/html/ cpconapplicationdomainlevelsecuritypolicy .asp?frame=true
7		
8		
9		
10		
11	·	
12		
13 14		
15		
16		
17	•	
18		
19		
20		·
21		
22		
23		
24		
25		
<b>26</b> 27		
28		
	·	

293482.02

2		, , , , , , , , , , , , , , , , , , , ,
3	CLAIMLANGUAGE	CLAIM OF INFRINGEMENT
4	38.	Infringing products include Office 2003 and
5 6	·	included applications, and Server 2003, including Microsoft hosted RMS Service using Passport
	A method for protecting a first computing	The first computing arrangement surrounded by
7 8	arrangement surrounded by a first tamper resistant barrier having a first security level, the method including:	a tamper resistant barrier is the Office 2003 IRM client environment and includes the signed digital certificate identifying the user. If
9	the method methoding.	the certificate is tampered with, or if certain, sensitive IRM processes or modules are
10	·	debugged or tampered with, the system will cease to operate.
11		The first security level is the "Security Level"
12		which has been selected for a particular Office Application, e.g., Word.
13	preventing the first computing arrangement from using the same software module accessed	The computing arrangement that prevents a
14	by a second computing arrangement having a second tamper resistant barrier with a second	software module from running in one computing arrangement and not in another is
15	security level different from the first security level.	the type and characteristics of the particular software module (VBA program within a
16	·	document or add-in); i.e., signed, script author, code capabilities, etc., and the "Security Level"
17		settings.
18		
19		
20		
21		
22		
23		
24		
25		
26	·	
27		
28		

Exhibit B

293482.02

1

3		A CONTRACTOR OF THE PROPERTY O
4	ZEE CLAIMILANGUAGE	CLAIM OF INFRINGEMENT
5	2.	Product Infringing: Windows Media Rights  Manager and Windows Media Player
	A system including:	
6	(a) a first apparatus including,	Consumer's computer, as shown in WMRM SDK
.7	(1) user controls,	Consumer's computer, as shown in WMRM SDK
8	(2) a communications port,	Consumer's computer, as shown in WMRM SDK
9	(3) a processor,	Consumer's computer, as shown in WMRM SDK
10	(4) a memory storing:	Consumer's computer, as shown in WMRM SDK
11	(i) a first secure container containing a governed item, the first secure	Secure container (packaged Windows Media file), received by consumer's computer from
12 13	container governed item being at least in part encrypted; the first secure container having been	"Content provider" (WMRM SDK, Step 3), which contains encrypted governed item ("Encrypted content")
14	received from a second apparatus; (ii) a first secure container rule at least	Rights portion of signed license, received by
15	in part governing an aspect of access to or use of said first secure container governed item, the first	consumer's computer from "License issuer" (WMRM SDK, Step 9)
16	secure container rule [sic], the first secure container rule having been	
17	received from a third apparatus different from said second	
18	apparatus; and	
19	(5) hardware or software used for receiving and opening secure containers, said secure containers each	Windows Media Player and Windows Media Rights Manager
20	including the capacity to contain a governed item, a secure container rule	
21	being associated with each of said secure containers;	
22	(6) a protected processing environment at	1st and 2nd rules consist of any two valid rules
22	least in part protecting information	as specified in the Window Media Rights
23	contained in said protected processing environment from tampering by a user	Manager SDK; protected processing environment includes Windows Media Rights
<ul><li>24</li><li>25</li></ul>	of said first apparatus, said protected processing environment including	Manager and Windows processes for protecting operation of Windows Media Rights Manager. Licenses can be used to convey
26	hardware or software used for applying said first secure container rule and a second secure container rule	multiple rules.
27	in combination to at least in part	
28	govern at least one aspect of access to or use of a governed item contained in	
20	a secure container; and (7) hardware or software used for	Any hardware or software employed in
_	(7) hardware of software used for	17mi madwae of software employed in

Exhibit B

1

2

transmission of secure containers to other apparatuses or for the receipt of secure containers from other apparatuses.					tra fo co Pl	transmitting Windows Media files, including for example consumer's computer's communication port and Windows Media Player (WMRM SDK, Step 3)								
							•					•		
		•		}		•								
					·	••		•		•			,	
							• •					,	i.	
								•			•			
							÷	٠.	-	-			•	
			•						•					
			•									1		•
				•										
										•				
				•										
				-		•								
									•					
										•				

_	FOR U.S. 1 ATEN1 NO. 0,105,005							
3	- CLAIM LANGUAGE	CLAIM OF INFRINGEMENT						
5	2.	Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using Passport						
Ť	A system including:							
7	a first apparatus including,	A device with user controls, a communications port, a processor and memory. For example,						
8	user controls,	the user controls may be a keyboard and mouse, the communications port may be a NIC						
9	a communications port,	be a CPU, and the memory may be a hard-drive						
10	a processor,	or RAM.						
11	a memory storing:							
12	a first secure container containing a governed item, the first secure container governed item	An encrypted IRM-governed email received from a remote computer. The encrypted IRM-						
13	being at least in part encrypted; the first secure container having been received from a second	governed email contains an encrypted IRM- governed email message.						
14	apparatus;							
15	a first secure container rule at least in part governing an aspect of access to or use of said	The first secure container rule is received from the RMS server in the form of a use license.						
16	first secure container governed item, the first secure container rule, the first secure container	This use license contains rules generated by the						
17	rule having been received from a third apparatus different from said second	RMS server specifically for the user (or user's group)						
18	hardware or software used for receiving and	The RM-enabled device contains hardware or						
19	opening secure containers,	software for receiving and opening secure emails.						
20	said secure containers each including the capacity to contain a governed item, a secure	The secure email has the capacity to contain an						
21	container rule being associated with each of said secure containers;	IRM-governed email message, with a rule being associated with each email.						
22		The rules associated with the secure emails are						
23		rules that come as part of the original email as well as rules that come back from the RMS.						
24	a protected processing environment at least in part protecting information contained in said	Protected information on the RM-enabled device is protected by the use of at least						
25	protecting information contained in said protected processing environment from tampering by a user of said first apparatus,	cryptographic techniques.						
26								
	said protected processing environment	The rule governing the email works together with an additional rule to determine what						
27	including hardware or software used for applying said first secure container rule and a	access to or use (if any) are allowed with						
28	second secure container rule in combination to	respect to the IRM-governed email message. For example, the additional rule may be						
	at least in part govern at least one aspect of	Triplexattine: the additional rule may be						

Exhibit B

2	access to or use of a governed item contain in a secure container; and	ned	received together with the rule in the use license.
	hardware or software used for transmission secure containers to other apparatuses or for the receipt of secure containers from other apparatuses.	or	The device includes hardware or software used for transmitting or receiving secure emails. For example, RM-enabled OUTLOOK is designed to transmit and receive encrypted IRM-governed emails to/from other devices.
5			
,			
;	•		
	·		
		•	·
		•	•
		•	
		-	
	<u>.</u> .		
			•

3		
4	CLAIM LANGUAGE 4.	CLAIM OF INERINGEMENT
5	2.	Infringing products include Office 2003 and included applications, and Server 2003,
6		including Microsoft hosted RMS Service using Passport
7	A system including:	
8	a first apparatus including,	A device with user controls, a communications port, a processor, and memory. For example,
9	user controls,	the user controls may be a keyboard and mouse, the communications port may be a NIC
10	a communications port,	card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive
11	a processor,	or RAM.
12	a memory storing:  a first secure container containing a governed item, the first secure container governed item	The first secure container is an encrypted IRM-protected document.
13	being at least in part encrypted; the first secure	
14	container having been received from a second apparatus;	This encrypted IRM-governed document is, for example, received from a remote computer, as
15		an attachment to an IRM-governed email or downloaded from a document server or web site.
16		·
17	a first secure container rule at least in part governing an aspect of access to or use of said	The first secure container rule is received from the RMS server in the form of a use license.
18	first secure container governed item, the first secure container rule, the first secure container rule having been received from a third	This use license contains rules generated by the RMS server specifically for the user (or user's
19	apparatus different from said second apparatus; and	group).
20	hardware or software used for receiving and	The RM-enabled device contains hardware or
21	opening secure containers,	software for receiving and opening secure documents.
22	said secure containers each including the capacity to contain a governed item, a secure	The secure documents have the capacity to contain IRM-governed content, with a rule
23	container rule being associated with each of said secure containers;	being associated with each secure document.
24		The rules associated with said secure
25		documents are the rules that come as part of the originally received document as well as rules that come back from the RMS server.
26	a protected processing environment at least in	Protected information on the RM-enabled
27	part protecting information contained in said	device is protected by the use of at least cryptographic technique.
28	protected processing environment from tampering by a user of said first apparatus,	
		The rule governing the document works
	1	ji

Exhibit B

1 2 3 4	said protected processing environment including hardware or software used for applying said first secure container rule and a second secure container rule in combination at least in part govern at least one aspect of access to or use of a governed item contained in a secure container; and	together with an additional rule to determine what access to or use (if any) are allowed with respect to the IRM-governed document. For example, the additional rule may be associated with an email to which the document was attached, or received together with the rule in the use license.  The device includes hardware or software used for transmitting or receiving secure documents. For example, RM-enabled OUTLOOK is designed to transmit and receive to/from other devices emails with IRM-governed documents attached thereto.							
6 7 8	hardware or software used for transmission of secure containers to other apparatuses or for the receipt of secure containers from other apparatuses.							ts.	
9		•		•	•		- "		
0									. }
1			٠.				•		
2									
3									
4		٠							
5									
6	·								·
7							•		
8									
)									
,	·					-	•		
۱									
,									
;								•	
5	·				-				
5	÷						•		
7									
3									
				~	. •	•	•		

3		<u> </u>
4	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
5	3.	Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using
6	A system including:	Passport
7	a first apparatus including,	A device with user controls, a communications
8	user controls,	port, a processor and memory. For example, the user controls may be a keyboard and
9	a communications port,	mouse, the communications port may be a NIC card with an Ethernet port, the processor may
10	a processor,	be a CPU, and the memory may be a hard-drive or RAM.
11	a memory storing:	
12	a first secure container containing a governed item, the first secure container governed item	The first secure container containing a governed item is an IRM protected email.
13	being at least in part encrypted;	Both the email and attachment are IRM
14		protected, each having their own rules, each being encrypted.
15	a first secure container rule at least in part governing an aspect of access to or use of said	The rule governing the email (a first secure container rule) governs said first secure
16 17	first secure container governed item; and	container governed item.
18	a second secure container containing a digital certificate;	The second secure container is the IRM protected attachment's derived license request
19		object. The license request object contains the
20		Publishing license and a signed digital certificate.
21		·
22	hardware or software used for receiving and opening secure containers,	The RM (IRM) enabled computer has software for receiving and opening secure containers.
23	said secure containers each including the	The IRM secure containers have capacity to
24	capacity to contain a governed item, a secure container rule being associated with each of	contain a governed item, with a secure container rule being associated with each of
25	said secure containers; a protected processing environment at least in	said secure containers.  Protected information on the RM-enabled
26	part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,	computer is protected by the use of at least cryptographic techniques.
27		
28	said protected processing environment including hardware or software used for	The rules governing the email itself (first
- 11	•	

Exhibit B 69

1

second sec at least in p access to or in a secure	aid first secur ure container part govern as r use of a gov container; ar	rule in cont t least one s verned iten nd	mbination to aspect of a contained	secure container rule) and the rules governing the attachment work together to determine what access to or use (if any) will be allowed with respect to the governed item.  IRM-enabled applications, e.g., OUTLOOK, are designed to transmit and receive RM secured containers to/from other computers.				
secure cont	r software us ainers to oth of secure cor s.	er apparatu	ses or for					
				· ·				
,			•					
	·							
				y				
	•							
					•			
				,		•		
					·	•		
				·				

3	TON 0.5. TATENT NO. 0,185,085						
4	CLAIMLANGUAGE	CLAIM OF INFRINGEMENT					
.T 5	3.	Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using Passport					
_	A system including:						
7 8	a first apparatus including,	A device with user controls, a communications port, a processor and memory. For example,					
	user controls,	the user controls may be a keyboard and mouse, the communications port may be a NIC					
9	a communications port,	card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive					
10	a processor,	or RAM.					
11	a memory storing:	·					
12	a first secure container containing a governed item, the first secure container governed item	The first secure container containing a governed item is an IRM protected document,					
13	being at least in part encrypted;	which is an attachment within an IRM protected email message. The governed item is					
14		the document's content.					
15		Both the email message and attachment are encrypted and have associated usage rules due					
16	a first secure container rule at least in part	to IRM protection.  A use license for the IRM protected document					
17	governing an aspect of access to or use of said first secure container governed item; and	specifies rules governing access to or use of said first secure container governed item.					
18	a second secure container containing a digital certificate;	The second secure container is the IRM protected email message.					
19							
20	·	The IRM protected attachment includes a publishing license and an owner certificate,					
21		both of which are signed XrML digital certificates.					
22		The attachment (including embedded					
23		certificates) is contained within the IRM protected email message (said second secure container).					
24	hardware or software used for receiving and opening secure containers,	The RM (IRM) enabled computer has software for receiving and opening secure containers.					
25							
26	said secure containers each including the capacity to contain a governed item, a secure	The IRM secure containers have capacity to contain a governed item, with a secure					
27	container rule being associated with each of said secure containers:	container rule being associated with each of said secure containers.					
28	a protected processing environment at least in part protecting information contained in said	Protected information on the RM-enabled computer is protected by the use of at least					
ļ	protected processing environment from	cryptographic techniques.					
- 18		!!					

Exhibit B

1

1	tampering by a user of said first apparatus,	
2	said protected processing environment	.'
3	including hardware or software used for applying said first secure container rule and a	The rules governing the attachment (first secure container rule) and the rules governing the
4	second secure container rule in combination to at least in part govern at least one aspect of	email message (second secure container rule) work together to determine what access to or
5	access to or use of a governed item contained	use (if any) will be allowed with respect to the governed item.
6	in a secure container; and hardware or software used for transmission of	RM-enabled applications, e.g., OUTLOOK, are
7	secure containers to other apparatuses or for the receipt of secure containers from other	designed to transmit and receive RM secured containers to/from other computers.
8	apparatuses.	
·	4. A system as in claim 3,	
9	said memory storing a rule associated with said second secure container, said rule	All parts of the attachment (including embedded signed XrML licenses/certificates)
10	associated with said second secure container at least in part governing at least one aspect of	are protected by the enclosing email message and governed by the associated email rules
11	access to or use of said digital certificate.	(second secure container rule).
12		
13		
14		
15		
16		·
17		
18	• •	
19	•	
20		·
21		
22		
23		
24		
25		·
26	•	
27		
28		

CLAIM LANGUAGE  CLAIM OF INFRINGEMENT  Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using Passport  A system including: a first apparatus including, user controls, a communications port, a processor, a memory storing: a first secure container containing a governed item, the first secure container governed item being at least in part encrypted;  a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment tanger in protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.		TOR C.S. I AI ENT I TO CO GO STORE S									
Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using Passport    A system including:	3	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT								
A system including:     a first apparatus including,     user controls,     a communications port,     a communications port,     a processor,     a memory storing:     a first secure container containing a governed item, the first secure container governed item being at least in part encrypted;  a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container being different from said first secure container;  a second secure container and item, the second secure container governed item; and  a second secure container on taining a digital signature, the second secure container poverned item; and  a second secure container sead including the capacity to contain a governed item, as secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus, said protected processing environment including he capacity to contain a governed secure containers.  A device with user controls, a communications por may be a NIC card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive or RAM.  Both the email and attachment are IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container such including the capacity to rontainer governed item, and protected attachment's derived license request object. The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The RM (IRM) enabled computer has software container rule being associated	5	5.	included applications, and Server 2003, including Microsoft hosted RMS Service using								
a first apparatus including, user controls, a communications port, a processor, a memory storing: a first secure container containing a governed liem, the first secure container governed item being at least in part encrypted;  a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container;  a second secure container containing and different from said first secure container;  a second secure container containing and digital signature, the second secure container;  a second secure container containing and digital signature, the second secure container;  a second secure container containing and different from said first secure container;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus, aid protected processing environment including hardware or software used for  a protected processing environment including hardware or software used for  a protected processing environment including hardware or software used for  A device with user controls, a processor and memory. For example, the user controls, a processor and memory. For example, the user controls, a processor and memory. For example, the user controls, a processor and memory. For example, the user controls, a processor may be a NPIC card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive or RAM.  Both the email and attachment are IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container sequent of item is an IRM protected email.  The rule governing the containers and item is an IRM protected email.  The rule governing the containers and item is an IRM protected email.  The rule governing the containers and item is an IRM protected email.  The RM (IRM) enabled computer has software		A system including:	Passport								
user controls,  a communications port, a processor,  a memory storing:  a first secure container containing a governed item, the first secure container governed item, the first secure container governed item being at least in part encrypted;  a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container being different from said first secure container;  a second secure container containing; a digital signature, the second secure container being different from said first secure container;  a second secure container containing; a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container si the IRM protected attachment's derived license request object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software containers as poverned item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure contain a governed item, a secure container or rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, as ecure container or rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, as ecure container or rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, as ecure containers.  The IRM secure containers have capacity to contain a governed item, as ecure containers.  The IRM secure containers	-		A device with user controls, a communications port, a processor and memory. For example,								
be a CPU, and the memory may be a hard-drive or RAM.  a processor,  a first secure container containing a governed item, the first secure container governed item being at least in part encrypted;  a first secure container nule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  be a CPU, and the memory may be a hard-drive or RAM.  Both the email and attachment are IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container governed item.  The second secure container is the IRM protected attachment's derived license request object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first)	1		the user controls may be a keyboard and mouse, the communications port may be a NIC								
a memory storing: a first secure container governed item being at least in part encrypted;  a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  a second secure container containing a digital signature, the second secure container;  bardware or software used for receiving and opening secure containers, said secure contain a governed item, a secure container rule being associated with each of said secure rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  said protected processing environment must including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for receiving and opening secure containers.  The rule governing the email (a first secure container include governing and patrach, he email (a first secure	10 ·		be a CPU, and the memory may be a hard-drive								
a first secure container governed item, the first secure container governed item is an IRM protected email.  Both the email and attachment are IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container governed item; and signature, the second secure container being different from said first secure container;  a second secure container containing a digital signature, the second secure container;  hardware or software used for receiving and opening secure containers, said secure container seach including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  hardware or software used for receiving and opening secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item is an IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container governed item, item is an IRM protected, each having their own rules, each being encrypted.  The rule governs said first secure container governed item, is an IRM protected, each having their own rules, each being encrypted.  The rule governs said first secure container governed item, is an IRM protected, each having their own rules, each being encrypted.  The rule governs said first secure container secure container governed item.  The second secure container is the IRM protected attachment's derived license request object.  The license request object containers for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container is pro	11	•									
Both the email and attachment are IRM protected, each having their own rules, each being encrypted.  The rule governing the email (a first secure container governed item; and secure container governed item.  The rule governing the email (a first secure container rule) governs said first secure container rule) governs said first secure container governed item.  The second secure container is the IRM protected attachment's derived license request object. The license request object. The license request object. The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item.  The rule governing the email (a first secure container rule) governed item.		item, the first secure container governed item									
a first secure container rule at least in part governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container being different from said first secure container;  a second secure container being different from said first secure container;  hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  being encrypted.  The rule governing the email (a first secure container rule) governs said first secure container rule) governs said first secure container rule being ascerure container is the IRM protected attachment's derived license request object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  The IRM secure containers have capacity to contain a governed item.  The rule governing the email (a first secure container rule) governs said first secure container is the IRM protected attachment's derived license request object.  The license request object contains rule being associated with each of said secure containers.  The IRM secure containers have capacity to container rule being associated with each of said secure containers.  The IRM secure containers are for receiving and opening secure containers are for receiving and opening s		being at least in part encrypted;									
governing an aspect of access to or use of said first secure container governed item; and  a second secure container containing a digital signature, the second secure container being different from said first secure container;  hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protected processing environment from tampering by a user of said first apparatus,  a second secure container is the IRM protected attachment's derived license request object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governs said first secure container is the IRM protected attachment's derived license request object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item.											
a second secure container containing a digital signature, the second secure container being different from said first secure container;  hardware or software used for receiving and opening secure containers, said secure container agoverned item, a secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  a second secure container is the IRM protected attachment's derived license request object. The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first		governing an aspect of access to or use of said	container rule) governs said first secure								
signature, the second secure container being different from said first secure container;  hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  signature, the second secure container being object.  The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to container rule being associated with each of said secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first	17	first secure container governed item; and	container governed item.								
The license request object contains the Publishing license and a signed digital certificate.  The RM (IRM) enabled computer has software for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  Protected protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for  The rules governing the email itself (first	18	signature, the second secure container being	protected attachment's derived license request								
hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure container rule being associated with each of said secure container rule being associated with each of said secure container rule being associated with each of said secure container rule being associated with each of said secure container rule being associated with each of said secure containers.  25 a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  27 said protected processing environment including hardware or software used for  28 The RM (IRM) enabled computer has software for receiving and opening secure containers.  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first	19	different from said first secure container;	The license request object contains the								
hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  said protected processing environment including hardware or software used for The rules governing the email itself (first	20										
containers each including the capacity to contain a governed item, a secure container rule being associated with each of said secure containers;  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  said protected processing environment including hardware or software used for  The IRM secure containers have capacity to contain a governed item, with a secure container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first		opening secure containers, said secure									
containers;  a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for  container rule being associated with each of said secure containers.  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first	23	contain a governed item, a secure container									
a protected processing environment at least in part protecting information contained in said protected processing environment from tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for  Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.  The rules governing the email itself (first	24		container rule being associated with each of								
tampering by a user of said first apparatus,  said protected processing environment including hardware or software used for  The rules governing the email itself (first	25		Protected information on the RM-enabled computer is protected by the use of at least								
said protected processing environment including hardware or software used for The rules governing the email itself (first	26		cryptographic techniques.								
	28										

Exhibit B 73

293482.02

1

second secure container rule in combination to at least in part govern at least one aspect of access to or use of a governed item contained in a secure container; and	the attachment will work together to determine what access to or use (if any) will be allowed with respect to the governed item.							
hardware or software used for transmission of secure containers to other apparatuses or for the receipt of secure containers from other apparatuses.	RM-enabled applications, e.g., OUTLOOK, are designed to transmit and receive RM secured containers to/from other computers.							
аррагатизез.								
	:							
·								
	•							
	•							

3	·	
.4	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
5	5.	Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using
		Passport
7	A system including:	
8	a first apparatus including,	A device with user controls, a communications port, a processor and memory. For example,
9	user controls,	the user controls may be a keyboard and mouse, the communications port may be a NIC
10	a communications port,	card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive
11	a processor,	or RAM.
12	a memory storing: a first secure container containing a governed	first secure container containing a governed
13	item, the first secure containing a governed item being at least in part encrypted;	item is an IRM protected email.
14		Both the email and attachment are IRM protected, each having their own rules, each being encrypted.
15 16	a first secure container rule at least in part governing an aspect of access to or use of said	The rule governing the email (a first secure container rule) governs said first secure
17	first secure container governed item; and	container governed item.
18	a second secure container containing a digital signature, the second secure container being	The second secure container is the IRM email attachment.
19	different from said first secure container;	This attachment and its publishing license are
20	•	signed.
21	hardware or software used for receiving and opening secure containers, said secure	The RM (IRM) enabled computer has software for receiving and opening secure containers.
22	containers each including the capacity to contain a governed item, a secure container	The IRM secure containers have capacity to
23	rule being associated with each of said secure containers;	contain a governed item, with a secure container rule being associated with each of
24		said secure containers.
25	a protected processing environment at least in-	-Protected information on the RM-enabled computer is protected by the use of at least cryptographic techniques.
26	protected processing environment from tampering by a user of said first apparatus,	cryptograpine techniques.
27 28	said protected processing environment including hardware or software used for anniving said first secure container rule and a	The rules governing the email itself (first secure container rule) and the rules governing

Exhibit B 75

1

1	second secure container rule in combination to	the attachment work together to determine what access to or use (if any) will be allowed with						
2	at least in part govern at least one aspect of access to or use of a governed item contained	respect to the governed item.						
- 3	in a secure container; and hardware or software used for transmission of	RM-enabled applications, e.g., OUTLOOK, are designed to transmit and receive RM secured						
.4.	secure containers to other apparatuses or for the receipt of secure containers from other	designed to transmit and receive RM secured containers to/from other computers.						
5	apparatuses.							
6								
7	·							
8								
9	·							
10								
11		:						
12								
13								
14								
15		·						
16								
17								
18								
19								
20	·							
21								
22	·							
23	·							
24								
25								
26								
27		·						
28								

3		
4	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
5	1	Infringing products include Office 2003 and included applications, and Server 2003,
6		including Microsoft hosted RMS Service using Passport
. 7	A system including:	
8	a first apparatus including,	A device with user controls, a communications
9	user controls,	port, a processor and memory. For example, the user controls may be a keyboard and
10	a communications port,	mouse, the communications port may be a NIC card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive
11	a processor,	or RAM.
12	a memory storing: a first secure container containing a governed	The Contact of the Co
13	item, the first secure container governed item being at least in part encrypted;	The first secure container containing a governed item is an IRM protected document, which is an attachment within an IRM
14		protected email message. The governed item is the document's content.
15 16		Both the email message and attachment are encrypted and have associated usage rules due to IRM protection.
17	a first secure container rule at least in part governing an aspect of access to or use of said	A use license for the IRM protected document specifies rules governing access to or use of
18	first secure container governed item; and a second secure container containing a digital	said first secure container governed item.
19	signature, the second secure containing a digital signature, the second secure container being different from said first secure container;	The second secure container is the IRM protected email message.
20	,	The IRM protected attachment includes a
21	·	publishing license and an owner certificate, both of which are signed XrML digital certificates.
22	·	
23		The attachment (including embedded certificates) is contained within the IRM
24	hords and the	protected email message (said second secure container).
25	hardware or software used for receiving and opening secure containers, said secure containers each including the capacity to	The RM (IRM) enabled computer has software for receiving and opening secure containers.
26	contain a governed item, a secure container rule being associated with each of said secure	The IRM secure containers have capacity to
27	containers;	contain a governed item, with a secure container rule being associated with each of said secure containers.
28	a protected processing environment at least in nart protecting information contained in said	Protected information on the RM-enabled
	Salu Salu	computer is protected by the use of at least

Exhibit B

1

1	protected processing environment from	cryptographic techniques.
2	tampering by a user of said first apparatus,	
3	said protected processing environment including hardware or software used for	The rules governing the attachment (first secure
. 4	applying said first secure container rule and a second secure container rule in combination to	container rule) and the rules governing the email message (second secure container rule)
5	at least in part govern at least one aspect of access to or use of a governed item contained	work together to determine what access to or use (if any) will be allowed with respect to the
6	in a secure container; and hardware or software used for transmission of	governed item.  RM-enabled applications, e.g., OUTLOOK, are
7	secure containers to other apparatuses or for the receipt of secure containers from other	designed to transmit and receive RM secured containers to/from other computers.
8	apparatuses. 6. A system as in claim 5,	
9	said memory storing a rule at least in part	All parts of the attachment (including
10	governing an aspect of access to or use of said digital signature.	embedded signed XrML licenses/certificates) are protected by the enclosing email message and governed by the associated email rules
11		(second secure container rule).
12		
13		
14		
15		
16		
17	·	
18		
19		
20	·	
21	-	
22		
23		
24		·
25		
26	·	
27		
28		

3		
4	CLAIM EANGUAGE	CLAIM OF INFRINGEMENT
5	28.	Infringing products include Office 2003 and included applications, and Server 2003,
6		including Microsoft hosted RMS Service using Passport
7	A system including:	
8	a first apparatus including;	A device with user controls, a communications port, a processor and memory. For example,
9	user controls,	the user controls may be a keyboard and mouse, the communications port may be a NIC
10	a communications port,	card with an Ethernet port, the processor may be a CPU, and the memory may be a hard-drive
11	a processor,	or RAM.
12	a memory containing a first rule,	The first rule governs use of an IRM protected document (e.g., an IRM rule permitting a
13		document to be read by specified users or barring access to IRM-governed information
14		from specified users, applications, or other principals).
15	hardware or software used for receiving and opening secure containers,	The RM-enabled device contains hardware or software for receiving and opening secure containers.
16	said secure containers each including the	
17	capacity to contain a governed item, a secure container rule being associated with each of said secure containers;	The secure email has the capacity to contain an IRM-governed email message, with a rule being associated with each email.
18	a protected processing environment at least in	Protected information on the RM-enabled
19	part protecting information contained in said protected processing environment from	device is protected by the use of at least cryptographic techniques.
20	tampering by a user of said first apparatus,	The secure container rule is an IRM rule
21	said protected processing environment including hardware or software used for	governing access to the IRM protected document (e.g., a rule permitting editing by
22	applying said first rule and a secure container rule in combination to at least in part govern at	specified users).
23	least one aspect of access to or use of a governed item; and	The rule governing the email works together with an additional rule to determine what
24		access to or use (if any) are allowed with respect to the IRM-governed email message
25		(the document's content). For example, the additional rule may be received together with
26		the rule in the use license, may be associated with a publishing license, may be associated
27		with user certification, revocation lists, or exclusion policies, or may be received from
28	10.1	any other source.
ļ	hardware or software used for transmission of	The device includes hardware or software used

Exhibit B 79

293482.02

1

1 2	secure containers to other apparatuses or for the receipt of secure containers from other apparatuses; and	for transmitting or receiving secure containers. For example, RM-enabled OUTLOOK is designed to transmit and receive encrypted IRM-governed emails to/from other devices.
- 3	a second apparatus including:	TRIVI-governed emails to/from other devices.
4	user controls,	A device with user controls, a communications
5	a communications port,	port, a processor and memory. For example, the user controls may be a keyboard and
6	a processor,	mouse, the communications port may be a NIC card with an Ethernet port, the processor may
7	a memory containing a second rule,	be a CPU, and the memory may be a hard-drive or RAM.
′	a momory concerning a second second	
8		The second rule governs use of an IRM protected document (e.g., an IRM rule permitting a document to be read by specified
10		users or barring access to IRM-governed information from specified users, applications, or other principals).
11	hardware or software used for receiving and opening secure containers,	The RM-enabled device contains hardware or software for receiving and opening secure
12	opening secure containers,	containers.
13	said secure containers each including the capacity to contain a governed item, a secure	The secure email has the capacity to contain an
14	container rule being associated with each of said secure containers;	IRM-governed email item, with a rule being associated with each secure containers.
15	a protected processing environment at least in part protecting information contained in said	Protected information on the RM-enabled device is protected by the use of at least
	protected processing environment from	cryptographic technique.
16	tampering by a user of said apparatus,	The secure container rule is an IRM rule
17	said protected processing environment	governing access to the IRM protected
18	including hardware or software used for	document (e.g., a rule permitting editing by specified users).
	applying said second rule and a secure container rule in combination to at least in part	
19	govern at least one aspect of access to or use of a governed item;	The rule governing the email works together with an additional rule to determine what
20		access to or use (if any) are allowed with respect to the IRM-governed item (the
21		document's content). For example, the additional rule may be received together with
22		the rule in the use license, may be associated with a publishing license, may be associated
23		with user certification, revocation lists, or exclusion policies, or may be received from
24	·	any other source.
25	hardware or software used for transmission of secure containers to other apparatuses or for	The device includes hardware or software used for transmitting or receiving secure containers.
26	the receipt of secure containers from other	For example, RM-enabled OUTLOOK is designed to transmit and receive encrypted
·	apparatuses; and	IRM-governed emails to/from other devices.
27	an electronic intermediary, said intermediary	The RMS Server (Microsoft hosted or
28	including a user rights authority clearinghouse.	otherwise) constructs a 'use license' specific to a piece content and targets it to a specific user.

a t	29. A system as in claim 28, said user rights authority clearinghouse operatively connected to make rights available to users.									tl se T	The RMS server sends use licenses to users through a communications port, e.g., Ethernet, serial, satellite, "the internet" These use licenses include rights.														
											Т	The clearing functionality of the RMS is operatively connected to the RMS server.													
			·							•			:					,		. ,		٠.		•	
										٠		-				•								•	
•					•					•												•		•,	
																	•								٠
															•				٠.						
					•																		•		
		•		•	•								• •							•	•				
																					٠				
			•																						
																				-· ·					
										•			٠												
												•													
											٠		. •					•							

293482.02

4			
4 5	28.		Product Infringing: Windows Media Rights Manager and Windows Media Player
J	A syste	m including:	
6		rst apparatus including;	Consumer's computer, as shown in WMRM SDK
7	(1)	user controls,	Consumer's computer, as shown in WMRM SDK
8	(2)	a communications port,	Consumer's computer, as shown in WMRM SDK
9	(3)	a processor,	Consumer's computer, as shown in WMRM SDK
10 11	(4)	a memory containing a first rule,	Memory is in the consumer's computer, first rule is a right received as part of a signed license (WMRM SDK, Step 9)
•	(5)	hardware or software used for	Consumer's computer receives Windows
12		receiving and opening secure	Media file (secure container) via
13		containers, said secure containers each including the capacity to contain	communications port (WMRM SDK, Step 3) and applies secure container rule or rules via Windows Media Player and Windows Media
14		a governed item, a secure container rule being associated with each of said secure containers;	Rights Manager.
15	(6)		Processing environment includes Windows Media Rights Manager and Windows
16		contained in said protected processing environment from tampering by a	processes for protecting operation of Windows Media Rights Manager
17		user of said first apparatus, said protected processing environment	Ç Ç
18		including hardware or software used for applying said first rule and a	
19		secure container rule in combination to at least in part govern at least one	
20		aspect of access to or use of a governed item; and	
21	(7)	hardware or software used for transmission of secure containers to	Hardware or software employed in transmitting Windows Media files, including for example
22		other apparatuses or for the receipt of secure containers from other	consumer's computer's communication port and Windows Media Player (WMRM SDK,
23		apparatuses; and	Step 3)
۱ ,		cond apparatus including:	2nd consumer's computer
24	(1)	user controls,	2nd consumer's computer
25	(2)	a communications port,	2nd consumer's computer 2nd consumer's computer
ا دے	(3)	a processor, a memory containing a second rule,	Memory is in the 2nd consumer's computer,
26	(4)	a memory containing a second rule,	first rule is a Right received as part of a signed license (WMRM SDK, Step 9)
27	(5)	hardware or software used for	2nd consumer's computer receives Windows
28		receiving and opening secure	Media file (secure container) via
20		containers, said secure containers each including the capacity to contain	communications port (WMRM SDK, Step 3) and applies secure container rule or rules via
1			

Exhibit B

1

2

1			
2		a governed item, a secure container rule being associated with each of said secure containers;	Windows Media Player and Windows Media Rights Manager.
3	(6)	a protected processing environment at	Processing environment includes Windows
4		least in part protecting information contained in said protected processing	Media Rights Manager and Windows processes for protecting operation of Windows
5		environment from tampering by a user of said apparatus; said protected	Media Rights Manager; processing environment applies multiple rules in
6		processing environment including hardware or software used for	combination
7		applying said second rule and a secure container rule in combination	
8	-	to at least in part govern at least one aspect of access to or use of a governed item;	
9	(7)	hardware or software used for transmission of secure containers to	Hardware or software employed in transmitting Windows Media files, including for example
10		other apparatuses or for the receipt of secure containers from other	2 <sup>nd</sup> consumer's computer's communication port and Windows Media Player (WMRM
11	(c) an 6	apparatuses; and electronic intermediary, said	SDK, Step 3) License Issuer
12	inte	rmediary including a user rights nority clearinghouse.	2.00.00
13	29. A sy	ystem as in claim 28,	Time Years and the second of t
14	operativ	r rights authority clearinghouse ely connected to make rights available	License Issuer, operatively connected to consumer's computer (WMRM SDK, Step 9)
15	to users.		
16			
17		·	
18			·
19			·
20		•	
21			
22			
23			
24			j
25			
26			
27			
28			
			9

3		200 00 100 1000
	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
5	56.	Infringing products include Office 2003 and included applications, and Server 2003, including Microsoft hosted RMS Service using
6	·	Passport
7	A method of securely delivering an item, including the following steps:	
8	performing an authentication step;	The RM-enabled application, e.g., Word, OUTLOOK, PowerPoint, etc., must be
9		authenticated before it is allowed access to or use of the content.
10	associating a digital signature with said item; incorporating said item into a first secure	The RM protected content is signed.  RM-protected content is packaged with rules
11	electronic container, said item being at least in part encrypted while in said container,	and encrypted.
12	said incorporation occurring in an apparatus	
13	containing a first protected processing environment, said protected processing	Protected information on the RM enabled computer is protected by the use of at least
14	environment at least in part protecting information contained in said protected processing environment from tampering by a	cryptographic techniques.
15	user of said apparatus;	m m / 11 / / / 12 / / / 12 / / / / / / / /
16 17	in said protected processing environment, associating a first rule with said first secure electronic container, said first rule at least in	The IRM-protected document (said item) has an associated rule or rules.
18	part governing at least one aspect of access to or use of said item;	·
19	authenticating an intended recipient of said item;	A recipient of IRM-protected content must be authenticated before being allowed access to or use of the content.
20	transmitting said first secure electronic container and said first rule to said intended	The document is sent via IRM-protected email as an attachment.
21	recipient; and using a second protected processing	The email is received at another IRM-enabled
22	environment, providing said intended recipient access to at least a portion of said item,	computer.
23	said access being governed at least in part by	
24 25	said first rule and by a second rule present at said intended recipient's site.	The first said rule is the rule(s) associated with the attached document, and the second rule is the rule(s) received that govern the email itself.
26		Title Tale(3) Teodited that Bottom the email fields
20		

Exhibit B 

293482.02

4		
4	126.	Product Infringing: Windows Hardware
5		Quality Labs Authentication services,
_		Windows operating Systems (such as Windows XP) that support the driver
6		signing features, and any product using
7		Driver Signing feature
•	A method of providing trusted intermediary	
8	services including the following steps: at a first apparatus, receiving an item from	Microsoft's Window Hardware Quality
9	a second apparatus;	Labs (WHQL) (first apparatus) receiving
,	· · · · · · · · · · · · · · · · · · ·	driver package (item) from independent
10		hardware vendor (IHV) or any driver developer (second apparatus).
11	associating authentication information with	The signature information of a security
11	said item;	catalog file (see next element of claim)
12		names Microsoft as the publisher.
,,		WHQL's signature is intended to signify that a driver has complied with Microsoft's
13	,	Windows compatibility and/or Secure
14		Audio Path (SAP) specifications.
1.5	incorporating said item into a secure digital container;	The hashes of the files making up the driver package are included in the signed
15	container,	security catalog file for the driver package.
16		The catalog file makes the driver package a
	associating a first rule with said secure	Secure digital container.  Driver developers specify rules in an INF
17	digital container, said first rule at least in	file that govern the installation and/or use
18	part governing at least one aspect of access to or use of said item;	of the driver. For example, as specified in the INF, the installation events will vary
19	,	based on the user's operating system version, which includes architecture,
20	·	product type and suite. The INF logging
	·	rules and can further specify security rules that are evaluated when the driver is used.
21		that are evaluated when the driver is used.
22		White Paper - Operating-System
		Versioning for Drivers under Windows XP
23		Setup selects the [Models] section to use
24		based on the following rules:
25		If the INF contains [Models] sections for
26		several major or minor operating system version numbers, Setup uses the section
20	·	with the highest version numbers that are
27	`	not higher than the operating system
28		version on which the installation is taking place.
		L

1

2

1 2 3 4		If the INF [Models] sections that match the operating system version also include product type decorations, product suite decorations, or both, then Setup selects the section that most closely matches the running operating system.
5 6 7		Suppose, for example, Setup is running on Windows XP Professional (which is operating system version 5.1), and it finds the following entry in a [Manufacturer] section:
8		%FooCorp%=FooMfg, NT, NT.5, NT.5.5, NT0x80
9 10 11 12		In this case, Setup will look for a [Models] section named [FooMfg.NT.5]. Setup will also use the [FooMfg.NT.5] section if it is running on a Datacenter version of Windows .NET Server, because a specific major/minor version takes precedence over the product type and suite mask.
13 14		For example, to create an INF that is intended for use only on Windows XP, the INF file could contain the following:
15 16 17		[Manufacturer] "Foo Corp." = FooMfg, NT.5.1, NT.5.2 [FooMfg.NT.5.1] "Foo Device" = FooDev, *FOO1234
18 19 20		Note the omission of the undecorated [FooMfg] section, as well as the omission of the [FooMfg.NT.5.2] section. This INF file would appear to be "empty" on any operating system other than Windows XP.
21	·	Access Control List Rules
22	·	XP DDK - Tightening File-Open Security in a Device INF File
23		For Microsoft Windows 2000 and later, Microsoft tightened file-open security in
24		the class installer INFs for certain device classes, including CDROM, DiskDrive,
25		FDC, FloppyDisk, HDC, and SCSIAdapter.
26		If you are unsure whether the class installer for your device has tightened security on
27		file opens, you should tighten security by using the device's INF file to assign a value to the DeviceCharacteristics value name
28		in the registry. Do this within an add-

•	1	•
1		registry-section, which is specified using
2	transmitting said secure digital container	the INF AddReg directive.  Microsoft, IHV, driver developer or any
3	and said first rule to a third apparatus, said third apparatus including a protected	other party distributing signed driver packages transmitting the driver package to
4.	processing environment at least in part	user (third apparatus). Since the driver
5	protecting information stored in said protected processing environment from	package includes the INF file, it will include the first rule. The protected
6	tampering by a user of said third apparatus;	processing environment (PPE) is Windows operating system with its pertinent services
7		such as Windows File Protection, signature and cryptographic functions, Plug and Play
8		and Set-up and their related default and modifiable policies. The PPE checks for
. 9 .		signatures on driver packages and detects situations when the driver package's
10		signature does not match the driver package.
11		Additionally, the Digital Rights Manager
		(DRM) components (kernel and client) will contribute to making the third apparatus a
12		PPE when the SAP functionality is invoked. [That is, when SAP is required, an
13		additional signature is checked to verify
14		that the driver is SAP compliant and that it hasn't been tampered with.]
15	said third apparatus receiving said secure digital container and said first rule;	The end-user receiving the driver package.
16	said third apparatus checking said authentication information; and	A step in the Plug and Play/Setup driver installation process checks signature at
17		installation. Additionally, the DRM component will check the DRM signature when invoking DRM functionality.
18		
19		White Paper - Driver Signing for Windows
20		During driver installation, Windows compares the hashes contained in the driver's CAT file with the computed hash
21	·	of the driver binaries to determine whether
22		the binaries have changed since the CAT file was created. If a driver fails the
23		signature check or there is no CAT file, what happens next depends on the driver
24		signing policy in effect on the user's system:
25		If the policy is set to Ignore, the driver
26		installs silently, with no message to the user.
27		If the policy is set to Warn, a message
28		warns the user the driver is unsigned, which means that it has not passed WHQL
		# <sup>-</sup> · ·

		. •
1		testing and might cause problems. The Warn dialog box gives an administrative
2		user the option to override the warning and
3		install an unsigned driver anyway.
. 4		If the policy is set to Block, the system displays a message that informs the user
5		that the driver cannot be installed because it is not digitally signed.
6	said third apparatus performing at least one	The action would be installing and/or using
7	action on said item, said at least one action being governed, at least in part, by said	the driver. For example, installation policies govern the actions (ignore, warn or
8	first rule and by a second rule resident at said third apparatus prior to said receipt of	block) taken based on whether a driver is signed or not and these policies (rule) are
	said secure digital container and said first rule, said action governance occurring at	resident on the third apparatus. Another rule is the "ranking" of available drivers
9	least in part in said protected processing environment.	when selecting a driver to install. This ranking process includes whether a driver
	· · · · · · · · · · · · · · · · · · ·	is signed or not. Another rule is the security access rules that the class installer
11		that will be used to install the device has.
12		In the case of DRM, the content will have associated rules governing its use in a SAP-
13		complaint environment. These rules (the content license) can be resident at the third
14		apparatus particularly in the case when a
15	·	user is installing a new (SAP-compliant) device that will render previously acquired
16		content or in the case that acquired content cannot be rendered until the user installs
17		required drivers.
18		For example, when installing:
19		The XP driver ranking process and the modifiable default related to signature state
20	·	of the driver act as the second rule.
21		The driver will be installed only if the first and second rules validate.
22		Operating-System Versioning for Drivers
23		under Windows XP
24		Default System Policy for Unsigned Drivers
25		If the user installs an unsigned driver for a
26		designated device class from disk or from another web site, Windows XP/Windows
27		2000 displays a warning that the driver is unsigned, thus helping to preserve the
28		integrity of the released system. However, by default, Windows XP/Windows 2000
	<del></del>	#

]		
2		does not block installation of unsigned drivers, so vendors can get urgent hot-fixes to customers while waiting for WHQL to test the fix.
, 4 5 6		In Windows XP, the default driver signing policy can be changed through the Hardware tab of the System applet on the Control Panel. A user can change the policy to be more restrictive, but not less restrictive on a per-user basis (that is, a
7 8 9		user can change Warn to Block, but not to Ignore). An administrator can change the policy to be either more restrictive or less restrictive for all users on the system by checking "Apply the setting as system
10		default."
		Driver Ranking
11 12		Under Windows XP, the driver ranking strategy has been modified as follows:
13		If an INF file is unsigned, and if neither the
14		[Models] section nor the [DDInstall] section is decorated with an NT-specific extension, the INF file is considered
15 16		"suspect" and its rank is shifted into a higher range (that is, worse) than all hardware and compatible rank matches of
17		INF files for which one (or both) of those criteria are met.
18		The new ranking ranges will now be:
19		0 - 0xFFF
20		(DRIVER_HARDWAREID_RANK): "trusted" hardware-ID match
21		0x1000 - 0x3FFF: "trusted" compatible-   ID match   0x8000 - 0x8FFF: "untrusted" hardware-
22		ID match 0x9000 - 0xBFFF: "untrusted"
23		compatible-ID match 0xC000 - 0xCFFF: "untrusted"
24		undecorated hardware-ID match (possibly a
25		Windows 9x-only driver) 0xD000 - 0xFFFF: "untrusted"
26		undecorated compatible-ID match (possibly a Windows 9x-only driver)
27		
28	127. A method as in claim 126, in which said authentication information at least in	The authentication information will identify Microsoft, operator of the first
20	part identifies said first apparatus and/or a	apparatus.

	·	•
3	126.	Products Infringing: Microsoft Software
4.		that includes the Authenticode feature, .NET Framework SDK, Visual Studio,
5		Microsoft technology that supports a digital signature function (such as ActiveX),
6		Windows Installer technology.
7	A method of providing trusted intermediary services including the following steps:	Infringement is based on use Microsoft ActiveX control, Cabinet file, Microsoft Windows Installer, Authenticode and
8		Software Restriction Policy technologies. For example, a software publisher
9		distributing a signed application that has licensed ActiveX controls embedded
10	A. C. A	within it would practice this method.  The item is unsigned software such as an
11	at a first apparatus, receiving an item from a second apparatus;	ActiveX control or any software packaged in a cabinet file or Microsoft Installer
12		(.msi) file. Within the development
		environment, multiple software developers (working on a second apparatus) will send
13		their unsigned software to a secure location (first apparatus) containing the entity's
14	·	private signing key. An example entity
15		would be a software publisher.
16	·	Source: Deploying ActiveX Controls on the Web with the Internet Component
17		Download
18		The holder of the digital certificate
19		Keeping your digital certificate safe is very important. Some firms (including
20		Microsoft) do not keep their signature file on site. The signature is kept with the
21		Certificate Authority and files are sent there for signing.
22		Signing the software associates the
23	associating authentication information with said item;	software publisher's identify with the software.
24	·	Source: Packaging ActiveY Controls
25	·	Source: Packaging ActiveX Controls Signing Cabinet Files
26	•	A .cab file can be digitally signed like an ActiveX control. A digital signature
		provides accountability for software developers: The signature associates a
27		software vendor's name with a given file. A
28		signature is applied to a .cab file (or control) using the Microsoft Authenticode®
İ		

1		
1		technology.
2		The .cab tool set assists software developers in applying digital signatures to .cab files by allowing a developer to
3		allocate space in the .cab file for the signature.
. 4	incorporating said item into a secure digital	Signing software either directly or within a
5	container;	package (cabinet or .msi file) secures it in a digital container.
6		Alternately, the signed ActiveX control could be placed into a signed cabinet file.
7	associating a first rule with said secure digital container, said first rule at least in	The first rule would be the licensing support code within the ActiveX control
8	part governing at least one aspect of access to or use of said item;	and/or conditional syntax statements when the software is within a signed .msi file. When the software is within a signed
9		cabinet file, the first rule can be a rule contained in the software, as is the case
10		when an ActiveX control is packaged in a
11		signed cabinet file.
12		First rule, in the case of ActiveX:
13		When an application with a licensed ActiveX control is started, an instance of the control usually needs to be created.
14 15	·	The application accomplishes this by making a call to CreateInstanceLic and
16		passing the license key embedded in the application as a parameter in the call. The
17		ActiveX control performs a string comparison between the embedded license key and its own copy of the license key. If
18		the keys match, an instance of the control is created and the application can execute
19	·	normally.
20		Source: Using ActiveX Controls to Automate Your Web Pages
21		Run-time licensing Most ActiveX Controls should support
22		design-time licensing and run-time licensing. (The exception is the control that
23		is distributed free of charge.) Design-time licensing ensures that a developer is
24		building his or her application or Web page with a legally purchased control; run-time
25		licensing ensures that a user is running an application or displaying a Web page that
26		contains a legally purchased control.
27		Design-time licensing is verified by control containers such as Visual Basic, Microsoft
28		Access, or Microsoft Visual InterDev®.  Before these containers allow a developer
-		to place a control on a form or Web page,
1		:.

_	,	•
1		they first verify that the control is licensed
2	·	by the developer or content creator. These containers verify that a control is licensed
		by calling certain functions in the control:
3		If the license is verified, the developer can
4		add it.
7		Run-time licensing is also an issue for
5		these containers (which are sometimes
_		bundled as part of the final application); the
6		containers again call functions in the control to validate the license that was
		embedded at design time.
7	transmitting said secure digital container	The third apparatus is a user computer or
8	and said first rule to a third apparatus, said	an application server. The protected
°	third apparatus including a protected	processing environment (PPE) is Windows
9	processing environment at least in part	operating system, Internet Explorer (IE)
	protecting information stored in said	and pertinent operating IE services such as
10	protected processing environment from	Windows File Protection and security, signature and cryptographic functions
İ	tampering by a user of said third apparatus;	related to code signing and related policies.
11		The PPE checks for signatures on software
12		or the software packages and detects
12		situations when the signature does not
13		validate as an indication that tampering may have occurred with the item.
	said third apparatus receiving said secure	Having the third apparatus receiving said
14	digital container and said first rule;	secure digital container and said first rule is
15	<u> </u>	typical of networked computing
		environments.
16	said third apparatus checking said	Examine the signature information includes
	authentication information; and	verifying that signature was creating using the private key that corresponds to the
17		public key of the publisher.
18	said third apparatus performing at least one	The action would be installation and/or use
10	action on said item, said at least one action	of the distributed software. The second
19	being governed, at least in part, by said	rule can be software restriction policies
I	first rule and by a second rule resident at	resident on the machine, which can be
20	said third apparatus prior to said receipt of	invoked at installation and/or runtime.
21	said secure digital container and said first rule, said action governance occurring at	.NET Framework Security - pg 259
21	least in part in said protected processing	
22	environment.	and
		nn: n
23		White Paper – Using Software Restriction  Religious in Windows YP and Windows
_,		Policies in Windows XP and Windows NET Server to Protect Against
24		Unauthorized Software
25		
~		Software Restriction Polices is a policy-
26		driven technology that allows
		administrators to set code-identity-based
27		rules that determine whether an application is allowed to execute. (.NET Framework
20		Security - pg 259)
28		
ľ		

1 2		For example, administrators can set rules for all Windows Installer packages coming from the Internet or Intranet zone.
3		As part of the DLL load mechanisms,
4		Software Restriction Policies is invoked and starts to check its most specific rules.
5		Software Restriction Policies get invoked prior to an exe being able to run.
6		The four types of rules are - hash,
7		certificate, path, and zone.
8		Note: The hash and certificate rules relate directing to the signature information whereas, the path and zone rules do not.
	127. A method as in claim 126, in which	The software publisher, user of first device,
10	said authentication information at least in part identifies said first apparatus and/or a	is identified in the authentication information.
11	user of said first apparatus.	
12		
13		·
14		
15		
16		•
17		
18		
19		
20	·	
21		•
22		
23		
24		
25		
26		
27		
28		
	1 <b>1</b>	•

4		
5	126.	Product infringing: Visual Studio .NET, .NET Framework SDK, Authenticode, Products that contain the .NET CLR, Compact CLR or CLI.
6	A method of providing trusted intermediary	•
7	services including the following steps: at a first apparatus, receiving an item from	First apparatus is a software build or
8	a second apparatus;	deployment services computer that has access to signing key. The item may be a
. 9		program, graphic, media object or other resource, from a developer computer, or
10	associating authentication information with	Associating a cryptographic hash with the
11	said item;	file that will contain this item for the purpose of ensuring the authenticity of the
12	·	item, along with names and attributes that are desired to be associated with the item
13		for identification purposes.
14	incorporating said item into a secure digital container;	Producing signed, strongly named assembly that contains this assembly and associated attributes.
15	associating a first rule with said secure digital container, said first rule at least in	Including any security demands (such as members of the Microsoft .NET
16	part governing at least one aspect of access to or use of said item;	Framework SDK Public Class CodeAccessSecurityAttribute) as part of
17	transmitting said segure digital container	the assembly.  The third apparatus is a user computer or
18	transmitting said secure digital container and said first rule to a third apparatus, said third apparatus including a protected	an application server. The third apparatus's protected processing
19	processing environment at least in part protecting information stored in said	environment is Windows NT and the .NET CLR, CLI and/or compact CLR.
20	protected processing environment from	Information is protected from tampering
21	tampering by a user of said third apparatus;	because user is not administrator, user runs code on server, a share on another
22		computer, or over a network. Further this information is protected by a number of
23		protection mechanisms that are included with the Windows NT and CLR, CLI
24	said third apparatus receiving said secure	and/or compact CLR distributions.  Having the third apparatus receiving said
25	digital container and said first rule;	secure digital container and said first rule is typical of networked computing
		environments.
26	said third apparatus checking said authentication information; and	The .NET Framework, when the assembly is installed into the global assembly cache
27	·	(GAC), verifies the strong name of assemblies. This process includes
28		verifying that signature was creating using the private key that corresponds to the
ł		ii

Exhibit B

1

2

1		public key of the publisher.
2	said third apparatus performing at least one	The action is executing code that is the item or using code that renders the item.
3	action on said item, said at least one action being governed, at least in part, by said first rule and by a second rule resident at	Action is governed by security demands on code that calls the item or on code that calls
4	said third apparatus prior to said receipt of said secure digital container and said first	code included in the .NET assembly that manages said item. The second rule is the
5	rule, said action governance occurring at least in part in said protected processing	machine, enterprise, user, and application configuration file resident rules. Typically
6	environment.	these configuration files will be populated before the arrival of most new assemblies
7		in a virtual distribution environment. This action governance occurs in the protected
8		processing environment of the CLR, CLI and/or compact CLR.
9	127. A method as in claim 126, in which	The authentication information will
10	said authentication information at least in part identifies said first apparatus and/or a	identify the .NET Assembly Class company name and trademark attributes
11	user of said first apparatus.	that identify the apparatus or user of the first apparatus as being a member of an
12		entity or a branded source (brand name).
13		
14		
15		
16		·
17.		
18		
19		
20		
21		
22		
23		·
24	·	
25		
26		
27		
28		

2	INTERTRUST INFRINGEMENT CHART FOR U.S. PATENT NO. 6,185,683	
3		
4		D. L. C. L. W. LO. J. NET
5	126.	Product infringing: Visual Studio .NET, .NET Framework SDK, Authenticode, Products that contain the .NET CLR, Compact CLR or CLI.
6	A method of providing trusted intermediary	Compact CBR of CBR.
7	services including the following steps: at a first apparatus, receiving an item from	The item is an unsigned .NET assembly,
8	a second apparatus;	which can include, but not be limited to, a Web control, multi-file assembly or
9		component. Within the development environment, multiple assembly builders
10		(working on a second apparatus) will send their unsigned assembly to a secure
11 12		location (first apparatus) containing the entity's private signing key. An example entity would be a software publisher.
13		.NET Security Framework - pg 130-1
14		Describes this exact practice and further
15		explains the "Delay Signing Assemblies" feature of .NET that accommodates the fact that "many publishers will keep the private
16		key in a secure location, possibly embedded in specially designed
17		cryptographic hardware."
18		"Delay signing is a technique used by developers whereby the public key is added
19		to the assembly name as before, granting the assembly its unique identity, but no
20		signature is computed. Thus, no private key access is necessary."
21	associating authentication information with said item;	Strong naming the assembly binds the entity's/publisher's name into the
22		assembly. The public portion of the key used to strongly name the assembly is
23	,	placed in the assembly manifest. Other assemblies or applications can contain
24		references to the strong names of strongly named assemblies such as in the case of
25	·	applications that contain references to a set of compliant .NET core libraries. Strong
26	•	naming compliant .NET core libraries with
27		the European Computers Manufactures Association's (ECMA) key is a way to
28		allow any publisher to develop compliant  NET core libraries that can be
		authenticated by other applications.

1		
2		.NET Security Framework - pg 124
		"Strong naming is a process whereby an assembly name can be further qualified by
3		the identity of the publisher."
		NET Security Framework – pg 133
4		The publisher must advertise its public key
5		or keys in an out-of-band fashion (such as
3		documentation shipped with the product or
6		on the company Web site)
٥		.NET Security Framework - pg 130
7		The goal of the ECMA key is to allow a slightly more generalized strong name
	1	binding than usual, namely allowing
8		binding to the publisher of the runtime in
ا ہ		use, rather than to a fixed publisher.
9	incorporating said item into a secure digital	Signing the assembly places it in a secure
10	container;	container.
10		.NET Framework Security - pg 527
11		Strong named assemblies cannot be
		modified in any manner without destroying
12		the strong name signature.
		Applied Microsoft .NET Framework Programming - pg 89
13		Strongly Named Assemblies Are Tamper-
		Resistant
14		When the assembly is installed into the
15		GAC, the system hashes the contents of the
10		file containing the manifest and compares
16		the hash value with the RSA digital
		signature value embedded within the PE
17		file (after unsigning it with the public key).  If the values are identical, the file's
		contents haven't been tampered with and
18		you know that you have the public key that
19		corresponds to the publisher's private key.
19		In addition, the system hashes the contents
20		of the assembly's other files and compares
		the hash values with the hash values stored
21	·	in the manifest file's FileDef table. If any
. 1	-	of the hash values don't match, at least one of the assembly's files has been tampered
22		with and the assembly will fail to install
		into the GAC.
23	associating a first rule with said secure	A .NET assembly includes imperative and
24	digital container, said first rule at least in	declarative statements/rules that will
24	part governing at least one aspect of access	govern its access or use. For example,
25	to or use of said item;	role-based security or strong name
		demands in the assembly can be the first
26	_	rule.
27		MSDN on Role-Based Security
21		
28		Applications that implement role-based
		security grant rights based on the role
		- · ·

,		
1 2 3		associated with a principal object. The principal object represents the security context under which code is running. The PrincipalPermission object represents the
3		identity and role that a particular principal.
4		class must have to run. To implement the
_		PrincipalPermission class imperatively, create a new instance of the class and
5		initialize it with the name and role that you
6		want users to have to access your code.
7	·	MSDN on StrongNameIdentityPermission
8		StrongNameIdentityPermission class
0		defines the identity permission for strong
9		names. StrongNameIdentityPermission
		uses this class to confirm that calling code is in a particular strong-named assembly.
10	·	is in a particular strong-named assembly.
11	transmitting said secure digital container and said first rule to a third apparatus, said	The third apparatus is a user computer or an application server. The software
12	third apparatus including a protected	publisher transmitting the .NET assembly
	processing environment at least in part	to an end-user with a CLR. The third
13	protecting information stored in said protected processing environment from	apparatus's protected processing environment is Windows NT and the .NET
1.4	tampering by a user of said third apparatus;	CLR, CLI and/or compact CLR.
14	tanpung of a control and appeared,	Information is protected from tampering
15		because user is not administrator, user runs
16		code on server, a share on another computer, or over a network. Further this
		information is protected by a number of
17		protection mechanisms that are included
		with the Windows NT and CLR, CLI and/or compact CLR distributions.
18	said third apparatus receiving said secure	The end-user receiving the signed
19	digital container and said first rule; said third apparatus checking said	assembly. The .NET Framework, when the assembly
20	authentication information; and	is installed into the global assembly cash (GAC), verifies the strong name of
21		assemblies. This process includes verifying that signature was creating using
22		the private key that corresponds to the public key of the publisher.
23		Applied Microsoft .NET Framework
		Programming - pg 89 Strongly Named Assemblies Are Tamper-
24		Resistant
25		As above.
26		.NET Framework Security - pg 128
27		The verification of any strong name assemblies is performed automatically
20		when needed by the .NET Framework.
28	·	Any assembly claiming a strong name but

said third apparatus performing at least one action on said item, said at least one action being governed, at least in part, by said first rule and by a second rule resident at said third apparatus prior to said receipt of said secure digital container and said first rule, said action governance occurring at least in part in said protected processing environment.  Within the CLR (protected processing will depend upon whether the user is of the "role" required of the assembly or whether the calling assembly is from a strong-named assembly specified in the "item" assembly (alternate first rules) and only if assembly complies with the local code access security policy (second rule), as an example of one of the types of rules that .NET Framework allows to be resident on the third apparatus.	,		•
said third apparatus performing at least one action on said item, said at least one action on said item, said at least one action being governed, at least in part, by said first rule and by a second rule resident at said third apparatus prior to said receip to foaid secure digital container and said first rules, said action governance occurring at least in part in said protected processing environment.  **Totel		. :	the global assembly or download cache or
said secure digital container and said first related to the said action governance occurring at least in part in said protected processing environment.  10	4	action on said item, said at least one action being governed, at least in part, by said first rule and by a second rule resident at said third apparatus prior to said receipt of	Within the CLR (protected processing environment), the execution of the program will depend upon whether the user is of the "role" required of the assembly or whether the calling assembly is from a strong-
environment.  access security policy (second rule), as an example of one of the types of rules that NET Framework allows to be resident on the third apparatus.  112	6	rule, said action governance occurring at	assembly (alternate first rules) and only if
NET Framework allows to be resident on the third apparatus.  10	7		access security policy (second rule), as an
127. A method as in claim 126, in which said authentication information at least in part identifies said first apparatus and/or a user of said first apparatus.  LaMacchia, Brian, etc., NET Framework Security, Addison-Wesley, 2002 Richter, Jeffrey, Applied Microsoft NET Framework Programming, Microsoft Press, 2013  Marchia, Brian, etc., NET Framework Programming, Microsoft Press, 2014  Microsoft Press, 2015  Microsoft Press, 2017  Mi	8		.NET Framework allows to be resident on
said authentication information at least in part identifies said first apparatus and/or a user of said first apparatus.  LaMacchia, Brian, etcNET Framework Security, Addison-Wesley, 2002 Richter, Jeffrey, Applied Microsoft .NET Framework Programming, Microsoft Press, 2013  Applied Microsoft .NET Framework Programming, Microsoft Press, 2019  Balance of said first apparatus and/or a user of said first apparatus.  LaMacchia, Brian, etcNET Framework Security, Addison-Wesley, 2002 Richter, Jeffrey, Applied Microsoft .NET Framework Programming, Microsoft Press, 2019  Balance of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus.  LaMacchia, Brian, etcNET Framework Security, Addison-Wesley, 2002 Richter, Jeffrey, Applied Microsoft .NET Framework Programming, Microsoft Press, 2019  Balance of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus.  LaMacchia, Brian, etcNET Framework Security, Addison-Wesley, 2002  Richter, Jeffrey, Applied Microsoft .NET Framework Programming, Microsoft Press, 2019  Balance of said first apparatus and/or a user of said first apparatus and/or a user of said first apparatus.	9.	127 A mathed and 12 12 12 12 12 12 12 12 12 12 12 12 12	
LaMacchia, Brian, etc. NET Framework Security, Addison-Wesley, 2002 Richter, Jeffrey, Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft NET Framework Programming, Microsoft Press, 20  Applied Microsoft NET Framework Programming, Microsoft NET Framework Progra	0	said authentication information at least in	at the assembly developer. Strong naming
Richter, Jeffrey, Applied Microsoft NET Framework Programming, Microsoft Press, 20	1	user of said first apparatus.	omes the publisher's name to assembly.
Richter, Jeffrey, Applied Microsoft NET Framework Programming, Microsoft Press, 20	2	LaMacchia, Brian, etcNET Framework Sec	curity. Addison-Wesley, 2002
		Richter, Jeffrey, Applied Microsoft .NET Fra	amework Programming, Microsoft Press, 2002
	3		
	4		
	5		
	5		•
	7	·	
	3		
	)		•
	2		
	3		
	1		
,	;		
	5 ∥		
: lacksquare eta	,		
<b>]</b>			

3	3		
	CLAIMILANGUAGE	CLAIM OF INFRINGEMENT SALES	
		Infringing products include Windows Media Player and Windows Media Rights Manager	
5		SDK	
6	A method comprising:  (a) receiving a digital file including music;	Dec.	
7	1	Reference is made to the Windows Media Rights Manager SDK Programming Reference ("WMPM SDK") attached by the Programming Reference	
8		("WMRM SDK"), attached hereto as Exhibit A. Media Player infringement analysis is set forth herein using the example of a music file	
9		downloaded and transferred to a portable audio player.	
10		Consumer receives a Windows Media file (WMRM SDK, Step 3)	
11	(b) storing said digital file in a first secure memory of a first device;	Windows Media file is stored in consumer's computer and all use of it is securely managed by the Secure Content Manager in Windows	
12		Media Player.	
13	(c) storing information associated with said digital file in a secure database stored on said	License is stored in the License Store (WMRM	
	first device, said information including at least	SDK, Step 5); license includes Rights which may include AllowTransfertoNonSDMI,	
14	one budget control and at least one copy	AllowTransfertoSDMI, (or Allow Transfer to	
15	control, said at least one budget control	WM-D-DRM-Compliant devices or other	
13	including a budget specifying the number of copies which can be made of said digital file;	types of devices), and TransferCount- the	
16	and said at least one copy control controlling	number of times a piece of content may be transferred to the device (a transfer budget).	
	the copies made of said digital file;	dansier of the device (a transfer budget).	
17	(d) determining whether said digital file may	Windows Media Rights Manager enforces the	
18	be copied and stored on a second device based on at least said copy control;	license restrictions	
	(e) if said copy control allows at least a portion	Windows Media Rights Manager determines	
19	of said digital file to be copied and stored on a	whether the AllowTransferToNonSDMI or	
20	second device,	AllowTransferToSDMI rights are present (Or.	
20		Allow Transfer to WM-D-DRM-Compliant	
21	(1)copying at least a portion of said digital	devices or other types of devices.)	
00	file;	Transfer to the SDMI or non-SDMI portable device (Allow Transfer to WM-D-DRM-	
22		Compliant devices or other types of devices), if allowed by Windows Media Rights Manager	
23	(2)transferring at least a portion of said digital file to a second device	Portable device necessarily includes at least a	
24	including a memory and an audio	memory and audio output	
25	and/or video output; (3)storing said digital file in said memory	Music State Co. 1	
26	of said second device; and	Music file is transferred to the portable device	
27	(4)including playing said music through said audio output.	Portable device plays the music	
-1	2. A method as in claim 1, further		
28	comprising:  (a) at a time substantially contemporaneous	Company	
į	with said transferring step, recording in said	Counter reflecting TransferCount is	
		decremented by Windows Media Rights	
- 1		· !!	

Exhibit B

1

۱ 📙				····
fi	rst device inforr ansfer has occur	nation indicating that said	Manager	
3.	A method as i	n claim 2, in which:		
(a) said information indicating that said transfer has occurred includes an encumbrance on said budget.		Counter decrement reduces the allowable number of budgeted transfers		
4.	A method as i	n claim 3, in which:		·
(a nı by	) said encumbra imber of copies v said budget.	ance operates to reduce the of said digital file authorized	Counter decrement reduces the allowable number of budgeted transfers	
	said budget.		<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	
-		·.		$t_{ij} = d_{ij} + c_{ij}$
				·
	·		<i>.</i> •	
				•
		• .		
				•
				•
				,

	FOR U.S. PATENT NO. 0,255,175		
5		Infringing products include Windows Media Player and Windows Media Rights Manager SDK	
_	11. A method comprising:		
6	(a) receiving a digital file;	Consumer receives a Windows Media file (WMRM SDK, Step 3)	
7	(b) storing said digital file in a first secure	Windows Media file is stored in consumer's computer and all use of it is securely managed	
8	memory of a first device;	by the Secure Content Manager in Windows Media Player.	
9	(c) storing information associated with said	License information is stored in the License	
10	digital file in a secure database stored on said first device, said information including a first	Store (WMRM SDK, Step 10), license information includes Rights. License Rights	
11	control;	may include AllowTransferToNonSDMI, AllowTransferToSDMI (Allow Transfer to	
12	· .	WM-D-DRM-Compliant devices or other types of devices), TransferCount	
13	(d) determining whether said digital file may be copied and stored on a second device based	WMRM determines whether transfer rights are included in license (WMRM SDK, Step 5)	
14	on said first control, (1) said determining step including	Portable Device Service Provider Module	
15	identifying said second device and determining whether said first control	identifies the portable device as either SDMI- compliant or non-SDMI-compliant (or WM-D-	
16	allows transfer of said copied file to said second device, said determination	DRM Compliant or other types of supported devices) and provides this information to	
17	based at least in part on the features present at the device to which said	Windows Media Device Manager, which allows the transfer based on whether the device	
18	copied file is to be transferred;	identification matches the License Right.  If Windows Media Rights Manager determines	
19	(e) if said first control allows at least a portion of said digital file to be copied and stored on a	whether the AllowTransferToNonSDMI or AllowTransferToSDMI rights are present (or	
20	second device,	Allow Transfer to WM-D-DRM-Compliant devices or other types of devices), the	
21		following steps are performed:	
22	(1) copying at least a portion of said digital file;	Transfer to the SDMI or non-SDMI (Allow Transfer to WM-D-DRM-Compliant or other) portable device, if allowed by Windows Media	
23		Rights Manager	
24	(2) transferring at least a portion of said digital file to a second device including a memory and an audio	Portable device necessarily includes at least a memory and audio output	
25	and/or video output;	Note that the second is the second by devices	
26	(3) storing said digital file in said memory of said second device; and	Music file is stored in the portable device	
27	(4) rendering said digital file through said output.	Portable device plays the music	
28			

Exhibit B 103

1

2

J	FOR U.S. PATENT NO. 6,253,193		
. 4 5		Product infringing: Windows Media Player, Windows Media Player, Windows Media Rights Manager SDK	
	15. A method comprising:		
6	(a) receiving a digital file;	Consumer receives a Windows Media file ((WMRM SDK, Step 3)	
7	(b) an authentication step comprising:		
8	(1) accessing at least one identifier associated with a first device or with a	License includes identity of user's Windows Media Player. WM Players capable of playing	
9	user of said first device; and	They contain a unique (Individualized) DRM client component to which protected WMA	
10 11		content licenses are bound. Content licenses are bound to this DRM individualization	
12		module as the result of a challenge sent from the Client to the WMLM service. The	
13		Individualized DRM Client (in the form of an encrypted Client ID) and capabilities of the	
14	·	machine (e.g. support for Secure Audio Path (SAP), version of the WMRM SDK supported	
15		in the player.	
16	<ul> <li>(2) determining whether said identifier is associated with a device and/or user authorized to store said digital file;</li> </ul>	Music file cannot be used unless identifier indicated in License matches user's Windows Media Player identifier (that is, the	
17	authorized to store said digital ine,	Individualized DRM Client to which the license is bound must be the same one	
18		supported by the device).	
19	(c) storing said digital file in a first secure memory of said first device, but only if said device and/or user is so authorized, but not	Music file will not be processed through Windows Media Player, including protected rendering buffers, unless the identifiers match.	
20	proceeding with said storing if said device and/or user is not authorized;	Protected WMA file can be stored on client even if unauthorized but it cannot be decrypted	
21		and enter into the secure boundary (first secure memory) of the player unless appropriately licensed.	
22	(d) storing information associated with said digital file in a secure database stored on said	License includes Rights and is stored in the License Store, Rights may include	
24	first device, said information including at least one control;	AllowTransferToNonSDMI, AllowTransferToSDMI, (or Allow Transfer To	
25		WM-D-DRM-CompliantDevice or other device) TransferCount	
26	(e) determining whether said digital file may be copied and stored on a second device based on said at least one control;	Windows Media Rights Manager enforces the license restrictions	
27	(f) if said at least one control allows at least a	If appropriate rights are present, the following	
28	portion of said digital file to be copied and stored on a second device.	steps are performed:	
	(1) copying at least a portion of said	Transfer to the SDMI or non-SDMI (or WM-	
	· ·	<u>,                                     </u>	

Exhibit B 104

293482.02

1

2

1	digital file;	D-DRM Compliant or other) portable device, if allowed by Windows Media Rights Manager
2	(2) transferring at least a portion of said digital file to a second device	Portable device necessarily includes at least a memory and audio output
3	including a memory and an audio	memory and additional date.
.4	and/or video output; (3) storing said digital file in said memory	Music file is stored in the portable device
5	of said second device; and (4) rendering said digital file through said	Portable device plays the music
6	output.  16. A method as in claim 15, in which:	
7	said digital file is received in an encrypted form;	Protected Windows Media File is encrypted.  WMP will not decrypt file until license is
8	and further comprising:	processed. Licenses are bound to Individualization DLLs, which are bound to
9	decrypting said digital file after said	Hardware ID. Ind. DLL and Hardware ID must be verified as the Ids to which the license
10	authentication step and before said step of storing said digital file in said memory of said	is bound – this is the authentication process. (Recall that this module was created based in
11	first device.	part on receipt of the Client Hardware ID or fingerprint and the license was create based in
12	·	part on receipt of a challenge from the client indicating the security properties (SAP-ready,
13		SDK support, etc.) of the client).
14		•
15		
16		
17		
18	· ·	
19		
20		•
21	· .	
22		
23		
24		•
25		
26		
27		
28	·	
20		· ·

3		, , , , , , , , , , , , , , , , , , ,
	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT
4	19.	Infringing products include Office 2003 and
5		included applications, and Server 2003, including Microsoft hosted RMS Service using
6	A method comprising:	Passport
7	receiving a digital file at a first device;	Receiving a digital file such as a Word
8	, and a second	Document, email, Excel spreadsheet, PowerPoint presentation, or other content at a
9		received via email, received on removable
10		media, such as floppy disk, downloaded and viewable by Internet Explorer, e.g., a web page possibly containing graphics and/or audio data,
11		etc.
12	establishing communication between said first device and a clearinghouse located at a	If the digital file is subject to rights management, and the recipient tries to open the
13	location remote from said first device;	digital file in an IRM-enabled application, the IRM-enabled application contacts a remote
14	said first device obtaining authorization	RMS, <i>i.e.</i> , clearinghouse for a use license.  If the recipient is authorized to access or use
15	information including a key from said clearinghouse;	the digital file, the RMS creates a license for the digital file. The RMS then seals a key
16		inside the license so that only the recipient canaccess or use the digital file. Finally, the RMS sends the license back to the recipient.
17	said first device using said authorization information to gain access to or make at least	The recipient's device then uses the key in the license to gain access or decrypt a portion of
18 19	one use of said first digital file, including using said key to decrypt at least a portion of	the digital file.
	said first digital file; and	The linear and sixed from the DMC of the
20	receiving a first control from said clearinghouse at said first device;	The license received from the RMS at the recipient's device contains at least one control, such as restricting the ability to print, forward,
21		or edit.
22	storing said first digital file in a memory of said first device;	The digital file is stored in the memory of the said recipient's device, such as in RAM, on a
23	using said first control to determine whether	hard drive, etc.  The at least one control in the license limits
24	using said first control to determine whether said first digital file may be copied and stored on a second device;	copying the digital file.
25	on a second device,	Such controls are set when the digital file was authored. For example, when the digital file is
26		authored, the IRM-enabled application presented the author with a list of policy
27		templates with different rights levels. The author selected an appropriate rights level
28		which may for instance, allow other users in the system to open and read the document, but not
		-

Exhibit B 106

1

_		
2		to modify it, copy text from it, or forward it. These rights or controls are then associated with the digital file.
3		When an attempt is made to access the digital file, the RMS determines the recipient's rights
5		based on the recipient's identity and the policies or controls associated with the digital file.
6	if said first control allows at least a said of	164
7	if said first control allows at least a portion of said first digital file to be copied and stored on a second device,	If the control in the license allows copying the digital file to a second device, then at least a portion of the digital file is copied,
8	copying at least a portion of said first digital file;	such as by transferring or forwarding the digital file in an email message;
9	transferring at least a portion of said first digital file to a second device including a	A portion of the digital file is then transferred
10	memory and an audio and/or video output;	to a second device, such as a personal computer or portable device. The second device includes
11	·	a memory and an audio and/or video output. The memory may be a hard-drive, RAM, CD,
12		DVD, or other storage. The audio and/or video output may be speakers and/or a video monitor.
13	storing said first digital file portion in said memory of said second device; and	The digital file is stored in the second device's memory.
14	rendering said first digital file portion through	The digital file is rendered through the output,
15	said output.	such as played through the speakers and/or displayed on the video monitor. For example, a
16		Word document is displayed on the screen of the video monitor.
17		
18		
19		
20		
21.		
22	,	
23		
24		
25		
26		
27		
28		

1	ll .		
4			Infringing products include Windows Media Player, Windows Media Rights Manager SDK
5	19.	A method comprising:	
6		receiving a digital file at a first device;	WMRM SDK, Step 3.
U		establishing communication between said	WMRM SDK, Step 6.
7	` ′	first device and a clearinghouse located at	
•		a location remote from said first device;	
8	(c)		WMRM SDK, Step 9. [License contains the
		information including a key from said	key]
9		clearinghouse;	11 (D) ( OD) ( O)
	(d)	said first device using said authorization	WMRM SDK, Step 11.
10		information to gain access to or make at	
		least one use of said first digital file,	
11		including using said key to decrypt at least a portion of said first digital file; and	
12	(e)	receiving a first control from said	WMRM SDK, Steps 8-9.
12		clearinghouse at said first device;	
13	(f)	storing said first digital file in a memory	WMRM SDK, Step 3.
.		of said first device;	
14	(g)	using said first control to determine	At least the following WMRMRights Object
		whether said first digital file may be	properties meet this limitation:
15		copied and stored on a second device;	AllowTransferToNonSDMI,
ا بر د			AllowTransferToSDMI (or AllowTransfer To
16			WM-D-DRM-Compliant Device or other) and TransferCount
17	(h)	if said first control allows at least a portion	This and all subsequent claim steps occur when
1/	(ייי)	of said first digital file to be copied and	the condition specified in the WMRMRights
18		stored on a second device,	Object property is met
	(i)	copying at least a portion of said first	Transfer to the SDMI or non-SDMI (or WM-
19		digital file;	D-DRM Compliant) portable device, if
			allowed by Windows Media Rights Manager
20	(j)	transferring at least a portion of said first	Portable device necessarily includes at least a
		digital file to a second device including a	memory and audio output
21	<u> </u>	memory and an audio and/or video output;	
22	(k)	storing said first digital file portion in said	Music file is stored in the portable device
22	(1)	memory of said second device; and	Portable device plays the music
23	(1)	rendering said first digital file portion	Fortable device plays the music
دے		through said output.	1
	1		

2	FOR U.S. PATENT NO. 6,253,193	
3		
4		Infringing products include Windows Media Player, Windows Media Player, Windows Media Rights Manager SDK
5	51. A method comprising:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
6	(a) receiving a digital file at a first device;	WMRM SDK, Step 3.
7	(b) establishing communication between said first device and a	WMRM SDK, Step 6.
8	clearinghouse located at a location remote from said first device;	
9	(c) said first device obtaining authorization information from said	WMRM SDK, Step 9.
10	clearinghouse; and (d) said first device using said	WMRM SDK, Step 11.
11	authorization information to gain access to or make at least one use of said first	·
12	digital file; (e) storing said first digital file in a	WMA file stored on client
13	memory of said first device;	If device is based on WM D-DRM, it has a
14	(f) using at least a first control to determine whether said first digital file may be copied and stored on a second	certificate that is used to identify the device as compliant as well as the device's security
15	device, said determination based at least in part on (1) identification information	level. The security level indicates support on the device for such attributes as an internal
16	regarding said second device, and (2) the functional attributes of said second	clock.
17	device; (g) if, based at least in part on said	If License specifies that transfer of protected
18	identification information, said first control allows at least a portion of said	WMA file to WM-D-DRM-Compliant device is allowed, transfer may occur.
19	first digital file to be copied and stored on a second device,	·
20	(h) copying at least a portion of said first digital file;	If transfer is a licensed right as indicated in the license, the song is copied to the device via
21		Windows Media Device Manager.
22	(i) transferring at least a portion of said first digital file to a second device including a memory and an audio	Windows Media Device Manager transfers the content to the device.
23	and/or video output;	
24	(j) storing said first digital file portion in said memory of said second device; and	WMA file is stored on device
25	(k) rendering said first digital file portion through said output.	WMA file is rendered.
26		

2627

2

28

, T

3			
ر	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT	器就
. 4	33.	Infringing products include all Microsoft tools that support the Microsoft ActiveX licensing model, Visual Studio .NET, the	
6		Microsoft Installer SDK, and Operating System products that include the Microsoft Installer technology.	
7	A data processing arrangement comprising at least one storing arrangement that at	The first protected data is an ActiveX control.	
8	least temporarily stores a first secure container comprising first protected data and a first set of rules governing use of said	The first alternative for the first secure container is the signed .msi in which the	
10	first protected data,	ActiveX developer packaged the ActiveX control. The first set of rules is the	
11		conditional syntax statements of the signed .msi file.	
12	. ,	The second alternative for the first secure container is the signed and licensed	
13		ActiveX control. The first set of rules is the license support code in the ActiveX	
14 15		control.  A third alternative for the first container is	
16		a signed cabinet file containing a (signed or unsigned) ActiveX control with license	
17		support code. The first set of rules is the license support code in the ActiveX control.	
18			
19	and at least temporarily stores a second secure container comprising second	The second protected data is the application developer's application that includes/uses	
20	protected data different from said first protected data and a second set of rules	the ActiveX control. The application developer's signed msi file (second secure	
21	governing use of said second protected data; and	container) contains the application (second protected data). The second set of rules is	
22		the signed .msi file's conditional syntax statements that will be governed the offer/installation of the application.	
	a data transfer arrangement, coupled to at	Placing the licensed ActiveX control (first	
24	least one storing arrangement, for transferring at least a portion of said first	protected information) in a signed cabinet file (third secure container) that itself is	
25 26	protected data and a third set of rules governing use of said portion of said first protected data to said second secure	included in the application's signed .msi file (second secure container). The third set of rules is the license support code in	
Į.	container,	the ActiveX control.	
27 28	further comprising means for creating and storing, in said at least one storing arrangement, a third secure container;	The ability of the application developer to package files in signed cabinet files.	
H			1

-		
1 2 3	said data transfer arrangement further comprising means for transferring said portion of said first protected data and said third set of rules to said third secure container, and means for incorporating said third secure container within said	The third secure container is a cabinet file signed by the application developer and including at least the licensed ActiveX control (first protected information. The licensing support code in the ActiveX control when its developer added licensing
5	second secure container.	support to the ActiveX control is the third set of rules.
	24 A data processing arrangement as in	Before an ActiveX control will create a
6	34. A data processing arrangement as in claim 33 further comprising means for	copy of itself, the calling application has to
7	applying said third set of rules to govern at least one aspect of use of said portion of	pass a license key to the ActiveX control. The license support code in the ActiveX
8	said first protected data.	control (third rule set) evaluates the authenticity of the calling application's
9	·	request.
10	35. A data processing arrangement as in	Windows Installer operating system service
11	claim 34 further comprising means for applying said second set of rules to govern	enforces the conditional syntax statements of the application's signed .msi file. These
12	at least one aspect of use of said portion of said first protected data.	statements govern the offer/installation of the ActiveX control.
13	salu mst protected data.	the Mediters condition
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		,
26		
27		
28	·	
40		•

	FOR U.S. PATENT NO. 5,915,019	
- 3	41	Infringing products include all Microsoft
4		tools that support the Microsoft ActiveX licensing model, Visual Studio .NET, the
5		Microsoft Installer SDK, and Operating System products that include the Microsoft Installer technology.
6 7	A method comprising performing the following steps within a virtual distribution	The signed .msi file created by the ActiveX control developer is the first secure
8	environment comprising one or more electronic appliances and a first secure	container. The conditional syntax statement(s) of the ActiveX control
9	container, said first secure container comprising (a) a first control set, and	developer's signed .msi file is/are the first control set.
10	(b) a second secure container comprising a second control set and first protected	The first protected information is the ActiveX control.
11	information:	The first alternative for the second secure
12		container is the signed and licensed ActiveX control. The second control set is
13		the license support code in the ActiveX control.
14 15	·	The second alternative for the second secure container is a signed cabinet file
16		containing the (signed or unsigned) ActiveX control. The second control set is the license support code in the ActiveX
17	using at least one control from said first	control. The ActiveX control developer's
18	control set or said second control set to govern at least one aspect of use of said	conditional syntax statements (first control set) in the ActiveX developer's signed .msi
19	first protected information while said first protected information is contained within	file govern the offer/installation of the ActiveX control while it is in its signed
20	said first secure container;	.msi file.
21		Alternately, the license support code (second control set) in the ActiveX control
22		governs use of the licensed ActiveX control.
23	creating a third secure container comprising a third control set for governing	The third secure container is a signed .msi file. The application developer packages
24	at least one aspect of use of protected information contained within said third	its application in a signed .msi file (third secure container) and includes conditional
25	secure container;	syntax statements (third control set) in the signed .msi
26	incorporating a first portion of said first protected information in said third secure	Placing the ActiveX control into the application developer's signed .msi file
27	container, said first portion made up of some or all of said first protected	(third secure container).
28	information; and using at least one control to govern at least	The application developer's conditional
Ħ		

Exhibit B 112

1

1	1	
l	one aspect of use of said first portion of said first protected information while said	syntax statement(s) in its signed .msi file govern the offer/installation ActiveX
2	first portion is contained within said third	control while it is in the signed .msi file
3	secure container.	(third secure container).
4	42. A method as in claim 41, in which said first secure container further includes a	The second protected information is a second ActiveX control.
5	fourth secure container comprising a fourth control set and second protected	The first alternative for the fourth secure
6	information and further comprising the following step:	ActiveX control. The fourth control set is
7		the license support code in the ActiveX control.
8 9		The second alternative for the fourth secure container is a signed cabinet file containing
10		the (signed or unsigned) second ActiveX control. The fourth control set is the
11		license support code in the ActiveX control.
12	using at least one control from said first control set or said fourth control set to	The ActiveX control developer's conditional syntax statements (first control
13	govern at least one aspect of use of said second protected information while said second protected information is contained	set) in the ActiveX developer's signed .msi file govern the offer/installation of the second ActiveX control while it is in its
14	within said first secure container.	signed .msi file.
15		Alternately, the license support code
16		(second control set) in the ActiveX control governs use of the licensed ActiveX
17		control.
18	47. A method as in claim 41, in which said step of creating a third secure container includes:	
19	includes: creating said third control set by	The application developer's conditional
20	incorporating at least one control not found in said first control set or said second	syntax statements are not found in either the first control set or the second control
21	control set.	set.
22	52. A method as in claim 41 in which said step of creating a third secure container	
23	occurs at a first site, and further comprising:	
24	copying or transferring said third secure container from said first site to a second	The application developer at first site distributes its application to other sites.
25	site located remotely from said first site.	
26	53. A method as in claim 52 in which said first site is associated with a content	The application developer at the first site is the content distributor.
27	distributor.	
28	54. A method as in claim 53 in which said second site is associated with a user of	The application developer distributes the application to end-users.

1		
	content.	
2	55. A method as in claim 54 further comprising the following step:	
. 4	said user directly or indirectly initiating communication with said first site.	For Internet downloads, the user initiates the communication with the first site.
5	64. A method as in claim 54 in which said third control set includes one or more	The application developer's conditional syntax statements (third control set) govern
6	controls at least in part governing the use by said user of at least a portion of said	the installation of the ActiveX control (first protected information).
7	first portion of said first protected information.	
8	76. A method as in claim 41 in which said	The third secure container is the application
.9 10	creation of said third secure container further comprises using a template which specifies one or more of the controls	developer's signed .msi file and the third control set is the conditional syntax statements in that file.
11	contained in said third control set.	Microsoft supplies several template .msi databases for use in authoring installation
12		packages. The UISample.msi is the template recommended in the "An
13		Installation Example" on MSDN. This template msi files contains several default conditional syntax statements. At least two
14 15		of these conditional syntax statements directly govern the installation by blocking
Ì		progress until the EULA is accepted.
16 17	78. A method as in claim 52 in which said creation of said third secure container	The third secure container is the application developer's signed .msi file and the third
18	further comprises using a template which specifies one or more of the controls contained in said third control set.	control set is the conditional syntax statements in that file.
19	contained in said third control set.	Microsoft supplies several template .msi databases for use in authoring installation
20		packages. The UISample.msi is the template recommended in the "An Installation Example" on MSDN. This
21		template msi files contains several default conditional syntax statements. At least two
23		of these conditional syntax statements directly govern the installation by blocking
24		progress until the EULA is accepted.
25		
26	·	
27		
28		

### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP.

INTERTRUST INFRINGEMENT CHART FOR U.S. PATENT NO. 5,915,019

3		
3	81.	Infringing products include all Microsoft
. 4		tools that support the Microsoft ActiveX licensing model, Visual Studio .NET, the
5	* * * * * * * * * * * * * * * * * * * *	Microsoft Installer SDK, and Operating System products that include the Microsoft Installer technology.
6	A data processing arrangement comprising:	instance technology.
7	a first secure container comprising first	The first alternative for the first secure
8	protected information and a first rule set governing use of said first protected	developer's signed .msi file containing a licensed ActiveX control (the first
9	information;	protected information). The conditional syntax statements of the signed .msi file are
10		the first rule set.
11		The second alternative for the first secure container is the signed cabinet file
12		containing the ActiveX control. The license support code in the ActiveX control
13	÷	is the first rule set.
14		The third alternative for the first secure container is the licensed and signed
15		ActiveX control governed by license
16	a second secure container comprising a	Support code in the ActiveX control.  The second secure container is the signed
17	second rule set;	.msi file which the application developer package its application. The second rule
18		set is the conditional syntax statements of the application developer's signed .msi file.
19	means for creating and storing a third secure container; and	The third container is a signed cabinet file containing at least the ActiveX control.
19	means for copying or transferring at least a	Putting the licensed ActiveX control (first
20	portion of said first protected information and a third rule set governing use of said	protected information) in a signed cabinet file (third secure container). The licensing
21	portion of said first protected information	support code in the ActiveX control is third
22	to said second secure container, said means for copying or transferring comprising:	rule set.
	means for incorporating said third	Packaging the signed cabinet file in the
23	secure container within said second secure container.	signed .msi file.
24		
25	82. A data processing arrangement as in claim 81 further comprising:	
26	means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said	The third rule set ensures the user is licensed.
27	portion of said first protected information.	
28	83. A data processing arrangement as in claim 82 further comprising:	
Ì	•	

1

1	means for applying at least one rule from	The second rule set governs the
2	means for applying at least one rule from said second rule set to at least in part govern at least one factor related to use of said portion of said first protected information.	The second rule set governs the offer/installation of first protected information.
4	information.	
5		
6		
7	,	
8		
9	·	•
10		
11	•	<b>.</b> '
12		
13		
14		
15		
16 17		
18		
19	·	
20	·	
21		
22		
23		
24		
25		
26	·	
27		
28		

293482.02

		, t
. 4 . 5 6	85.	Infringing products include all Microsoft tools that support the Microsoft ActiveX licensing model, Visual Studio .NET, the Microsoft Installer SDK, and Operating System products that include the Microsoft Installer technology.
7	A method comprising the following steps:	instaner technology.
8	creating a first secure container comprising a first rule set and first protected	The first protected information is the ActiveX control.
9	information;	The first alternative for the first secure container is the signed and licensed
10 11		ActiveX control. The first rule set is the license support code in the ActiveX control.
12		The second alternative for the first secure container is an (signed or unsigned)
13 14		ActiveX control with license support contained within a signed cabinet file. The first rule set is the ActiveX license support
15	storing said first secure container in a first	The first secure container is stored at the ActiveX control developer's location.
16	memory; creating a second secure container	The second secure container is the
17	comprising a second rule set;	application developer's signed .msi file. The conditional syntax statements of the signed .msi file are the second rule set.
18	storing said second secure container in a second memory;	The second secure container is stored at the application developer's location.
19	copying or transferring at least a first portion of said first protected information	The ActiveX control developer packages the control in a signed .msi file for
20	to said second secure container, said copying or transferring step comprising:	distribution to the application developer's site.
21	creating a third secure container comprising a third rule set;	The third secure container is the ActiveX control developer's signed .msi file
22	·	containing a licensed ActiveX control. The conditional syntax statements of the signed
23	conving said first partian of said	.msi file are the third rule set. In preparation for using a msi authoring
24	copying said first portion of said first protected information;	tool, such as Microsoft's Orca, copying the ActiveX control to a package staging area.
25	transferring said copied first portion of said first protected information to	Using msi authoring tool to import the control into the signed .msi file.
26	said third secure container; and copying or transferring said copied	The application developer installs the
27	first portion of said first protected	ActiveX control, which involves removing
28	information from said third secure container to said second secure	it from the ActiveX developer's signed .msi file and installing it into its
ŀ	container.	environment. Subsequently, the

Exhibit B

1

2

1 2		application developer places the ActiveX control into its signed .msi file when it is
		packaging its application.
3	87. A method as in claim 85 in which said	The entire ActiveX control is copied.
4	copied first portion of said first protected information consists of the entirety of said	
5	first protected information.	L
6	89. A method as in claim 85 in which	
	said first memory is located at a first site,	The first memory is located at the ActiveX control developer's site.
7	said second memory is located at a second	The second memory is located at the
8	site remote from said first site, and said step of copying or transferring said	application developer's site.  The ActiveX control developer's signed
9	first portion of said first protected information to said second secure container	.msi file is transferred from its site to the site of the application developer.
10	further comprises copying or transferring said third secure container from said first	
11	site to said second site.	
12		
13	·	
14		
15		
16		
17		•
18		
19		
20		
21		
22		
23		
24		
İ	·	
25		

85. (alternate infringing scenario).    Infringing products include all Microsoft tools that support the Microsoft ActiveX licensing model, Visual Studio. NET, the Microsoft Installer SDK, and Operating System products that include the Microsoft Installer SDK, and Operating System products that include the Microsoft Installer technology.    A method comprising the following steps: creating a first rule set and first protected information;    The first protected information is the ActiveX control.    The first alternative for the first secure container is the signed and licensed ActiveX control. The first rule set is the license support code in the ActiveX control with license support code in the ActiveX control with license support code.    The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support code.    The third alternative for the first secure container is a signed msi file in which the ActiveX control. The first rule set is the conditional syntax statements (s) of the signed msi file.    Storing said first secure container in a first memory; creating a second secure container as second secure container as second secure container in a second secure container; and copying or transferring at least a first portion of said first protected information in said second secure container; and copying or transferring step comprising; creating a third secure container; and copying or transferring step comprising; creating a third secure container; and the signed by the application developer and the signed by the application developer and the signed cabinet file is placed in a cabinet file in which the application developer and the signed by the application developer. The third secure container is signed cabinet file in which the application developer and the signed cabinet file is placed in a cabinet file in which the application developer and the signed by the application developer.    The third secure container is signed cabinet file in which the application			
Second alternative for the first secure container is a signed or unsigned) ActiveX control. The first rule set would remain the ActiveX license support container support container is a signed amifile in which the ActiveX control. The first secure container is a signed amifile in which the ActiveX control. The first secure container is a signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set is the conditional syntax statement(s) of the signed missing a second rule set;    Storing said first secure container comprising a second rule set;   Storing said second secure container in a second memory.   Storing said first protected information in said second secure container in a second memory.   Storing said first protected information in said second secure container in a second memory.   Storing said first protected information in the ActiveX control with license support code.   Storing said second secure container in a second memory.   Storing said second secure container in a second memory.   Storing said second secure container in a second memory.   Storing said first protected information in said second secure container;   Storing said second secure container in a second memory.   Storing said first protected information;   Storing said second secure container;   Storing said second secure container	4	85. (alternate infringing scenario)	Infringing products include all Microsoft
A method comprising the following steps: creating a first secure container comprising a first rule set and first protected information;  The first protected information is the ActiveX control. The first rule set is the license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support code in the ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed mis file in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control of the first secure container is a signed mis file.  The first secure container is storing said first secure container in a first memory;  creating a second secure container are comprising a second rule set;  The second secure container is stored at the ActiveX control developer's location.  The second secure container is the second rule set.  The second secure container is stored at the application developer's signed mis file.  The conditional syntax statements of the signed mis file in which the application developer is location.  The second secure container is stored at the application developer's signed mis file.  The conditional syntax statements of the signed mis file in which the application developer.  The second secure container is stored at the application developer is location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed by the application developer.  The third secure container is signed cabinet file in which the application developer and the signed by the application developer placed licensed ActiveX. The third rule set	5		licensing model, Visual Studio .NET, the
A method comprising the following steps: creating a first secure container comprising a first rule set and first protected information;  The first protected information is the ActiveX control.  The first alternative for the first secure container is the signed and licensed ActiveX control. The first rule set is the license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file. The first secure container is stored at the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file. The first secure container is stored at the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file. The first secure container is stored at the ActiveX control developer's location. The second secure container is the application developer's location. The ActiveX control is placed in a cabinet file signed by the application developer. The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information: transferring said copied first portion  Transferring ActiveX control to signed	6		System products that include the Microsoft
a creating a first secure container comprising a first rule set and first protected information;  The first protected information is the ActiveX control.  The first alternative for the first secure container is the signed and licensed ActiveX control. The first rule set is the license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  The first secure container is a signed msi file in which the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer solocation.  The second developer solocation.  The second developer's signed msi file.  The conditional syntax statements of the signed msi file are the second rule set;  The second secure container is the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file in which the application developer and the signed cabinet file in which the application developer and the signed cabinet file in which the application developer and the signed developer solocation.  The third secure container is stored at the application developer and the signed developer soloc	_	A method comprising the following steps:	installer technology.
a first rule set and first protected information;  The first alternative for the first secure container is the signed and licensed ActiveX control. The first rule set is the license support code in the ActiveX' control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed main file in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer's location.  The first secure container is stored at the ActiveX control developer's location.  The first secure container is the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the signed msi file.  The second secure container is the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a cabinet file in which the application developer.  The hird secure container is signed cabinet file in which the application developer and the signed cabinet file is placed in a cabinet file in which the application developer.  The hird secure container is signed cabinet file in which the application developer and the signed by the application developer.  The hird secure container is signed cabinet file in which the application developer and the signed by the application developer.  The hird secure container is signed cabinet file in which the application developer.  The hird alternative for the first secure container is signed as the signed by the application.  The ActiveX control developer's location.  The ActiveX control is placed in a cabinet file in which the application developer and the signed by the application developer.  The hird	7		The first protected information is the
The first alternative for the first secure container is the signed and licensed ActiveX control. The first rule set is the license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed as single in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer's signed at the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed msi file.  The conditional syntax statements of the signed msi file are the second rule set.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying a third rule set;  The factiveX control is placed in a cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which th	8	a first rule set and first protected	ActiveX control.
container is the signed and licensed the license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support code in the ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control developer's location.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the signed msi file.  The conditional syntax statements of the signed mile are the second rule set.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is stored at the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying Said first portion of said first protected information:  transferring said copied first portion of said first protected information:  transferring said copied first portion of said first portion of said first protected information:  Transferring ActiveX control to signed	9		The first alternative for the first secure
license support code in the ActiveX control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory; creating a second secure container comprising a second rule set;  storing said second secure container in a second memory; cropying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising:  creating a third secure container in a second secure container in a second secure container in a second secure container, said copying or transferring step comprising:  creating a third secure container in a second memory; copying or transferring at least a first portion of said first protected information to said second secure container.  The ActiveX control developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control to signed			
control.  The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX c	10		
The second alternative for the first secure container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory:  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's stored at the second memory:  The second secure container is stored at the second memory:  The second secure container is the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The ActiveX control is placed in a cabinet file signed by the application developer.  The ActiveX control is placed in a cabinet file signed by the application developer.  The Hird alternative for the first secure container is a signed msi file in which the ActiveX control is placed in a msi file.  The second secure container is the application developer and the signed cabinet file signed by the application developer.  The Hird alternative for the first secure container is stored at the ActiveX control is placed in a cabinet file signed by the application developer.  The Hird alternative for the first secure container is a signed msi file in which the application developer and the signed cabinet file signed by the application developer.  The Hird alternative for the first secure container is a signed msi file in which the application developer.  The ActiveX control is placed in a msi file signed by the application developer and the signed cabinet file signed cabinet file is placed in a msi file signed by the application developer.  The third alter			
container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed .msi file.  The conditional syntax statements of the signed msi file.  The conditional syntax statements of the signed msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information:  transferring said copied first portion  Transferring ActiveX control to signed	11		control.
container is a (signed or unsigned) ActiveX control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed .msi file.  The conditional syntax statements of the signed msi file.  The conditional syntax statements of the signed msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information:  transferring said copied first portion  Transferring ActiveX control to signed	12		The second alternative for the first secure
control with license support contained within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory;  creating a second secure container comprising a second rule set;  storing said second secure container comprising a second secure container in a second memory;  copying or transferring at least a first portion of said first protected information to said second secure container comprising a third secure container comprising a third rule set;  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer and the signed by the application developer.  The third secure container is signed cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file signed by the application developer.  Copying a third rule set; is the license support code in the ActiveX control.  Copying ActiveX control to signed	12		
within a signed cabinet file. The first rule set would remain the ActiveX license support code.  The third alternative for the first secure container is a signed mis file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed mis file.  Storing said first secure container in a first memory;  creating a second secure container comprising a second rule set;  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed mis file.  The conditional syntax statements of the signed mis file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The third secure container is stored at the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is stored at the application developer and the signed cabinet file in which the application developer.  The third secure container is stored at the application developer and the signed cabinet file in which the application developer.  The third secure container is stored at the application developer and the signed by the application developer.  The third secure container is stored at the application developer.  The third secure container is the application developer is location.  The ActiveX control is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer is location.  The chirex control is control.  The ActiveX control developer is location.  The ActiveX control is control in the set	13	·	
support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory:  Creating a second secure container comprising a second rule set;  The second secure container is the application developer's location.  The second secure container is the application developer's signed msi file.  The conditional syntax statements of the signed msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is stored at the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying al first protected information;  Transferring ActiveX control to signed	13	·	
support code.  The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  storing said first secure container in a first memory:  creating a second secure container comprising a second rule set;  storing said second secure container comprising a second rule set;  storing said second secure container in a second memory:  copying or transferring at least a first portion of said first protected information to said second secure container in a signed with a splication developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the signed msi file are the second rule set.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control to signed	14		
The third alternative for the first secure container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed .msi file.  The conditional syntax statements of the signed .msi file are the second rule set.  The conditional syntax statements of the signed .msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the signed .msi file are the second rule set.  The second secure container is stored at the application developer's location.  The ActiveX control developer's location.  The conditional syntax statements of the signed .msi file are the second rule set.  The conditional syntax statement is stored at the application developer's location.  The ActiveX control developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX.  The third secure container is the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX.  The third secure container is the application developer placed licensed ActiveX.  The third secure container is the application developer.  The third secure container is the application developer placed licensed ActiveX.  The third secure container is the application developer placed licensed ActiveX control.  Copying ActiveX control to signed	-		support code.
container is a signed msi file in which the ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory; creating a second secure container comprising a second rule set;  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed msi file. The conditional syntax statements of the signed msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed	15		TTI - 41 ' 3 - 14
ActiveX control developer packaged its ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory: creating a second secure container comprising a second rule set;  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed .msi file. The conditional syntax statements of the signed .msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed		·	
ActiveX control. The first rule set is the conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory;  Creating a second secure container comprising a second rule set;  Storing said second secure container in a special memory;  Creating a second rule set;  Storing said second secure container in a second memory;  Copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising:  Creating a third secure container comprising at third secure container in a signed cabinet file signed by the application developer.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed	16		
conditional syntax statement(s) of the signed msi file.  Storing said first secure container in a first memory:  creating a second secure container comprising a second rule set;  Storing said second secure container in a second memory:  copying or transferring at least a first portion of said first protected information to said second secure container comprising a third rule set;  copying a third rule set;  copying said first protected information to said second secure container comprising a third rule set;  copying a third rule set;  copying said first portion of said first protected information;  copying said first protected information;  copying said first protected information;  copying said first protected information;  copying said first protected information;  copying said first portion of said first protected information;  copying said first portion of said first protected information;  copying said first portion of said first protected information;  copying said first portion of said first protected information;  copying said first portion of said first protected information;  copying said copied first portion  conditional syntax statement(s) of the signed msi file.  The second secure container is the application developer's location.  The second secure container is the application developer's location.  The second secure container is tored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control to signed	,,		
storing said first secure container in a first memory; creating a second secure container comprising a second rule set;  The first secure container is stored at the ActiveX control developer's location.  The second secure container is the application developer's signed .msi file.  The conditional syntax statements of the signed .msi file are the second rule set.  The second secure container is stored at the application developer's location.  The second secure container is stored at the application developer's location.  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed	1/		
storing said first secure container in a first memory;  creating a second secure container comprising a second rule set;  storing said second secure container in a signed line in the second secure container is the application developer's signed line in the sig	12		
memory; ActiveX control developer's location.  The second secure container is the application developer's signed .msi file. The conditional syntax statements of the signed .msi file are the second rule set.  Storing said second secure container in a second memory; copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising: creating a third secure container comprising a third rule set;  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information; transferring said copied first portion  Transferring ActiveX control to signed	10	storing said first secure container in a first	
comprising a second rule set;  application developer's signed .msi file. The conditional syntax statements of the signed .msi file are the second rule set.  Storing said second secure container in a second memory; copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising:  creating a third secure container comprising a third rule set;  copying said first portion of said first protected information:  copying said first portion of said first protected information:  copying said first portion of said first protected information:  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control to signed	19	( <u> </u>	
The conditional syntax statements of the signed .msi file are the second rule set.  Storing said second secure container in a second memory:  Copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising:  Creating a third secure container comprising a third rule set;  Copying a third rule set;  Copying said first portion of said first protected information:  Copying said first portion of said first protected information:  Copying Said first portion of said first protected information:  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file signed by the application developer.  The Hird secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control to signed			
storing said second secure container in a second memory; copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising: creating a third secure container comprising a third rule set;  copying a third rule set;  copying said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion of said first portion Transferring ActiveX control to signed	20	comprising a second rule set;	
storing said second secure container in a second memory; copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising: creating a third secure container comprising a third rule set;  The ActiveX control is placed in a cabinet file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information; transferring said copied first portion  Transferring ActiveX control to signed			The conditional syntax statements of the
22 second memory;     copying or transferring at least a first     portion of said first protected information     to said second secure container, said     copying or transferring step comprising:     creating a third secure container     comprising a third rule set;  24 copying a third rule set;  25 copying said first portion of said     first protected information;  26 copying said first portion of said     first protected information;  27 copying said first portion of said     first protected information;  28 transferring said copied first portion  29 Transferring ActiveX control to signed	21		
copying or transferring at least a first portion of said first protected information to said second secure container, said copying or transferring step comprising:  creating a third secure container comprising a third rule set;  creating a third rule set;  copying said first portion of said first protected information;  transferring said copied first portion  The ActiveX control is placed in a cabinet file signed by the application developer and the signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control.  Transferring ActiveX control to signed	22	ı Ç	
portion of said first protected information to said second secure container, said copying or transferring step comprising: creating a third secure container comprising a third rule set;  26 Copying said first portion of said first protected information;  27 Copying said first portion of said first protected information;  28 Transferring said copied first portion  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying ActiveX control.  Transferring ActiveX control to signed	22	conving or transferring at least a first	
to said second secure container, said copying or transferring step comprising:  creating a third secure container comprising a third rule set;  file signed by the application developer.  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed	23		
24 copying or transferring step comprising:  creating a third secure container comprising a third rule set;  25 The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  27 copying said first portion of said first protected information; transferring said copied first portion  28 transferring said copied first portion  Transferring ActiveX control to signed			
creating a third secure container comprising a third rule set;  The third secure container is signed cabinet file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  Copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed	24		
comprising a third rule set;  file in which the application developer placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  copying said first portion of said first protected information;  transferring said copied first portion  Transferring ActiveX control to signed			
placed licensed ActiveX. The third rule set is the license support code in the ActiveX control.  27 copying said first portion of said first protected information;  28 transferring said copied first portion Transferring ActiveX control to signed	25		file in which the application developer
control.  27 copying said first portion of said first protected information;  28 transferring said copied first portion Transferring ActiveX control to signed		· -	
27 copying said first portion of said first protected information; 28 transferring said copied first portion Transferring ActiveX control to signed	26		
first protected information: transferring said copied first portion Transferring ActiveX control to signed			
28 transferring said copied first portion Transferring ActiveX control to signed	27		Copying ActiveX control.
	20		Transferring ActiveV control to signed
of said first protected information to I caomet fire.	20		
	ł	of said thist protected information to	caomet me.

Exhibit B

1

2

1	said third secure container; and	
2	copying or transferring said copied first portion of said first protected	The application developer places the signed cabinet file into its signed msi file when it
3	information from said third secure container to said second secure	is packaging its application.
4	container.	
5	87. A method as in claim 85 in which said copied first portion of said first protected	The entire ActiveX control is copied.
- 6	information consists of the entirety of said first protected information.	
7	93. A method as in claim 85 in which	
8	said step of copying transferring said	The ActiveX control is placed in a cabinet
9	copied first portion of said first protected information from said third secure container to said second secure container	file signed by the application developer and the signed cabinet file is placed in a .msi file signed by the application developer.
10-	further comprises storing said third secure container in said second secure container.	
11		
12		
13		
14		•
15		
16		
17		
18		
19 20		
21		
22		
23		
24	·	
25		
26		
27		
28		

3	1011 013111122112 11010,020	
4 5	1.	Infringing products include the .NET Framework SDK, Microsoft Visual Studio .NET, the Microsoft Installer SDK, and products that include the Microsoft .NET
6		CLR, and the Microsoft Installer technology.
7	A method of operating on a first secure container arrangement having a first set of	The first protected content is a signed and licensed .NET component used by the
8	controls associated therewith, said first secure container arrangement at least in	.NET assembly. The .NET assembly is distributed with a signed and governed .msi
9	part comprising a first protected content file, said method comprising the following	file. The second protected content is another signed and licensed .NET
10	steps performed within a virtual distribution environment including at least	component that is used by the .NET assembly.
11	using at least one control associated with	The first protected content is signed and
12	said first secure container arrangement for governing, at least in part, at least one aspect of use of said first protected content	licensed .NET component (first secure container) contained within the .NET assembly. The one control is a declarative
13 14	file while said first protected content file is contained in said first secure container	statement(s) within the assembly's header.
15	arrangement; creating a second secure container	The protected content is the same as the
16	arrangement having a second set of controls associated therewith, said second	first protected content plus the additional implementation information included in the
17	set of controls governing, at least in part, at least one aspect of use of any protected	signed .msi file. The second secure container is the signed .msi file created for
18	content file contained within said second secure container arrangement;	the .NET assembly. The signed .msi file's conditional syntax statements are the
19		second set of controls that control the offer/installation of the .NET assembly.
20	transferring at least a portion of said first protected content file to said second secure	The entire .NET assembly is included in the signed .msi file.
21	container arrangement, said portion made up of at least some of said first protected content file; and	Packaging the .NET assembly in the signed .msi file involves the following process
22		steps. In preparation for using a msi authoring tool, such as Microsoft's Orca,
23	·	copying the .NET component to a package staging area. Using msi authoring tool to import the .NET component into the signed
24	and the state of t	.msi file.
25	using at least one rule to govern at least one aspect of use of said first protected content	The conditional syntax statement(s) of the signed .msi file (second secure container) control(s) the offer/installation of the .NET
26	file portion while said portion is contained within said second secure container	assembly.
27	in which	
28	said first secure container arrangement comprises a third secure container	The first alternative for the third secure container is a licensed and signed .NET
}	- Comprises a time secure container	

Exhibit B

1

2

1	<u> </u>	
1	arrangement comprising a third set of controls and said first protected content	component governed by the set of declarative statements comprising the
2	file, and	LicenseProviderAttribute (third set of controls).
. 4		The second alternative for the third secure container is a .NET component whose hash
5		is included in the header of the .NET assembly. The set of declarative
6	,	statements comprising the LicenseProviderAttribute is the third set of
7	said first secure container arrangement	Controls.  The first alternative for the fourth secure
. 8	further comprises a fourth secure container arrangement comprising a fourth set of	container is another licensed and signed .NET component governed by the set of declarative statements comprising the
9	controls and a second protected content file.	LicenseProviderAttribute (fourth set of controls).
10		The second alternative for the fourth secure
11		container is the container created when the
12		hash of the .NET component is included in the header information of the .NET
13		assembly. The set of declarative statements comprising the
14		LicenseProviderAttribute is the fourth set of controls.
[		
15		
15 16		
16		
16 17		
16 17 18		
16 17 18 19		
16 17 18 19 20		
16 17 18 19 20 21		
16 17 18 19 20 21 22		
16 17 18 19 20 21 22 23 24		
16 17 18 19 20 21 22 23 24 25		
16 17 18 19 20 21 22 23 24 25 26		
16 17 18 19 20 21 22 23 24 25		

### 1

#### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP. INTERTRUST INFRINGEMENT CHART

2 FOR U.S. PATENT NO. 5,915,019 3 Infringing products include the .NET 33. Framework SDK, Microsoft Visual Studio 4 .NET, the Microsoft Installer SDK, and products that include the Microsoft .NET 5 CLR, and the Microsoft Installer technology. 6 The first protected information is the .NET A data processing arrangement comprising at least one storing arrangement that at component. 7 least temporarily stores a first secure container comprising first protected data The first alternate for the first secure and a first set of rules governing use of said container is the signed .msi file in which the .NET component developer packaged first protected data, 9 its .NET component. The first set of rules is the conditional syntax statements of the 10 signed .msi file. 11 The second alternative for the first secure container is a licensed and signed .NET 12 component governed by the set of declarative statements comprising the 13 LicenseProviderAttribute of the .NET component (first set of controls). 14 The third alternative for the first container 15 is a signed cabinet file containing a (signed or unsigned) .NET component with license 16 support. The first set of controls is the set of declarative statements comprising the 17 LicenseProviderAttribute of the .NET component. 18 The second protected data is the .NET and at least temporarily stores a second 19 assembly developer's assembly that secure container comprising second includes/uses the .NET component. protected data different from said first 20 protected data and a second set of rules The first alternative for the second secure governing use of said second protected 21 container is a signed .msi file in which the data; and .NET assembly developer packaged its 22 multi-file assembly (second protected data). The second set of rules is the 23 conditional syntax statements of the signed .msi file that governs the offer/installation 24 of the .NET assembly. 25 The second alternative for the second secure container is a signed .NET 26 assembly. The second set of rules is the declarative rules within the assembly's 27 header. The third secure container is a signed .NET a data transfer arrangement, coupled to at 28 assembly governed by declarative rules in least one storing arrangement, for

•		
1	transferring at least a portion of said first protected data and a third set of rules	its header (third set of rules). An alternative third rule set is the set of
2	governing use of said portion of said first protected data to said second secure	declarative statements comprising the LicenseProviderAttribute. The .NET
3	container,	assembly includes the .NET component.
4		The secure .NET assembly is included in a signed .msi file (second secure container).
5		An alternative third secure container is the
6		container created by hashing the .NET component and including the hash in the
7		header information of a .NET assembly. The .NET component is included in the
8		signed and governed .NET assembly (second secure container). The third set of
9		rules is the set of declarative statements comprising the LicenseProviderAttribute.
10		An alternative third secure container is a
11		signed cabinet file containing the .NET component and which is destined for a
12		signed msi file (second secure container).  The third set of rules is the set of
13		declarative statements comprising the LicenseProviderAttribute.
14	further comprising	
15	means for creating and storing, in said at least one storing arrangement, a third	container is a signed .NET assembly. In
16	secure container;	this case, the second secure container is the signed msi file.
17	·	The second alternative for the third
18		container is the container created by including a hash of the .NET component in
19		the header information of a .NET assembly. In this case, the second secure container is
20	·	either the signed .msi file or the signed .NET assembly.
21		The third alternative for the third container
22		is a cabinet file signed by the .NET assembly developer containing the .NET
23		assembly and/or the .NET component. In this case the signed .msi file is the second
24	said data transfer arrangement further	Secure container.  The first alternative for the third secure
25	comprising means for transferring said portion of said first protected data and	container is the signed .NET assembly, which includes and/or uses the licensed
26	said third set of rules to said third secure container, and means for incorporating	.NET component (first protected information). The third set of rules is a
27	said third secure container within said second secure container.	declarative rule within the .NET assembly is
		placed in a signed .msi file (second secure container).
28		
ĺ	·	

,		
1		The second alternative for the third secure
2		container is the container that results when the hash of the .NET component is added
3		to the .NET assembly header information. The third set of rules is the set of
4		declarative statements comprising the
		LicenseProviderAttribute added to the assembly.
5	•	
6		The third alternative for the third secure container is a cabinet file signed by the
7		.NET assembly developer containing the .NET assembly and/or the .NET
8	1	component. The third set of rules is a
		declarative rule(s) within the .NET assembly's header and/or the set of
9		declarative statements comprising the
10		LicenseProviderAttribute added to the assembly
11	24 A data managina amang an in	When the third rule set is the declarative
12	34. A data processing arrangement as in claim 33 further comprising means for	statement(s) of the assembly header, the
	applying said third set of rules to govern at least one aspect of use of said portion of	runtime CLR enforces the statements.
13	said first protected data.	When the third set of rules is the set of
14		declarative statements comprising the LicenseProviderAttribute added to the
15		assembly, the license support code in the .NET component evaluates the authenticity
16		of the calling assembly's request.
17	35. A data processing arrangement as in	When the second set of rules is the
	claim 34 further comprising means for	conditional syntax statements of the signed
18	applying said second set of rules to govern at least one aspect of use of said portion of	.msi file, the Windows Installer operating system service enforces the conditional
19	said first protected data.	syntax statements of .NET assembly's signed .msi file, which govern the
20	·	offer/installation of the .NET component.
21		When the second set of rules is the
22		declarative statement(s) within the assembly's header, the runtime CLR
		enforces the statements.
23		
24		
-25		
26		•
27		
28		
		· · · · · · · · · · · · · · · · · · ·
		÷1

### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP.

INTERTRUST INFRINGEMENT CHART FOR U.S. PATENT NO. 5,915,019

_	FUR U.S. PATENT NO. 5,915,019	
3 4 5	41.	Infringing products include the .NET Framework SDK, Microsoft Visual Studio .NET, the Microsoft Installer SDK, and products that include the Microsoft .NET .CLR, and the Microsoft Installer technology.
6	A method comprising performing the	The signed .msi file created by the .NET
7 8	following steps within a virtual distribution environment comprising one or more electronic appliances and a first secure	component developer is the first secure container. The first conditional syntax statement(s) of the .NET component
9	container, said first secure container comprising (a) a first control set, and	developer's signed .msi file is/are the first control set.
- 10	(b) a second secure container comprising a second control set and first protected	The first protected information is the .NET component.
11	information:	The first alternative for the second secure
12		container is the signed and licensed .NET component. The second control set is the
13		set of declarative statements comprising the LicenseProviderAttribute.
14		The second alternative for the second
15		secure container is a signed cabinet file.  The second control set remains the set of
16		declarative statements comprising the LicenseProviderAttribute.
· 17	using at least one control from said first control set or said second control set to	The .NET component developer's conditional syntax statements (first control
18	govern at least one aspect of use of said first protected information while said first	set) in its signed .msi file governs the offer/installation of the .NET component
19	protected information is contained within said first secure container;	while it is in the signed .msi file.
20	and man accure comminer,	Alternately, the set of declarative statements comprising the
21		LicenseProviderAttribute (second control set) of the licensed .NET component
22	creating a third secure container	governs use of the .NET component.  The first alternative for the third secure
23	comprising a third control set for governing at least one aspect of use of protected	container is a signed .NET assembly, the protected information is the .NET
24	information contained within said third secure container;	component and the third control set is the declarative statement(s) within the .NET
25		assembly's header.
26	·	The second alternative for the third secure container is a signed .msi file in which the
27		NET assembly developer packages its NET assembly and the third control set is
28		the conditional syntax statement(s) in the signed .msi file.

1

1	incorporating a first portion of said first	In the first alternative, placing the .NET component into the signed .NET assembly.
2	protected information in said third secure container, said first portion made up of	
3	some or all of said first protected information; and	In the second alternative, placing the NET component into the. Net assembly
4		developer's signed msi file.
5	using at least one control to govern at least one aspect of use of said first portion of	In the first alternative, the .NET assembly developer's declarative statement(s) within
_	said first protected information while said first portion is contained within said third	the .NET assembly's header govern(s) the use of the .NET component while it is in
6	secure container.	the signed .NET assembly.
7		In the second alternative, the conditional
8		syntax statements of the .NET assembly developer's signed .msi file govern the
.9	~	offer/installation of the .NET component
10	-	while it is in the signed .msi file.
	42. A method as in claim 41, in which said first secure container further includes a	The second protected information is a second .NET component.
11	fourth secure container comprising a fourth	-
12	control set and second protected information and further comprising the	The first alternative for the fourth secure container is the signed and licensed second
13	following step:	.NET component. The fourth control set is the set of declarative statements comprising
14		the LicenseProviderAttribute of the second .NET component.
15		
16		The second alternative for the fourth secure container is a second signed cabinet file.
•		The fourth control set is the set of declarative statements comprising the
17	· · · · · · · · · · · · · · · · · · ·	LicenseProviderAttribute. The .NET component developer's
18	using at least one control from said first control set or said fourth control set to	conditional syntax statements (first control
19	govern at least one aspect of use of said second protected information while said	set) in its signed .msi file governs the offer/installation of the second .NET
20	second protected information is contained within said first secure container.	component while it is in the signed .msi file.
21	within said that accure container.	
22		Alternately, the set of declarative statements comprising the
23		LicenseProviderAttribute (fourth control set) of the licensed second .NET
		component governs use of the second .NET
24		component.
· 25	47. A method as in claim 41, in which said step of creating a third secure container	
26	includes:	The NET accombly developer's dealerstine
27	creating said third control set by incorporating at least one control not found	The .NET assembly developer's declarative statements (first alternative for third control
28	in said first control set or said second control set.	set) and/or the developer's conditional syntax statements (second alternative for
20		the third control set) are not found in either
		#

_		
1		the first control set or the second control set.
2		Set.
3	52. A method as in claim 41 in which said step of creating a third secure container occurs at a first site, and further	
5	comprising: copying or transferring said third secure	The .NET assembly developer at first site
6	container from said first site to a second site located remotely from said first site.	distributes its assembly to other sites.
7 <sub>.</sub>	53. A method as in claim 52 in which said first site is associated with a content distributor.	The NET assembly developer's business module is used to create and distribute its assembly.
0		
9	54. A method as in claim 53 in which said second site is associated with a user of content.	The .NET assembly developer distributes the assembly to end-users.
11	55. A method as in claim 54 further comprising the following step:	·
12	said user directly or indirectly initiating communication with said first site.	For Internet downloads, the user initiates the communication with the first site.
13		I will also I will also I will be a long of the long o
14	64. A method as in claim 54 in which said third control set includes one or more	When the third control set is the .NET assembly developer's declarative
15	controls at least in part governing the use by said user of at least a portion of said	statement(s) within the .NET assembly's header, it governs the user's use of the
16	first portion of said first protected information.	NET component (first protected information).
17	,	When the third control set is the .NET
18		assembly developer's conditional syntax statements of the .NET assembly
19		developer's signed .msi file, it governs the user's offer acceptance/installation of the .NET component (first protected
20		information).
21	76. A method as in claim 41 in which said	When the third secure container is the
22	creation of said third secure container further comprises using a template which	.NET assembly developer's signed .msi file and the third control set is the conditional
23	specifies one or more of the controls contained in said third control set.	syntax statements in that file.
24		Microsoft supplies several template .msi databases for use in authoring installation
25	·.	packages. The UISample.msi is the template recommended in the "An
26		Installation Example" on MSDN. This template msi files contains several default
27		conditional syntax statements. At least two
		of these conditional syntax statements directly govern the installation by blocking
28		progress until the EULA is accepted.

,	· ·	
1 2	78. A method as in claim 52 in which said creation of said third secure container	When the third secure container is the .NET assembly developer's signed .msi file and the third control set is the conditional
3	further comprises using a template which specifies one or more of the controls contained in said third control set.	syntax statements in that file.
4.	contained in said tillid control set.	Microsoft supplies several template .msi databases for use in authoring installation
5		packages. The UISample.msi is the template recommended in the "An
6		Installation Example" on MSDN. This template msi files contains several default
7		conditional syntax statements. At least two of these conditional syntax statements
8		directly govern the installation by blocking progress until the EULA is accepted.
9		
10		
11	·	
12		
13	·	
14		
15		
16		
17		
18		
19		
20		
21 22	·	
23		
24		
25		
26		
27		
ı	1	

### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP. INTERTRUST INFRINGEMENT CHART

118	FOR U.S. PATENT NO. 5,915,019

3		·
اد	81.	Infringing products include the .NET
4		Framework SDK, Microsoft Visual Studio NET, the Microsoft Installer SDK, and
5	÷.	products that include the Microsoft .NET CLR, and the Microsoft Installer
6	·	technology.
Ĭ	A data processing arrangement comprising:	<u> </u>
7	a first secure container comprising first protected information and a first rule set	The first protected information is the .NET component.
8	governing use of said first protected	
	information;	The first alternative for the first secure
9		container is the signed .msi file in which the .NET component developer packaged
10		its assembly. The first rule set is the conditional syntax statements written by
11		the NET component developer and placed into the signed .msi file.
12		
13		The second alternative for the first secure container is the signed cabinet file containing the (signed or unsigned) .NET
14		component. The set of declarative statements comprising the
15		LicenseProviderAttribute when its
		developer added licensing support to the
16		assembly is the first rule set.
		The third alternative for the first secure
17		container is the licensed and signed .NET
18		component governed by the set of
10		declarative statements comprising the
19		LicenseProviderAttribute (first rule set)
		added by the .NET component developer.
20	a second secure container comprising a	The first alternative for the second secure
٠, ا	second rule set;	container is the signed .msi file in which the .NET assembly developer packaged its
21	·	.NET assembly. The second rule set is the
22		conditional syntax statements written by
	·	the .NET assembly developer and placed
23		into the signed .msi file.
24	·	The second alternative for the second secure container is the signed .NET
ا ء		assembly. The second rule set is the
25		declarative statements in the .NET
26		assembly's header.
	means for creating and storing a third	When the second secure container is the
27	secure container; and	signed msi file, the third secure container is
ļ		the signed .NET assembly.
28		When the second secure container is the
ŀ		when the second secure container is the

Exhibit B

293482.02

	:	
1		signed .NET assembly, the third secure container a .NET component secured by
2		placing it in a signed cabinet file or by
. 3		including its hash in the header of the assembly.
. 4	means for copying or transferring at least a	When the second secure container is the signed msi file and the third secure
5	portion of said first protected information and a third rule set governing use of said portion of said first protected information	container is the signed .NET assembly, the third rule set is the set of declarative
6	to said second secure container, said means for copying or transferring comprising:	statements within the assembly's header.
7	and copying or management grounds	When the second secure container is the signed .NET assembly, the third rule set is
8		the set of declarative statements comprising the License Provider Attribute (third rule
9	`	set) added to the .NET component by its developer.
10	means for incorporating said third secure container within said second	When the second secure container is the signed msi file and the third secure
11	secure container.	container is the signed .NET assembly, the assembly is placed in the signed .msi file.
12		When the second secure container is the signed .NET assembly and the third secure
13		container is a .NET component contained in a signed cabinet file or a .NET
14		component whose hash is included in the header of the assembly, the third secure
15		container is incorporated within the .NET
16		assembly.
	82. A data processing arrangement as in	assembly.
17	claim 81 further comprising:	
17 18	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern	When the third rule set is declarative statements within the assembly's header, it
17	claim 81 further comprising: means for applying at least one rule from	When the third rule set is declarative
17 18 19	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of
17 18 19 20	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the
17 18 19 20 21	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the
17 18 19 20 21 22	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the .NET component by its developer, it
17 18 19 20 21 22 23	means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said portion of said first protected information.  83. A data processing arrangement as in claim 82 further comprising: means for applying at least one rule from	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the .NET component by its developer, it ensures the user is licensed.
17 18 19 20 21 22 23 24	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said portion of said first protected information.  83. A data processing arrangement as in claim 82 further comprising: means for applying at least one rule from said second rule set to at least in part govern at least one factor related to use of	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the .NET component by its developer, it ensures the user is licensed.  When the second rule set is the conditional syntax statements written by the .NET assembly developer and placed into the
17 18 19 20 21 22 23 24 25	means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said portion of said first protected information.  83. A data processing arrangement as in claim 82 further comprising: means for applying at least one rule from said second rule set to at least in part	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the .NET component by its developer, it ensures the user is licensed.  When the second rule set is the conditional syntax statements written by the .NET
17 18 19 20 21 22 23 24 25 26	claim 81 further comprising: means for applying at least one rule from said third rule set to at least in part govern at least one factor related to use of said portion of said first protected information.  83. A data processing arrangement as in claim 82 further comprising: means for applying at least one rule from said second rule set to at least in part govern at least one factor related to use of said portion of said first protected	When the third rule set is declarative statements within the assembly's header, it governs the use of the .NET assembly which includes the first protected information.  When the third rule set is the set of declarative statements comprising the LicenseProviderAttribute added by the .NET component by its developer, it ensures the user is licensed.  When the second rule set is the conditional syntax statements written by the .NET assembly developer and placed into the signed .msi file, it governs the

1 2		it governs the use of the .NET assembly, which includes the first protected information.
3		i information.
4		
5		
6		
7		
8		
9		•
10	***	
11		
12		•
13		
14	·	
15		
16		
17		
18	·	•
19	·	·
20		·
21		
22		
23	·	
24		
25		
26		
27		
28	1	

Exhibit E

3	·	
,	85. A method comprising the following	Infringing products include the .NET
4	steps:	Framework SDK, Microsoft Visual Studio
		NET, the Microsoft Installer SDK, and
5		products that include the Microsoft .NET
		CLR, and the Microsoft Installer
6		technology.
	creating a first secure container comprising	The first protected information is the .NET
7	a first rule set and first protected	component.
	information;	The Cost cooper container is a signed NET
8	·	The first secure container is a signed .NET component (first protected information)
		governed by the set of declarative
9		statements comprising the
		LicenseProviderAttribute (first rule set).
10		Biochisol 10 (100)
11		The second alternative for the first secure
1 1	•	container is a cabinet file signed by the
12		.NET component developer containing a
		(signed or unsigned) .NET component with
13	,	license support. The first rule set is the set
		of declarative statements comprising the
14		LicenseProviderAttribute.
i	storing said first secure container in a first	The first secure container is stored at the
15	memory;	NET component developer's location.
	creating a second secure container	The first alternative for the second secure
16	comprising a second rule set;	container is a signed .NET assembly and the second rule set is declarative
		statement(s) within the assembly's header.
7		Statement(s) within the assembly s header.
18		The second alternative for the second
0		secure container is the signed .msi file in
9	,	which the .NET assembly developer
		packages its (signed or unsigned)
20	••	assembly. The second rule set is the
		conditional syntax statement(s) written by
21		the .NET assembly developer and placed
		into the signed .msi file.
22	storing said second secure container in a	The second secure container is stored at the
.	second memory;	NET assembly developer's location.
23	copying or transferring at least a first	The .NET component developer packages its module in a signed .msi file for
	portion of said first protected information to said second secure container, said	distribution to the .NET assembly
24	copying or transferring step comprising:	developer's site.
25	creating a third secure container	The third secure container is the signed
رد	comprising a third rule set;	.msi file in which the .NET component
26	comprising a unitariale set,	developer packaged its .NET component.
-		The third control set is the conditional
27		syntax statements written by the .NET
·		component developer and placed into the
28		signed .msi file.
,	copying said first portion of said	In preparation for using a msi authoring
1		.

Exhibit B 133

1

,	1	
1	first protected information;	tool, such as Microsoft's Orca, copying the .NET component to a package staging area.
2	transferring said copied first portion	Using the msi authoring tool to import the
3	of said first protected information to said third secure container; and	.NET component into the signed .msi file.
4	copying or transferring said copied	The .NET assembly developer installs the
4	first portion of said first protected	.NET component, which involves
5	information from said third secure container to said second secure	removing it from the .NET component developer's signed .msi file and installing it
6	container.	into its environment. Subsequently, the
		.NET assembly developer places the .NET component into its .NET assembly and/or
7		signed msi file when it is packaging its
8		.NET assembly.
9	87. A method as in claim 85 in which said	The entire .NET component is copied.
,	copied first portion of said first protected	
10	information consists of the entirety of said first protected information.	
11		
12	89. A method as in claim 85 in which said first memory is located at a first site,	The first memory is located at the .NET
12	•	component developer's site.
13	said second memory is located at a second site remote from said first site, and	The second memory is located at the .NET assembly developer's site.
14	said step of copying or transferring said	The .NET component developer's signed
15	first portion of said first protected information to said second secure container	.msi file is transferred from its site to the site of the .NET assembly developer.
13	further comprises copying or transferring	site of the INET assembly developer.
16	said third secure container from said first	
17	site to said second site.	
10	94. A method as in claim 85 further	
18	comprising: creating a fourth rule set.	When the second secure container is not a
19	8	signed .NET assembly, the fourth rule set is
20		declarative statements within the assembly's header.
٠,		
21		When the second secure container is not the signed .msi file in which the .NET
22		assembly developer packages its (signed or
23		unsigned) assembly, the fourth rule set is the conditional syntax statements written
		by the .NET assembly developer and
24		placed into the signed .msi file.
25		
26		
	-	
27		
28		
1	<u> </u>	

### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP.

INTERTRUST INFRINGEMENT CHART FOR U.S. PATENT NO. 5,915,019

3		
	85 (alternate infringing scenario)	I C: : 1 4: 1 1 4: NET
4	A method comprising the following steps:	Infringing products include the .NET
·		Framework SDK, Microsoft Visual Studio
5	· · · · · · · · · · · · · · · · · · ·	NET, the Microsoft Installer SDK, and
		products that include the Microsoft .NET
6		CLR, and the Microsoft Installer
		technology. The first protected information is the .NET
7	creating a first secure container comprising	component.
	a first rule set and first protected	component.
8	information;	The first alternative for the first secure
	· ·	container is the signed and licensed .NET
9		component. The first rule set is the set of
10	<u>.</u> ,	declarative statements comprising the
10 ]		LicenseProviderAttribute in the .NET
11		component.
·		
12		The second alternative for the first secure
		container is a (signed or unsigned) .NET
13		component with license support contained
		within a cabinet file signed by the .NET component developer. The first rule set is
14		the set of declarative statements comprising
ا ء.		the LicenseProviderAttribute in the .NET
15		component.
16		
10		The third alternative for the first secure
17		container is the signed .msi file in which
•		the .NET component developer packaged
18	·	its assembly. The first rule set is the
		conditional syntax statements written by
19		the .NET component developer and placed into the signed .msi file.
	storing said first secure container in a first	The first secure container is stored at the
20	memory;	.NET component developer's location.
21	creating a second secure container	The first alternative for the second secure
21	comprising a second rule set;	container is a signed .NET assembly and
22	comprising a cocord rate set,	the second rule set is declarative
22		statement(s) within the assembly's header.
23	*	
		The second alternative for the second
24.		secure container is the signed .msi file in
		which the .NET assembly developer
25		packages its (signed or unsigned)
	·	assembly. The second rule set is the conditional syntax statement(s) written by
		i conditional syntax statementi si written by
26		
		the .NET assembly developer and placed
<b>26</b> 27	araing said second secure container in a	the .NET assembly developer and placed into the signed .msi file.
27	storing said second secure container in a	the .NET assembly developer and placed into the signed .msi file.  The second secure container is stored at the
	storing said second secure container in a second memory; copying or transferring at least a first	the .NET assembly developer and placed into the signed .msi file.

Exhibit B

1	.*	
2	portion of said first protected information to said second secure container, said	.NET component into the third secure container, which is either a signed cabinet
3	copying or transferring step comprising: creating a third secure container	file or a signed .NET assembly.  When the second secure container is the
4	comprising a third rule set;	signed .msi file, the third secure container is the signed .NET assembly. The third
5		rule set is the declarative statement(s) in the .NET assembly's header.
6	,	When the second secure container is either
7		a .NET assembly or the signed .msi file, the third secure container is a signed cabinet
. 8	'	file in which the .NET assembly developer placed licensed .NET component. The third rule set is the set of declarative
9		statements comprising the LicenseProviderAttribute in the .NET
10 -		component.
11	copying said first portion of said first protected information;	Copying the .NET component to either the .NET assembly or to the signed cabinet file.
12	transferring said copied first portion	Transferring the .NET component to either
	of said first protected information to said third secure container; and	the .NET assembly or the signed cabinet file.
13	copying or transferring said copied	When the second secure container is the
14	first portion of said first protected	signed .msi file and the third secure
15	information from said third secure container to said second secure container.	container is the signed .NET assembly, the .NET assembly is placed into the signed .msi file.
1.6		
17		When the second secure container is either the .NET assembly or the signed .msi file
18		and the third secure container is the signed cabinet file, the signed cabinet file is placed into either the .NET assembly or the signed
19		.msi file.
20	87. A method as in claim 85 in which said copied first portion of said first protected	The entire .NET component is copied.
21	information consists of the entirety of said first protected information.	
22	93. A method as in claim 85 in which	
23	said step of copying transferring said copied first portion of said first protected	When the third secure container is the signed .NET assembly, it is placed in the
24	information from said third secure container to said second secure container	signed in the signed in the
25	further comprises storing said third secure container in said second secure container.	When the third secure container is a signed cabinet file, it can be placed in either the
26		.NET assembly and/or the signed .msi file.
27	94. A method as in claim 85 further comprising:	
28	creating a fourth rule set.	When the second rule set is declarative statement(s) within the assembly's header,

1		
1 2 3		the fourth rule set is the conditional syntax statement(s) written by the .NET assembly developer and placed into the signed .msi file.
	·	When the second rule set is the conditional
4 · 5		syntax statement(s) written by the .NET assembly developer and placed into the
6		signed .msi file, the fourth rule set is declarative statement(s) within the
7		assembly's header or the set of declarative statements comprising the LicenseProviderAttribute in the .NET
8		component.
	95. A method as in claim 94 further	<del>                                     </del>
9	comprising:	
10	using said fourth rule set to govern at least one aspect of use of said copied first	If the fourth rule set is the .NET assembly developer's declarative statement(s) within
11	portion of said first protected information.	the .NET assembly's header, it governs the use of the .NET component.
12		If the fourth rule set is the conditional
13		syntax statements of the .NET assembly developer's signed .msi file, it governs the
14		offer/installation of the .NET component.
15		
16		
1,7.		
18	·	
19		·
20		
21		
22		
23		
24		
25		
26		
27		
28		
		ų.

3	FOR U.S. PATENT NO. 5,915,019	
-	85 (second alternate scenario for .NET)	Infining medical in the symmetry
4		Infringing products include the .NET
		Framework SDK, Microsoft Visual Studio NET, the Microsoft Installer SDK, and
5		products that include the Microsoft .NET
_		CLR, and the Microsoft Installer
6	· · · · · · · · · · · · · · · · · · ·	technology.
	A method comprising the following steps:	
7		
0	a first rule set and first protected information;	component.
8	intormation,	The Court of the C
. 9		The first alternative for the first secure
. ,		container is the signed and licensed .NET component. The first rule set is the set of
10		declarative statements comprising the
		LicenseProviderAttribute in the .NET
11		component.
10		
12		The second alternative for the first secure
13		container is a (signed or unsigned) .NET component with license support contained
••		within a cabinet file signed by the .NET
14		assembly developer. The first rule set is
		the set of declarative statements comprising
15		the LicenseProviderAttribute in the .NET
16	#	component.
10	1	The third alternative for the first secure
17	1	container is a .NET component whose hash
		is included in the assembly header of a
18	1	.NET assembly. The first rule set is the set
10	1	of declarative statements comprising the
19		LicenseProviderAttribute in the .NET
20		component.
~0	storing said first secure container in a first	The first secure container is stored at the
21	memory;	NET assembly developer's location.
	creating a second secure container	The second secure container is the signed
22	comprising a second rule set;	.msi file in which the .NET assembly
23		developer packages its signed assembly.
23		The second rule set is the conditional
24		syntax statement(s) written by the .NET
		assembly developer and placed into the signed .msi file.
25	storing said second secure container in a	The second secure container is stored at the
	second memory;	NET assembly developer's location.
26	copying or transferring at least a first	The .NET assembly developer places the
22	portion of said first protected information	.NET component into the third secure
27	to said second secure container, said	container, which is the signed .NET
28	copying or transferring step comprising: creating a third secure container	assembly.
20	comprising a third rule set;	The third secure container is a signed .NET
Ì	"	assembly and the third rule set is
1	•	<b>;;</b>

Exhibit B

1		declarative statement(s) within the assembly's header.
2	copying said first portion of said	Copying the .NET component to the .NET
3	first protected information; transferring said copied first portion	Transferring the .NET component to the
4	of said first protected information to said third secure container; and	.NET assembly.
5	copying or transferring said copied first portion of said first protected	When the second secure container is the signed .msi file and the third secure
6	information from said third secure container to said second secure	container is the signed .NET assembly, the .NET assembly is placed into the signed
7	container.	.msi file.
8	87. A method as in claim 85 in which said	The entire .NET component is copied.
9	copied first portion of said first protected information consists of the entirety of said	
10	first protected information.	
11	90. A method as in claim 85 in which said first memory and said second memory	First and second memory is at the .NET
12	are located at the same site.	assembly developer's location.
13	93. A method as in claim 85 in which	
13	said step of copying transferring said	When the third secure container is the
14	copied first portion of said first protected information from said third secure	signed .NET assembly, it is placed in the signed .msi file.
15	container to said second secure container further comprises storing said third secure	
16	container in said second secure container.	
17		
18		
19		
20		·
21		
22		
23		
24.		
25		
26		
27		
28		
	<u>[</u> .	::

### INTERTRUST TECHNOLOGIES CORP. v. MICROSOFT CORP.

INTERTRUST INFRINGEMENT CHART FOR U.S. PATENT NO. 5,915,019

3		
	96. A method comprising performing the	A signed and licensed .NET component
. 4.	following steps within a virtual distribution environment comprising one or more	(first container) is part of a .NET assembly (second container), which is packaged in a
5	electronic appliances and a first secure	signed .msi file (third container).
6	container, said first secure container comprising a first control set and first	
U	protected information:	
7	using at least one control from said first control set to govern at least one aspect of	The first secure container is a licensed and signed .NET component governed by the
. 8	use of said first protected information	set of declarative statements comprising the
9	while said first protected information is contained within said first secure container;	LicenseProviderAttribute (one control).
9	creating a second secure container	The second secure container is a .NET
10	comprising a second control set for governing at least one aspect of use of	assembly, the protected information is the assembly and the second control set is
11	protected information contained within said	declarative statement(s) within the
	second secure container;	assembly's header.
12	incorporating a first portion of said first protected information in said second secure	Included in the .NET assembly is the .NET component.
13	container, said first portion made up of	
14	some or all of said first protected information;	·
	using at least one control to govern at least	The declarative statement(s) govern the use
15	one aspect of use of said first portion of said first protected information while said	of the .NET component and the custom LicenseProvider class (first control set)
16	first portion is contained within said second	controls the .NET component.
17	secure container; and incorporating said second secure container	The third secure container is the signed
	containing said first portion of said first	.msi file in which the .NET assembly
18	protected information within a third secure container comprising a third control set.	developer packages its assembly. The third control set is the conditional syntax
19	comainer comprising a unita control set.	statements written by the assembly
20		developer and placed into the signed .msi file.
20		1116.

 <i>RUST TECHNOLOC</i> INTERTRUST IN		
	PATENT NO	
2020.51		. 2,5 . 5,0 . 0

3	FOR U.S. PATENT NO. 5,949,876	
4.		
5 6	2.	Infringement is based on Microsoft's Visual Studio .NET and/or the .NET Framework licensing tools (in the.NET Framework SDK) and/or Microsoft Installer
	Atfor	SDK
7	A system for supporting electronic commerce including:	
8	means for creating a first secure control set at a first location;	The first location is a .NET component developer's site.
9	set at a first ideation,	The first secure control set is the set of declarative
10		statements comprising the <i>LicenseProviderAttribute</i> of a first .NET licensed component that provides for a design-time license to use the control. This attribute
11	·	also specifies the type of license validation that occurs. The component is encapsulated in a signed .NET
12		assembly.
13	means for creating a second secure control set at a second location;	The second location is the .NET application developer's site where a .NET application comprising one or more assemblies is created.
14		`
15		The second secure control set comprises the declarative statement(s) (including licensing
16		statements, and code access security statements) of a signed .NET assembly using or calling the first .NET
17	·	component. The control set can include a set of security permissions demanded by the .NET assembly
17		containing the licensed component, whereby the
18		permissions are demanded of components that call the application components. The control set can also be
19		extended by controls expressed as conditional syntax statements in a signed .msi file containing a click
20		through end-user license (the end-user license scenario).
21	means for securely communicating said first secure control set from said first	The first .NET control set is securely communicated from the first location developer to the .NET solution
22	location to said second location; and	provider by either being contained in a signed
23		assembly, within a signed cabinet file or within a signed .msi file.
24	means at said second location for securely integrating said first and	At the second location, the solution developer uses the .NET runtime that includes the LicenseManager.
	second control sets to produce at least a	Whenever a class (control or component) is
25	third control set comprising plural elements together comprising an	instantiated (here, an instance of the first .NET
26	electronic value chain extended	licensed component), the license manager accesses the
27	agreement.	proper validation mechanism for the control or component. A value chain is created through the
		creation of a run-time license for use of the first .NET component in the context of use of the .NET
28		application developed at the second location. The

293482.02

1

2		license controls for the runtime license (derived from the design time license) are bound into the header of the .NET application assembly, along with the second control set.
. 4 5 6 7 8		The creation of runtime license controls is securely handled by Visual Studio.NET or the LC tool. Runtime licenses are embedded into (and bound to) the executing assembly. The license control attribute included in the first .NET component is customized in the second location to express and require the runtime license. In a different scenario, the LC tool is used to create a ".licenses file" containing licenses for multiple components, including runtime licenses for components and classes created by the license provider. This .licenses file is embedded into the assembly.
. 10	·	The third control set is an extended value chain agreement that comprises the runtime license controls
11		for the first .NET licensed class (that had been bound to the assembly), the declarative controls provided by
12		the solution provider in the solution provider's assembly, and any runtime licenses for other
13		components included by the solution provider in the solution provider's assembly, and any end user license
14		agreement provided by the application provider. The controls are typically integrated into the header of the
15		.NET application assembly calling the first .NET licensed component.
16	·	A further "end user licensing scenario" occurs when, at the second location, the application developer
17 18	·	packages the application into a signed .msi file that includes conditional syntax statement controls that
19		require that a user read and agree to an end user license agreement for the application and the
20		embedded first component. The third control set includes a plurality of elements that include the runtime licenses mentioned above, security permissions
21	·	controls, EULA controls (a fourth control set), all securely bound into the signed .msi file.
22		
23	11. A system as in claim 2 in which said	The Microsoft .NET Framework provides a
24	first location and said second location are contained within a Virtual Distribution	Virtual Distribution Environment. Here the nodes are the Common Language Runtime
25	Environment.	instances that interpret the controls contained within .NET assemblies (among
26	`	other functions).
27		
28	29. A system as in claim 2 in which said first secure control set includes required	The licensing control in the first control set specifies the method required to validate
		Falible B
		Exhibit Bill 142

terms.	the license.
32. A system as in claim 2 in which said second secure control set includes required terms.	The security permissions demanded (as described above) are required terms for execution of the application code elements.
60. A system as in claim 2 in which said means for securely integrating said first and	In the scenario where the application assembly is distributed using a signed .msi
second control sets includes a fourth control set.	file, the secure integration of the first and second control sets is enhanced by the
	tamper protection afforded by the signed .msi file. In the end user license scenario, a fourth control set consisting of conditional
	syntax statements is included in the .msi file.
130. A system as in claim 2 further	The third control set is executed under the
including means for executing said third control set within a protected processing environment.	auspices of the CLR
132. A system as in claim 130 in which said protected processing environment is	The third control set is executed at an enduser site within the CLR.
located at a location other than said second location.	
161. A system as in claim 2 in which said third control set includes controls	In the end user license scenario, the third control set includes a fourth control set tha
containing human-language terms corresponding to at least certain of the	requires that the human user agree with license terms displayed to the user. These
machine-executable controls contained in said third control set.	human readable terms are referenced in the conditional syntax statement controls contained in the signed .msi file.
162. A method as in claim 161 in which said human-language terms are contained	The .msi file is a data descriptor data structure.
in one or more data descriptor data structures.	Si detale.
170. A system as in claim 2 in which said	The creation of the first licensed
means for creating a first secure control set includes a protected processing	component, including its licensed controls is carried out under the auspices of the
environment.	CLR.
171. A system as in claim 2 in which said means for creating a second secure control	The application design time environment and the creation of the .NET application is
set includes a protected processing environment.	carried out under the auspices of the CLR.
172. A system as in claim 2 in which said	The means for integrating the runtime
means at said second location for securely integrating includes a protected processing environment.	license with the application controls is carried out under the auspices of the CLR.
329. A system as in claim 2 in which said	VS.NET runs under Windows.
	ii

2	means for creating a first secure control set includes an operating system based on or compatible with Microsoft Windows.	
3	3	
4	330. A system as in claim 2 in which said means for creating a second secure control set includes an operating system based on	VS.NET runs under Windows.
5		
6		VS.NET runs under Windows.
7	means at said second location for securely	Vol. (2) Tails and Windows.
8	sets includes an operating system based on	
0		
9	comprising means by which said third	The third control set in the scenario described in the claim map for claim 2
10	control set governs the execution of at least one load module.	governs a portable .NET executable designed to be loaded into the CLR
11		environment (a CLR host).
12	347. A system as in claim 2 farther comprising means by which said third	The third control set in the scenario
13	control set governs the execution of at least one method.	described in the claim map for claim 2 governs a .NET executable. This
14	one memod.	executable contains one or more methods.
15	349. A system as in claim 2 further comprising means by which said third	The third control set in the scenario described in the claim map for claim 2
16	control set governs the execution of at least one procedure.	governs a .NET executable. This executable contains one or more
17		procedures.
18		
19		
20		
21		
22		
23		·
24	·	
25		
26		
27		
28		

. 3			
4	CLAIM LANGUAGE	CLAIM OF INFRINGEMENT	
5	48.	Infringing products include Microsoft SMS (Systems Management Server) 2.0 and subsequent versions.	
6	A method for narrowcasting selected digital information to specified		
7	recipients, including:  a) at a receiving appliance, receiving	The receiving appliance is the client (e.g., end	
8	selected digital information from a	user computer in an Enterprise setting) receiving digital information (packages and/or	
9	sending appliance remote from the receiving appliance,	advertisement files) from the sending appliance, the centralized SMS database via a	
10		Client Access Point and/or Distribution Point set up on a server.	
11	the receiving appliance having a	The "node" is "secure" as a result of SMS	
12	secure node and being associated with a specified recipient;	security, as well as how it identifies and selects clients.	
13 14		The "specified recipient" is the result of the collection identifying a specific client that meets the criteria for a package or	
15		advertisement.	
16	i) the digital information having	The digital information is a software package	
17	been selected at least in part based on the digital information's membership in	or advertisement. The "first class membership was determined in part using rights	
18	a first class, wherein the first class membership was determined at least in part using rights management	management information" reads on creating software packages (or advertisements) based on attributes of the software.	
19	information; and		
20 21	ii) the specified recipient having been selected at least in part based on	The "specified recipient" is the client selected to receive a package or advertisement. That	
22	membership in a second class, wherein the second class membership was determined at least in part on the basis	recipient is chosen based on a collection rule, or on the recipient's possession of a license.	
23	of information derived from the	·	
24	specified recipient's creation, use of, or interaction with rights management information; and	·	
25	b) the specified recipient using the receiving appliance to access the	The receiving appliance is the client computer. The SMS agents on the client computer	
26	receiving apphance to access the received selected digital information in accordance with rules and controls,	receive, evaluate and take the appropriate action based on rules and controls governing	
27	associated with the selected digital information.	the package and/or advertisement (i.e. the selected digital information).	
28			
-0	the rules and controls being enforced	Rules and controls are enforced by Agents on	
j			

1

•			
1	by the receiving appliance secure node.	the client (the secure node)	
2			
3	60 Th	E	
4	59. The method of claim 48 wherein said received selected digital information is at least in part event	Event information includes SMS event information, including Scheduling Classes.	
5	information.		
6	63. The method of claim 48 wherein said received selected digital information is at least in part executable	All SMS packages must include a minimum of one program.	
7	software.	A	
8	70. The method of claim 48 wherein said rules and controls at least in part govern usage audit record creation.	A control governs whether a MIF (management information file) is sent back to the SMS db after installation is done to report	
9		on the success or failure of the installation.	
10	89. The method of claim 48 wherein said receiving appliance is a personal	The primary purpose of SMS is to manage software on personal computers throughout the	
11	computer.	Enterprise.	
12		•	

. 3	·	
.4	E SE SE SE SE SE SE SE SE SE SE SE SE SE	E SE GLATIMO FINIRING EMENTE.
5	48.	Infringing products include Windows Media Player and Windows Media Rights Manager
6	A method for narrowcasting selected digital information to specified recipients,	This claim pertains to Windows Media Player with Individualized DRM Client and
7	including:	Windows Media Rights Manager used in the context of a narrowcast pay-per-view
8		(hear) media distribution service., simulcast and/or subscription services.
.9	(a) at a receiving appliance, receiving	Receiving appliance is a user's PC with
10	selected digital information from a sending appliance remote from the receiving	individualized DRM client (secure node). Specified recipient is a user using the
11	appliance, the receiving appliance having a secure node and being associated with a	specific individualized DRM client to access and render narrowcast pay-per-view
12	specified recipient	media, simulcast and/or subscription services for which the user acquires a
13		license.
14	(i) the digital information having been	The digital information is media that is
15	selected at least in part based on the digital information's membership in a first class,	narrowcast to licensed recipients. These narrowcast streams are licensed to users
16	wherein the first class membership was determined at least in part using rights	who have acquired licenses and whose PCs (appliances) support WMPs that have individualized DRM clients. This attribute
17 18	management information; and	is included in the signed WMA file header and is used in the process of acquiring
19		licenses for access to the media. Media that are licensed to the recipient have their
20		licenses bound to the recipient's Individualization module.
21	(ii) the specified recipient having been selected at least in part based on	The recipient is selected for this content based on the fact that the recipient is a
22	membership in a second class, wherein the second class membership was determined	member of the class of recipients who have a license for the narrowcast media and
23	at least in part on the basis of information derived from the specified recipient's	whose devices support WMP and individualized DRM clients. The
24	creation, use of, or interaction with rights management information; and	recipient's machine must indicate support for individualization in challenges that are
25		sent as part of requests for media in this narrowcast class.
26	(b) the specified recipient using the receiving appliance to access the received	Recipient's machine uses WMP and the individualized DRM client to access the
27	selected digital information in accordance with rules and controls, associated with the	narrowcast media in accordance with all rules associated with the media and
	selected digital information, the rules and controls being enforced by the receiving	contained in the media license – in particular, requirements that
28	appliance secure node.	individualization be supported.

Exhibit B

1		
2		CALCANY COLLINGRAL WOLLD WITH COLLINGRAL
2	61. The method of claim 48 wherein said	The digital information is Windows Media,
3	received selected digital information is at least in part entertainment information.	which encodes audio/visual entertainment content.
4		
5	62. The method of claim 61 wherein said entertainment information is at least in part music information.	Reads on narrowcast Windows Media Files that are music or audio/visual.
6		
7	67. The method of claim 48 wherein said rules and controls at least in part use digital certificate information.	The license contains a digital certificate. The DRM client uses the certificate in the license to verify this signature and to verify
8		that the header has not been tampered with.
9	72. The method of claim 48 wherein said	The signed header contains at least one
	rules and controls in part specifying at least	URL that indicates to the Windows Media
10	one clearinghouse acceptable to rightsholders.	Rights Manager the license clearinghouse to be used in acquiring licenses.
11		
12	75. The method of claim 72 wherein said at least one acceptable clearinghouse is a rights and permissions clearinghouse.	This clearinghouse is a license clearinghouse responsible for mapping
13	rights and permissions clearinghouse.	rights and permissions onto requested content or narrowcasts and binding them to the requesting client environment or user of
14		this environment.
15	89. The method of claim 48 wherein said	Windows Media Player and the
16	receiving appliance is a personal computer.	Individualized DRM client run on a personal computer.
17		

	121(11(0),0,112,101
91	Infringing products include Windows Media Player and Windows Media Rights
	Manager
A method for securely narrowcasting selected digital information to specified recipients including:	This claim pertains to Windows Media Player with Individualized.DRM Client and Windows Media Rights Manager used in
recipionis moraumg.	the context of a narrowcast simulcast, pay- per-view (hear) media distribution service.
	and/or subscription services. The content is delivered in a Protected Windows Media File.
(a) receiving selected digital information in	Narrowcast content is received in a
a secure container at a receiving appliance	Protected Windows Media File. Receiving appliance is user's PC with individualized
receiving appliance having a secure node,	DRM client (secure node).
with a receiving entity	
(i) the digital information having been selected at least in part based	The digital information is media that is narrowcast to licensed recipients (for
on the digital information's membership in a first class,	example, a sold-out concert is narrowcast on the Internet to "the class of" licensed (or
(ii) the first class membership	ticketed) viewers). These narrowcast streams are licensed to
having been determined at least in	users who have acquired licenses and whose PCs (appliances) support WMPs
information	that have individualized DRM clients. This attribute is included in the signed WMA
·	file header and is used in the process of acquiring licenses for access to the media.
	Media that are licensed to the recipient have their licenses bound to the recipient's
(h) the receiving antitudes in a hear	individualization module.
	The recipient is selected for this content based on the fact that the recipient is a
	member of the class of recipients who has a
class,	license for the narrowcast media.
(i) the second class membership	The recipient class is determined by the
	license bound to the user's device that
	supports WMP and individualized DRM clients. The recipient's machine must
creation, use of, or interaction with	indicate support for individualization in
rights management information	challenges that are sent as part of requests
	for media in this narrowcast class.
	Receives a protected Windows Media File
	Receives a license that is bound to the file
	as well as to the specific DRM client
· · · · · · · · · · · · · · · · · · ·	individualization information.
(d) using at the receiving appliance the selected digital information in accordance	Recipient's machine uses WMP and the individualized DRM client to access the
	A method for securely narrowcasting selected digital information to specified recipients including:  (a) receiving selected digital information in a secure container at a receiving appliance remote from a sending appliance, the receiving appliance having a secure node, the receiving appliance being associated with a receiving entity  (i) the digital information having been selected at least in part based on the digital information's membership in a first class,  (ii) the first class membership having been determined at least in part using rights management information  (b) the receiving entity having been selected at least in part based on said receiving entity's membership in a second class.  (i) the second class membership having been determined at least in part on the basis of information derived from the recipient entity's creation, use of, or interaction with rights management information  (c) receiving at the receiving appliance rules and controls in a secure container,  (i) the rules and controls having been associated with the selected digital information; and  (d) using at the receiving appliance the

₂Exhibit B 149

1		
2	with the rules and controls,	narrowcast media in accordance with all rules associated with the media and contained in the media license – in
3		particular, requirements that individualization be supported.
4	enforced by the receiving appliance	The WMP and DRM client enforce the rules embedded in the Protected Windows
5	secure node.	Media File License.
. 6	received selected digital information	The digital information is Windows Media, which encodes audio/visual entertainment
7	includes entertainment information.	content.
8	109. The method of claim 91 wherein said rules and controls at least in part use digital	The license contains a digital certificate.
· 9 10	certificate information.	The DRM client uses the certificate in the license to verify this signature and to verify that the header has not been tampered with.
	114. The method of claim 91 wherein said	The signed header contains at least one
11	rules and controls specify at least one clearinghouse acceptable to rightsholders.	URL that indicates to the Windows Media Rights Manager the license clearinghouse
		to be used in acquiring licenses.
13	117. The method of claim 114 wherein said at least one acceptable clearinghouse is a	This clearinghouse is a license clearinghouse responsible for mapping
14	rights and permissions clearinghouse.	rights and permissions onto requested content or narrowcasts and binding them to
15		the requesting client environment or user of this environment.
16	131. The method of claim 91 wherein said	
17	receiving appliance is a personal computer.	Windows Media Player and the individualized DRM client run on a personal computer.
18		parent.
19		
20	·	•
21		·
22		
23		
24		+ **
25	•	
26		
~~		

27

-		
4	CLAIM LANGUAGE 14	CLAIM OF INFRINGEMENTS (A)
5	1.	Products infringing: Microsoft Visual Studio .NET, .NET License Compiler, .NET
6	·	Framework SDK, and .NET Common Language Runtime
7	A method including	A method for producing a third .NET component (application) that incorporates first
8		and second .NET component whose distribution is license controlled.
9	creating a first secure container including a	The first secure container is a first signed
10 11	first governed item and having associated a first control;	.NET component that includes a license control. The governed item is the .NET component.
12		The first control is the set of declarative statements comprising the
13		LicenseProviderAttribute of a first .NET licensed component that provides for a design-
14		time license to use the control. This attribute also specifies the type of license validation that
15		occurs.
16 17	creating a second secure container including a second governed item and having associated a second control;	The second secure container is the second signed .NET component that includes a license control. The governed item is the .NET
18	second control,	component.
19		The second control is the set of declarative statements comprising the
20	·	LicenseProviderAttribute of a second .NET licensed component that provides for a design-time license to use the control. This attribute
21	·	also specifies the type of license validation that occurs.
22 23	transferring the first secure container from a first location to a second location;	The creator distributes a signed and licensed .NET component.
24	instruction to a second location,	•
25		An application developer at a second location downloads a first .NET component for inclusion into an application.
26	transferring the second secure container from a	A creator distributes a signed and licensed
27	third location to the second location;	.NET component from a different location.
28		Application developer downloads a second .NET component for inclusion into an application.
j	\$	

Exhibit B

293482.02

1

2

1		
•	at the second location obtaining second to at	At the record loggion the application
<ul><li>2</li><li>3</li><li>4</li></ul>	at the second location, obtaining access to at least a portion of the first governed item, the access being governed at least in part by the first control;	At the second location, the application developer uses the .NET runtime that includes the LicenseManager to access a first governed item.
5		Whenever a class (control or component) is instantiated (here, an instance of the first .NET licensed component), the license manager
6	·	accesses the proper validation mechanism for the control or component.
7 8		The first control comprises the declarative statement(s) (including licensing statements,
9	·	and code access security statements) of the first .NET component.
0	at the second location, obtaining access to at least a portion of the second governed item, the access being governed at least in part by the	At the second location, the application developer uses the .NET runtime that includes the LicenseManager to access a second
}	second control;	governed item.  Whenever a class (control or component) is instantiated (here, an instance of the second
;		.NET licensed component), the license manager accesses the proper validation
1		mechanism for the control or component. The second control comprises the declarative statement(s) (including licensing statements,
5		and code access security statements) of the second .NET component.
, }	at the second location, creating a third secure container including at least a portion of the first governed item and at least a portion of the second governed item and having associated at least one control, the creation being governed	At the second location, the application developer uses the .NET runtime that includes the LicenseManager to access a first governed item and second governed item to construct an application, the third secure container.
	at least in part by the first control and the second control.	Creation governance is accomplished by invoking the .NET runtime to access the first governed item and the second governed item.
		Whenever a class (control or component) is instantiated the license manager accesses the
3		proper validation mechanism for the control or component.
4		The portions of the first governed item and second governed item that are being included
		in the third secure container will typically include the governed items themselves, ie. the .NET components.
7	·	The associated control in this case is the LicenseProviderAttribute, created and inserted into the application.
		•